


Inventory as of 02/16/2007

| Dimension | Size | Qty | SqFt |
|---|---|---|---|
| 10x10 | 100 | 329 | 32,900 |
| 10x20 | 200 | 37 | 7,400 |
| 10x30 | 300 | 2 | 600 |
| 20x20 | 400 | 13 | 5,200 |
| 20x30 | 600 | 8 | 4,800 |
| 20x40 | 800 | 6 | 4,800 |
| 30x30 | 900 | 1 | 900 |
| 30x40 | 1,200 | 2 | 2,400 |
| 30x50 | 1,500 | 1 | 1,500 |
| 40x40 | 1,600 | 2 | 3,200 |
| 40x50 | 2,000 | 5 | 10,000 |
| 40x60 | 2,400 | 1 | 2,400 |
| 50x50 | 2,500 | 1 | 2,500 |
| 50x60 | 3,000 | 1 | 3,000 |
| 50x80 | 4,000 | 1 | 4,000 |
| 70x80 | 5,600 | 1 | 5,600 |
| 100x100 | 10,000 | 1 | 10,000 |
| | Totals: | 412 | 101,200 |

## DISCLAIMERS

Every effort has been made to ensure the accuracy of all information contained on this floor plan. However, no warranties, either expressed or implied, are made with respect to this floor plan. If the location of building columns, utilities or other architectural components of the facility is a consideration in the construction or usage of an exhibit, it is the sole responsibility of the exhibitor to physically inspect the facility to verify all dimensions and locations.

## LEGEND – EXHIBIT HALLS D1 & D2

FHC – FIRE HOSE CABINET – MUST REMAIN CLEAR
CEILING HEIGHT 50'
DF – DRINKING FOUNTAIN
PH – PHONE
E – ELECTRICAL OUTLET
FLOOR LOAD 400# PER SQ. FT.
MALL FLOOR LOAD 250# PER SQ.FT.

## COLUMN/FIRE BOX DETAIL (NOT TO SCALE)




## EXHIBIT HALL FLOOR PORT LEGEND

ELECTRICAL SERVICE FLOOR PORT
3 – 120V 15 AMP. RECEPTACLES
2 – TELEPHONE JACKS

ELECTRICAL SERVICE FLOOR PORT
1 – 480V 100 AMP. RECEPTACLE
3 – 120V 15 AMP. RECEPTACLES
1 – 208V 60 AMP. RECEPTACLE
2 – TELEPHONE JACKS

☐ MECHANICAL SERVICE FLOOR PORT
4" DRAIN
1" DOMESTIC WATER 60 PSI (35 GPM)
1" NATURAL GAS 1 PSI (27 WC)
1" COMPRESSED AIR 100 PSI (180 CFM)

☒ MECHANICAL SERVICE FLOOR PORT
SAME AS ABOVE PLUS:
2" STEAM
– RETURN CONDENSATION 1-1/4"
– 100 PSI

NEW PLUMBING PORTS & WATER GROOVE
– WATER
– NATURAL GAS
– DRAIN

## LEGEND– FOR LAKESIDE BALLROOM E354A–B

▫ – 120/208V 60/30A, AUDIO, TV, PH
▲ – WATER, DRAIN, AIR,GAS
E – ELECTRICAL
PH – PHONE
PA PULL ALARM
FS – FIRE ALARM
MIC – MICROPHONE
FHC – FIRE HOSE CABINET
S – SCONCE
CEILING HEIGHT 50'
—— – CATWALK ACCESSIBLE FOR HANGING

## GENERAL NOTE

ALL DRAPE LINES ARE SUBJECT TO CHANGE PER ON-SIGHT FIRE MARSHAL APPROVAL.

## SCALE / NORTH ARROW




| | | | |
|---|---|---|---|
| SHOW: AANS | RVSD. | 00 | 00 |
| HALL: McCORMICK PLACE EAST | 8/22/06 | 00 | 00 |
| SHOW DATE: APRIL 2008 | 8/28/06 | 00 | |
| FILE NAME: G3-AANS-F1 | 10/5/06 | 00 | |
| JOB #: 14-185561 | 2/16/07 | 00 | |
| START: 2/6/01 | 00 | 00 | |
| SCALE: 0 | 00 | 00 | |
| DRAWN BY: G.N. | 00 | 00 | |


**FREEMAN**

1515 WASHINGTON STREET
BRAINTREE, MA
Phone: 781-380-7550
Fax: 781-380-0771