AANS/CNS
Washington Committee

CY 2027 Medicare Physician Fee Schedule Final Rule [CMS-1848-F]
Summary and Analysis

EXECUTIVE SUMMARY

On November 4, 2026, the Centers for Medicare & Medicaid Services (CMS) issued the calendar year (CY) 2027 Medicare Physician Fee Schedule final rule [CMS-1848-F], which sets Medicare physician payment rates and updates billing and quality reporting requirements for 2027. The final rule reduces Medicare physician payment rates and changes how CMS values services, pays for same-day visits, and assesses clinician performance.

For neurosurgery, the combined effect of the conversion factor reductions and practice expense changes is an estimated **3.8% to 4.3% reduction in Medicare payments, or approximately $26 million to $30 million in 2027**. Over the same period, CMS projects that physician practice costs, as measured by the Medicare Economic Index, will rise by 2.6%. A table is provided at the end of this document summarizing changes in work, practice expense, and malpractice RVUs for neurosurgical CPT codes from CY 2026 to CY 2027 **[Appendix]**.

Key provisions affecting neurosurgery include the following:

- **Conversion Factors:** The conversion factor falls to $32.95 for qualifying alternative payment model (APM) participants – a 1.83% reduction – and to $32.63 for other clinicians, a 2.31% reduction. These lower 2027 conversion factors primarily reflect the expiration of the temporary 2.5% payment increase Congress provided for 2026.

- **Practice Expense:** Separate changes to practice expense relative value units (RVUs) reduce neurosurgery's estimated allowed charges by 2%, independent of the conversion factor reductions. CMS also retained the reduction to the work-based allocation of indirect practice expense for facility services, first adopted in 2026.

- **Valuation of Neurosurgical Services:** Five of the seven revalued neurosurgical codes face estimated payment reductions, including a 52.4% cut for each additional spinal osteotomy segment and a 20.9% cut for percutaneous lumbar decompression.

- **Work Efficiency Adjustment:** The 2.5% work RVU efficiency adjustment adopted in CY 2026 remains in effect for applicable services, reducing physician work values to account for assumed productivity gains over time. CMS declined the AANS/CNS request to exempt 11 neurosurgical codes from the adjustment, despite concerns that the across-the-board reduction does not reflect changes in the physician work, complexity, or time required to perform these services.

- **Modifier 25:** CMS narrowed its proposed Modifier 25 policy, reducing the payment cut from 50% to 20% of the lower-valued service when a separately identifiable office or outpatient evaluation and management (E/M) visit is furnished on the same day as a procedure with a 0-day global period. Under the finalized policy, the highest-valued service will be paid at 100% of its allowable amount, while the lower-valued service will receive 80% of its otherwise applicable payment. The policy applies only to

E/M services furnished on the same day as procedures with 0-day global periods and does not extend to procedures with 10- or 90-day global periods.

- **E/M Complexity Modifiers:** CMS finalized its proposal to replace the separately payable G2211 add-on code with two modifiers that increase payment for eligible E/M services by a percentage of the underlying service rather than a fixed amount. Modifier B1 provides a 16% payment increase for qualifying E/M services, while modifier B2 provides a 32% increase for eligible practitioners participating in the Medicare Shared Savings Program or Long-term Enhanced ACO Design (LEAD) Model. Use of B2 is voluntary and subject to applicable ACO participation requirements.

- **Global Surgical Package and Postoperative Visit Reporting:** CMS paused mandatory postoperative visit reporting under CPT code 99024, which captures postoperative E/M visits included in 10- and 90-day global surgical packages. CMS also released estimates illustrating the potential work RVU changes that could result if postoperative visit values were removed from global surgical package valuations in future rulemaking. Under this potential approach, the work currently attributed to postoperative care would be separated from the surgical procedure valuation, potentially reducing the work RVUs assigned to surgical codes while allowing postoperative visits to be reported and reimbursed separately.

- **Future Coding Processes:** CMS signaled continued interest in changes to the CPT coding and AMA/Specialty Society RVS Update Committee (RUC) valuation processes, including greater use of empirical data, market rates, and clinical outcomes in determining physician service values.

- **Telehealth and Remote Monitoring:** Medicare's geographic and originating site telehealth flexibilities continue through December 31, 2027. The rule adds two telehealth billing modifiers, revises critical care consultation descriptors, and expands virtual supervision flexibility for teaching physicians. Beginning in 2027, remote therapeutic monitoring (RTM) is limited to established patients, and both remote patient monitoring (RPM) and RTM require a separately reportable initiating visit.

- **MIPS, Interoperability, and Registries:** CMS delayed the sunset of traditional MIPS to the 2031 performance period. Beginning in 2027, clinicians reporting through traditional MIPS or a MIPS Value Pathway generally must report one designated core measure, with an exemption for practices with 15 or fewer clinicians. CMS also revised electronic prior authorization measures and finalized new feedback, data validation, and participation requirements for qualified clinical data registries and qualified registries.

- **Ambulatory Specialty Model:** CMS reaffirmed its January 2027 launch, and neurosurgeons remain in the low back pain cohort. CMS finalized a claims-based lumbar MRI quality measure and narrowed attribution to one participant per MRI. The measure can still attribute imaging to a clinician who did not order it. CMS also replaced the cohort's functional status measure and added a five-point scoring adjustment for qualifying rural participants.

- **Alternative Payment Model Participation:** Starting with the 2027 performance year (2029 payment year), CMS will generally determine Qualifying APM Participant (QP) status by TIN/NPI combination. The higher QP conversion factor will generally apply only to claims billed through TINs where the clinician qualifies. Clinicians who attain QP or Partial QP status through an individual determination will receive Partial QP status across all associated TINs and retain the option to participate in MIPS.

On September 14, 2026, the AANS/CNS submitted comments to CMS on the proposed rule, addressing physician payment, service valuation, and quality reporting provisions affecting neurosurgery. The comment letter is available on the AANS website and the CNS website.

The following sections provide additional details on the final rule's payment and quality provisions and their implications for neurosurgery.

PAYMENT UPDATES AND POLICIES

Medicare physician payment continues to face mounting pressure from rising practice costs, annual budget-neutrality adjustments, and unpredictable reimbursement changes. These pressures make it increasingly difficult for physician practices to maintain staffing, invest in technology, and plan for long-term sustainability. Physician organizations have called for a more stable and predictable payment system, including annual updates that more accurately reflect the rising costs of furnishing care.

The Administration characterized the CY 2027 MPFS final rule as an effort to improve efficiency, strengthen patient care, and modernize physician payment. While CMS made some modifications to its more concerning proposals in response to stakeholder comments, the final rule retains policies that will further strain physician practices and reduce Medicare reimbursement. These changes, combined with ongoing payment pressures, reinforce the need for meaningful reforms to support practice sustainability and preserve beneficiary access to care.

2027 MPFS Payment Impacts

Medicare physician payment continues to face pressure from rising practice costs, annual budget-neutrality adjustments, and unpredictable changes in reimbursement. Although the CY 2027 MPFS final rule includes some modifications in response to stakeholder feedback, several finalized policies will further reduce reimbursement and create financial and operational challenges for physician practices.

As shown in Table 1, the qualifying alternative payment model (APM) conversion factor for CY 2027 is $32.95, down 1.83% from $33.57 in 2026. The nonqualifying APM conversion factor is $32.63, down 2.31% from $33.40. These reductions reflect the expiration of the temporary 2.5% statutory payment increase provided for CY 2026, partially offset by the statutory updates for 2027.

Table 1: CY 2027 MPFS Conversion Factors

Provider Category	CY 2026	CY 2027 Proposed	CY 2027 Final	CY 2027 Final vs. CY 2026
Qualifying APM participant	$33.57	$33.1693	$32.9548	−1.83% (−$0.62)
Non-qualifying APM participant	$33.40	$32.8409	$32.6286	−2.31% (−$0.77)

As shown in Table 2, the final rule projects a 2% overall reduction in Medicare allowed charges for neurosurgery, reflecting the impact of CMS's changes to practice expense (PE) relative value units (RVUs). In contrast, changes to work and malpractice RVUs have a net neutral effect on overall neurosurgical payments. Facility-based services account for approximately 82% of neurosurgery's Medicare allowed charges and therefore have a greater influence on the specialty's overall payment impact. Although PE RVU changes reduce payments by approximately 2% in both facility and non-facility settings, the combined effect of changes to all three RVU components differs by setting. Because facility-based services represent the vast majority of neurosurgery's Medicare-allowed charges, their larger payment impact drives the specialty-wide 2% reduction.

Table 2. CY 2027 MPFS Final Rule Estimated Impact on Total Allowed Charges by Specialty

		Final Rule					Proposed Rule			
Specialty	Setting	Allowed Charges ($ millions)	Work RVU Impact	PE RVU Impact	MP RVU Impact	Combined Impact	Work RVU Impact	PE RVU Impact	MP RVU Impact	Combined Impact
Neurosurgery	**Total**	**$693**	**0%**	**-2%**	**0%**	**-2%**	**0%**	**-2%**	**0%**	**-2%**
	Non-Facility	*$128*	*0%*	*-2%*	*0%*	*-1%*	*0%*	*-1%*	*0%*	*-1%*
	Facility	*$565*	*0%*	*-2%*	*0%*	*-2%*	*0%*	*-2%*	*-1%*	*-2%*

When combined with the CY 2027 conversion factor reductions, neurosurgery faces an estimated 3.8% to 4.3% overall reduction in Medicare payments, depending on APM participation status. Applied to approximately $693 million in Medicare allowed charges, this represents an estimated $26 million to $30 million in reduced Medicare payments for neurosurgical services in 2027.

Valuation of Specific Services

The final rule revalued seven neurosurgical procedure codes. Estimated Medicare payments decline for six of the seven codes, with reductions ranging from 7.02% to 52.4%. The tables below compare CMS's final work relative value units (wRVUs) with the RUC recommendations and CY 2026 values.

Table 3. Osteotomy – Spine

CPT	Service	RUC Rec. wRVU	CY 2027 Final wRVU	CY 2026 wRVU	Est. Payment Change vs. CY 2026
22210	Incis 1 vertebral seg cerv	24.75	23.12	24.75	−19.1%
22212	Incis 1 vertebral seg thorac	23.20	21.72	20.47	−10.0%
22214	Incis 1 vertebral seg lumbar	21.72	19.53	20.49	−17.7%
22216	Incis addl spine segment	3.00	3.00	5.88	−52.4%

Table 4. Percutaneous Lumbar Decompression

CPT	Service	RUC Rec. wRVU	CY 2027 Final wRVU	CY 2026 wRVU	Est. Payment Change vs. CY 2026
62287	Dcmprn pq nuc pul 1/mlt lmbr	7.06	6.23	9.03	−20.9%

Table 5. Sacroiliac Joint Arthrodesis

CPT	Service	RUC Rec. wRVU	CY 2027 Final wRVU	CY 2026 wRVU	Est. Payment Change vs. CY 2026
27278	Arthrd si jt i-artic b1 grf	7.86*	7.66	7.66	0.00%
27279	Arthrd si jt tartclr&/iartic	11.00	11.00	11.83	-7.02%

**In the proposed rule, CMS preemptively reduced the RUC-recommended wRVU for CPT code 27278 from 7.86 to 7.66, effectively retaining the lower wRVU that reflected the 2.5% efficiency adjustment CMS had applied to the code at the start of CY 2026.*

The largest estimated payment reductions are for each additional spinal osteotomy segment (52.4%) and percutaneous lumbar decompression (20.9%). CMS lowered work RVUs for five of the seven codes compared with CY 2026. For thoracic osteotomy (CPT 22212), CMS increased the work RVU, while estimated Medicare payment still declines by 10.0%.

In the proposed rule, AANS/CNS urged CMS to adopt the RUC-recommended work RVUs for cervical, thoracic, and lumbar osteotomy (CPT codes 22210, 22212, and 22214) and percutaneous lumbar decompression (CPT code 62287). The AANS/CNS explained that the RUC values better reflected the complexity of contemporary spinal osteotomy, including postoperative care, and that CMS's proposed crosswalk for lumbar decompression did not capture the technical demands and risks of an image-guided procedure performed near critical neural and vascular structures. CMS finalized its proposed work RVUs for all four codes. The AANS/CNS also supported CMS's proposed adoption of the RUC-recommended work RVUs for the additional spinal osteotomy segment and both sacroiliac joint arthrodesis codes.

Physician Work Efficiency Adjustment

In the CY 2026 MPFS final rule, CMS established a 2.5% efficiency adjustment to work RVUs and associated intraservice times for many non-time-based services, based on the assumption that technological

advancements and physician experience generally make clinical services more efficient over time. Although CMS did not propose an additional adjustment for CY 2027, the previously finalized reduction remains in effect.

The AANS/CNS have opposed applying a uniform efficiency adjustment without evidence that physician work has actually declined for the affected services. In comments on the CY 2027 proposed rule, the AANS/CNS emphasized that technological improvements do not necessarily reduce the intensity, complexity, or time required to furnish care. Neurosurgical procedures frequently involve substantial clinical judgment, technical precision, and complex decision-making that cannot be presumed to become less resource-intensive simply because technology or physician experience has advanced. The AANS/CNS urged CMS to evaluate changes in physician work using service-specific clinical evidence and the established RUC review process, rather than applying across-the-board reductions.

Specifically, the AANS/CNS requested that CMS exempt 11 neurosurgical CPT codes from the efficiency adjustment because the physician work associated with these services has not been demonstrated to have declined. The requested carve-outs reflect the complexity and intensity of neurosurgical care and the absence of service-specific evidence supporting a reduction in physician work. The AANS/CNS advocated for targeted exemptions rather than applying a generalized efficiency assumption to services that do not exhibit the anticipated changes in physician work.

CMS did not reconsider or reverse the previously finalized adjustment or adopt the requested neurosurgical exemptions. The Agency indicated that it will publish the *Codes Subject to Efficiency Adjustment* file each year the policy applies, including for CY 2029 rulemaking.

Accounting for Overlap Between Stand-Alone Evaluation and Management (E/M) Visits and Global Periods—Modifier 25

Modifier 25 allows physicians to report a separately identifiable E/M service on the same day as a procedure when the E/M service involves work beyond the usual pre- and post-procedure evaluation and management. In the proposed rule, CMS proposed a 50% payment reduction when a separately identifiable office/outpatient E/M service is furnished on the same day as a procedure with a 0-, 10-, or 90-day global period by the same physician or group. CMS cited potential overlap in physician work and practice resources and sought comment on extending the policy to additional E/M settings.

As members of the AMA Federation, the AANS/CNS joined the AMA, national specialty societies, and state medical associations in sending a letter to CMS opposing the proposed Modifier 25 payment reduction. The signatories emphasized that CMS had neither demonstrated nor quantified the alleged overlap in resources, justified the proposed 50% reduction, or explained why it was revisiting a similar proposal it had previously rejected in 2019. The Federation urged CMS to withdraw the proposal, avoid extending it to other E/M settings, and address any demonstrated overlap through code-specific review and the established RUC valuation process. The letter also warned that reducing payment for the entire lower-valued service would cut payment for physician work, practice expenses, and malpractice costs, including components unrelated to the alleged overlap.

In the final rule, CMS narrowed the modifier 25 policy in two significant respects. The Agency limited the reduction to separately identifiable office/outpatient E/M services furnished on the same day as a procedure with a 0-day global period, excluding procedures with 10- or 90-day global periods. CMS also reduced the proposed payment adjustment from 50% to 20%. When multiple services are furnished on the same day, the highest-valued service will be paid at 100%, with the remaining surgical procedures or office/outpatient E/M services paid at 80%. CMS also indicated that it may use claims edits, comparative billing reports, and medical review to identify potentially problematic utilization patterns, including scheduling practices intended to maximize payment.

Although these modifications reduce the scope and magnitude of the proposed cuts, CMS did not withdraw the modifier 25 policy or address the underlying concerns regarding the extent of resource overlap. The finalized policy may also affect access to medically necessary same-day evaluation and treatment, particularly when patients require assessment and management beyond the routine work associated with a procedure. Neurosurgeons perform numerous procedures with 0-day global periods that may be subject to the 20% reduction. These include diagnostic cerebral angiography and catheter placement (CPT codes 36223–36226), transcatheter embolization (61624 and 61626), and lumbar puncture (62272 and 61070), for which neurosurgery is a leading specialty provider. When these procedures coincide with a separately identifiable office/outpatient E/M service, neurosurgeons may receive reduced payment for the lower-valued service despite providing medically necessary evaluation and management beyond the procedural work.

Furthermore, CMS's adoption of the same-day resource-overlap rationale establishes a precedent that could support extending the modifier 25 policy to procedures with 10- and 90-day global periods in future rulemaking. Such an expansion would substantially increase neurosurgery's exposure, given the specialty's reliance on major surgical procedures with longer global periods and the frequent need to evaluate complex patients for additional or evolving neurologic conditions. The AANS/CNS continue to oppose the underlying across-the-board reduction and any future expansion, emphasizing that legitimate, separately identifiable E/M services should not be discounted based solely on their occurrence on the same day as a procedure. Any demonstrated duplication should be addressed through code-specific valuation review rather than a blanket payment adjustment.

E/M Visit Complexity—G2211

In the proposed rule, CMS proposed replacing the separately payable E/M visit complexity add-on code G2211 with a modifier appended to the associated E/M service. Under the proposal, the new modifier would increase payment for the underlying E/M service by 16%, rather than providing a fixed add-on payment regardless of E/M level. CMS also proposed a second modifier, providing a 32% increase for eligible practitioners participating in specified Accountable Care Organization (ACO) arrangements.

In the final rule, CMS finalized both changes as proposed, transitioning G2211 to modifier B1, which increases payment for the associated eligible E/M service by 16%. CMS also finalized modifier B2, which provides a 32% increase for eligible practitioners participating in the Medicare Shared Savings Program or Long-term Enhanced ACO Design (LEAD) Model. Use of B2 is voluntary and subject to the applicable ACO participation requirements.

For neurosurgery, the shift from a flat add-on payment to a percentage-based adjustment will change the distribution of additional reimbursement across E/M service levels. The percentage-based approach provides a larger dollar increase for higher-level E/M services and a smaller increase for lower-level services. This may benefit neurosurgical practices that furnish qualifying higher-complexity E/M visits (i.e., E/M levels 4 and 5), particularly when managing patients with serious conditions requiring substantial medical decision-making. Conversely, practices with a greater proportion of lower-level qualifying E/M visits may receive less additional payment than under the previous flat-rate structure. The overall financial impact will depend on each practice's E/M billing distribution, qualifying encounter volume, and participation in eligible ACO arrangements. CMS's final rule does not provide a neurosurgery-specific impact estimate.

Practice Expense Methodology

For CY 2027, CMS proposed several changes to the PE methodology, including revisions to indirect allocation, a stabilization adjustment, removal of the Indirect Practice Cost Index (IPCI), and changes to utilization calculations.

- **Indirect PE Allocation:** CMS proposed using the sum of physician work RVUs and clinical labor RVUs to allocate indirect PE for most services, while excluding 10- and 90-day global surgical codes.

- **PE Stabilization Adjustment:** CMS proposed limiting annual changes in PE RVUs for certain established codes to reduce payment volatility. New, revised, and revalued codes generally would not be covered by the proposed stabilizer.

- **IPCI:** CMS proposed phasing out the IPCI over two years, reducing reliance on historical specialty-level PE data used in the current methodology.

- **Utilization Methodology:** CMS proposed revising utilization adjustments using the relationship between allowed charges and national payment amounts at the claim-line level, including corresponding changes to time used in PE calculations.

- **Specialty Assignments and PE Inputs:** CMS also proposed updates to expected specialty assignments and selected supply and equipment prices used in calculating PE RVUs.

The AANS/CNS raised concerns regarding the proposed changes and their potential effects on physician reimbursement. The organizations emphasized the importance of using accurate, representative data to determine practice expenses and ensuring that changes to the PE methodology do not produce disproportionate payment reductions or undermine the ability of physicians to maintain the resources necessary to furnish care. They also stressed the need for appropriate safeguards and transition periods to mitigate significant payment disruptions.

In the final rule, CMS finalized several changes to its PE methodology, including:

- Modifying the indirect PE allocation methodology to use both work RVUs and clinical labor RVUs for most services, excluding codes with 10- and 90-day global periods.

- Phasing out the steps of the PE calculation that rely on the IPCI over a two-year transition period.

- Adding a PE stabilization adjustment to limit annual fluctuations in PE RVUs for certain established services.

These changes contribute to the approximate 2% reduction in overall neurosurgery Medicare allowed charges projected for CY 2027, with the reductions attributable entirely to PE RVUs. The AANS/CNS will continue to advocate for PE calculations that accurately reflect the costs of furnishing physician services and minimize unwarranted payment reductions.

Site-of-Service Payment Differential: Facility-Based Practice Expense

In the proposed rule, CMS requested additional feedback on the 50% reduction to the work-based allocation of indirect PE for facility services implemented in 2026. Specifically, CMS sought information on differences in costs incurred by independent and employed physicians and whether an employment modifier could help distinguish between these practice arrangements. CMS also proposed equalizing PE RVUs for certain nursing facility visits regardless of the beneficiary's Part A status.

The AANS/CNS have raised concerns that the facility-based PE methodology does not adequately account for the practice expenses physicians continue to incur when furnishing services in facility settings. The AANS/CNS have emphasized that the site of service does not necessarily reflect a physician's employment or practice structure, and that independent physicians may continue to bear substantial administrative, staffing, technology, and other overhead costs even when services are provided in a hospital or other facility. The AANS/CNS have advocated for a methodology that recognizes these differences rather than presuming that facility-based physicians incur fewer indirect practice expenses.

In the final rule, CMS updated the PE methodology for certain nursing facility visits but made no additional changes to the facility-based indirect PE allocation implemented in 2026. CMS indicated that it remains

interested in obtaining objective data regarding payment arrangements between physicians and hospitals, health systems, and other employers, including which practice expenses physicians continue to incur under different employment arrangements. However, the Agency declined to implement a modifier distinguishing independent physicians from employed physicians.

The continued application of the 50% reduction remains concerning, particularly for independent neurosurgeons who continue to bear substantial practice expenses despite furnishing care in facility settings. Without a more accurate accounting of these costs, the methodology risks disproportionately reducing reimbursement for independent physicians and further disadvantaging practices that maintain their own infrastructure and clinical support.

Global Surgical Packages

In the proposed rule, CMS proposed pausing the mandatory reporting of postoperative visits using CPT code 99024 while seeking feedback on whether to expand reporting to additional physicians and whether alternative data sources could better capture postoperative care. CMS discussed RAND analyses of reported visits and released supplemental data estimating the work RVUs attributable to postoperative visits in 10- and 90-day global packages, including illustrative calculations that remove those visit values. CMS sought comments on potential future revaluation approaches but did not propose eliminating the 10- or 90-day global periods for 2027.

The AANS/CNS emphasized that incomplete postoperative visit reporting does not establish that postoperative care was not furnished. Organized medicine raised concerns that CMS could use incomplete and potentially unrepresentative reporting data to reduce global surgical work RVUs without accounting for the full scope of care included in global packages. Neurosurgeons remain responsible for substantial postoperative management, including follow-up visits, care coordination, monitoring recovery, managing complications, and addressing unanticipated patient needs, without separate payment for routine postoperative services. These responsibilities can be particularly significant following complex cranial and spinal procedures, which may require frequent clinical assessment and ongoing management throughout the global period. The AANS/CNS urged CMS to preserve the existing global surgical payment structure and rely on clinically informed review and reliable data before considering changes to global surgical valuations.

In the final rule, CMS finalized its proposal to pause mandatory 99024 reporting. However, the Agency also published a public use file, informed by RAND analyses and postoperative visit reporting data, illustrating the potential reductions in work RVUs associated with removing postoperative visits from 10- and 90-day global surgical packages. CMS indicated that it may consider these data in future rulemaking.

Although CMS did not reduce global surgical work RVUs in this rule, its continued consideration of removing postoperative visit values raises significant concerns for neurosurgery. Reductions could disproportionately affect surgical services that involve extensive postoperative management, particularly complex cranial and spinal procedures requiring ongoing physician oversight. Such reductions would underestimate the work required to provide comprehensive postoperative care while leaving neurosurgeons responsible for furnishing that care without separate reimbursement. The financial impact could be compounded by the fact that neurosurgeons must maintain availability to address postoperative complications and urgent patient needs throughout the global period. Any future revaluation must account for the full range of clinical responsibilities associated with neurosurgical procedures and be supported by representative data and specialty-specific clinical input.

CPT and RUC Request for Information

In its CY 2027 proposal, CMS requested comments on the CPT coding system and the AMA RUC valuation process, including licensing, transparency, physician participation, empirical data, and possible alternative coding and valuation approaches. These were requests for information rather than proposed replacements for CPT in 2027.

The request for information came amid broader scrutiny of CPT licensing and the physician valuation process. In 2026, House Oversight Committee Chairman James Comer requested a CMS briefing on its oversight of CPT, raising questions about complexity, transparency, and federal reliance on a proprietary coding system. Senate HELP Committee Chairman Bill Cassidy also pressed the AMA for information about CPT licensing revenues and governance. Separately, PatientRightsAdvocate.org filed litigation challenging the AMA's ability to restrict publication of CPT codes; the allegations remain contested.

CMS received extensive comments on potential reforms to the CPT and RUC processes, with the overwhelming majority focused on the RUC. CMS indicated that it is considering several changes that could affect future physician service valuation.

- **RUC Structure and Transparency:** CMS indicated that it was considering changes to RUC committee composition, greater transparency regarding valuation methodologies and supporting data, measures to address potential conflicts of interest, and the possible establishment of independent advisory bodies to supplement or replace the existing process.

- **Empirical Data and Physician Surveys**: CMS encouraged organizations submitting valuation recommendations to rely more heavily on empirical data, including statistically valid clinician sampling, electronic medical records, registries, and auditable physician practice costs, rather than relying exclusively on traditional physician surveys.

- **Market-Based Valuation:** CMS expressed interest in incorporating Outpatient Prospective Payment System (OPPS) payment data and negotiated rates from Medicare Advantage plans, commercial insurers, and self-insured employers into physician payment valuation.

- **Clinical Outcomes:** CMS suggested that future valuation recommendations could include information on expected clinical outcomes, complications, recovery times, and variations in outcomes. Using total knee arthroplasty (CPT 27447) as an example, CMS discussed how clinical outcomes could help inform the valuation of physician services.

- **Future Requirements:** CMS explicitly stated that it may establish additional requirements in future rulemaking for organizations submitting physician resource recommendations, including the use of empirical data and expected clinical outcomes.

Potential changes to the CPT and RUC processes could directly affect how neurosurgical services are coded and valued under the MPFS. Alternative valuation methods may not adequately capture the complexity, intensity, and resources required to perform specialized neurosurgical procedures—for example, reliance on aggregated utilization or practice data, market-based payment rates, or clinical outcomes without sufficient specialty-specific context could fail to account for differences in procedural complexity, patient acuity, physician judgment, and the resources required to manage high-risk cases. This could result in undervaluation of services that are technically demanding, resource-intensive, or performed in relatively low volumes. Similarly, changes to RUC composition or the introduction of independent valuation bodies could diminish the role of specialty-specific physician expertise in evaluating neurosurgical services. Without meaningful neurosurgeon participation and clinically appropriate data, future coding and valuation changes could misrepresent the work involved in neurosurgical care and lead to payment reductions that do not reflect the resources required to furnish these services.

CMS did not finalize changes to the CPT coding system or RUC valuation process for CY 2027. However, the Agency indicated that it is actively considering changes to the structure, methodology, and supporting evidence used in future physician payment recommendations. The AANS/CNS will monitor these developments and engage in future rulemaking to ensure that any reforms preserve appropriate specialty input and accurately account for the complexity and resources required to provide neurosurgical care.

Telehealth Services

CMS proposed changes to telehealth coding and payment, including adding selected services to the Medicare Telehealth Services List, revising the descriptors for critical care telehealth consultations, and modifying teaching physician requirements for services involving residents. CMS also proposed new telehealth-related modifiers.

CMS also finalized two new telehealth modifiers, BB and BC, effective January 1, 2027, as required by the Consolidated Appropriations Act, 2026. Modifier BB identifies telehealth services furnished through a virtual platform when the physician or practitioner contracts with, or has a payment arrangement with, the entity that owns the platform. Modifier BC identifies telehealth services furnished incident to a physician's or practitioner's professional service. Neither modifier affects payment, but practices will need to apply the appropriate modifier to qualifying claims and incorporate the new requirements into their billing workflows.

The Agency also revised the descriptors for critical care consultation services G0508 and G0509 and expanded flexibility for teaching physicians to be virtually present during services involving residents. In addition, CMS extended statutory geographic and originating site flexibilities through December 31, 2027, allowing eligible beneficiaries to continue receiving Medicare telehealth services without certain geographic and site restrictions.

These policies have important implications for access to neurosurgical expertise, particularly for patients in rural and underserved communities where neurosurgeons and subspecialty services may not be readily available. Remote consultations can help local hospitals evaluate patients with acute neurological or neurosurgical conditions, support timely triage and transfer decisions, and connect patients with specialists who may otherwise be geographically inaccessible. The revised descriptors for G0508 and G0509 are particularly relevant to neurosurgeons providing critical care consultations for patients with complex or life-threatening neurological conditions, including at hospitals without on-site neurosurgical coverage. Continued geographic and originating-site flexibilities also support access to appropriate preoperative consultations and postoperative follow-up, reducing travel burdens for patients who may live considerable distances from a neurosurgical center.

The expanded teaching physician flexibility may benefit academic neurosurgical programs by allowing greater use of virtual presence in supervising residents during eligible telehealth services, while the new BB and BC modifiers establish additional coding requirements that practices will need to incorporate into their billing workflows. Although these changes do not change payment rates, maintaining workable telehealth policies is important to preserving access to specialized neurosurgical care, supporting timely consultation and continuity of care, and reducing geographic barriers for Medicare beneficiaries.

Remote Monitoring Services

For CY 2027, CMS proposed:

- Remote therapeutic monitoring (RTM) services be furnished only to established patients;
- Practitioners reporting remote patient monitoring (RPM) or RTM services must furnish a separately reportable initiating visit in association with the onset of RPM or RTM services;
- Updates to how these services are valued under the MPFS; and
- Only allowing payment for RPM or RTM services when performed by clinical staff employed by the practice and not when those services are delivered by contractors.

CMS finalized the first three of these policies as proposed for CY 2027. The Agency will delay implementation of the requirement to only allow payment for RPM or RTM services when performed by clinical staff employed

by the practice until January 1, 2029, to provide additional time for practices to adapt to this aspect of the policy.

RPM and RTM can support the ongoing management of patients with complex neurological and spinal conditions, including postoperative recovery, pain management, and monitoring of functional status and treatment response. These services may help neurosurgical practices identify changes in a patient's condition, address emerging concerns between office visits, and support continuity of care following surgery. Requiring patients to be established before receiving RTM and mandating a separately reportable initiating visit could limit flexibility in starting monitoring, particularly when timely intervention or follow-up is clinically important. Changes to service valuation may also affect the financial feasibility of incorporating remote monitoring into neurosurgical care. The requirement that monitoring be furnished by practice-employed clinical staff could disrupt arrangements with third-party monitoring vendors and increase staffing and administrative costs. Although implementation is delayed until 2029, neurosurgical practices that rely on contracted services may need to restructure their monitoring programs to maintain Medicare reimbursement.

QUALITY PAYMENT PROGRAM UPDATES AND POLICIES

Merit-Based Incentive Payment System and MIPS Value Pathways

Sunsetting Traditional MIPS

CMS finalized the sunset of the traditional MIPS program. However, the Agency delayed the sunsetting of traditional MIPS to the CY 2031 performance period, a two-year delay from the proposed 2029 sunset. CMS stated that the additional time would allow the Agency to refine MVP policies and give physicians the time needed to fully transition to MVPs.

In comments on the proposed rule, AANS/CNS strongly urged CMS to maintain MVPs as a voluntary reporting pathway. AANS/CNS emphasized the significant flaws with MVPs, including the Surgical Care MVP, and detailed why sunsetting the traditional MIPS program is premature given these flaws. AANS/CNS encouraged the Agency to rely more heavily on the expertise of qualified clinical data registries (QCDRs) to address gaps in the MIPS measure inventory.

CMS declined the recommendation, maintaining that MIPS would hinder widespread adoption and benefits of MVPs. According to the Agency, if MIPS were not phased out, clinicians would continue to rely on traditional MIPS instead of MVPs.

CMS did recognize that clinicians lack applicable measures and may be unable to report using the measures contained in an MVP. CMS also recognized concerns that some clinicians do not have an applicable MVP. In response to these concerns, the Agency stated that it plans to continue to develop new MVPs, specifically for subspecialists without applicable MVPs. However, CMS appears to be shifting the burden to private stakeholders for the creation of quality measures that are applicable to specialties.

CMS disagreed with concerns that MVPs build upon the flawed framework of MIPS. In response, CMS noted that while the MVP framework includes the MIPS performance categories, the MVP program addresses the flaws of the MIPS program by including “a connected set of quality measures, cost measures, and improvement activities that are relevant to the MVP topic” and allowing clinicians to choose the measures and activities related to their practice and related to the other measures chosen.

CMS recognized the value of QCDR measures and stated the Agency’s intention to consider relevant quality measures for specialists, including QCDRs, when developing MVPs and related policies.

Changes to the Neurosurgical Specialty Measure Set and Relevant MVPs

CMS finalized as proposed minor revisions to quality measure #130, Documentation of Current Medications in the Medical Record, which is part of the Neurosurgical specialty measure set. The measure evaluates the percentage of visits for which an eligible clinician attests to document a list of current medications using all immediate resources available on the date of the encounter. Changes to the measure include revisions to the value set/coding to remove an inapplicable CPT code, include a relevant CPT code, and the denominator exception to allow more appropriate mapping for the clinical circumstances.

CMS finalized changes to the denominators of three of the quality measures within the Coordinating Stroke Care MVP, including changes to Q236: Controlling High Blood Pressure, Q438: Statin Therapy for the Prevention and Treatment of Cardiovascular Disease, and Q441: Ischemic Vascular Disease (IVD) All or None Outcome Measure (Optimal Control).

CMS did not propose or finalize any changes to the quality measures relevant to neurosurgery within the Surgical Care MVP.

Removal of Outcome Measure Requirements and High-Priority Designation; Addition of Core Measure Requirements

Starting with the 2027 performance period, CMS will remove the high-priority designation and the requirement that QCDRs and qualified registries submit data for at least one outcome measure, or a high-priority measure if no outcome measure is available. CMS also finalized, as proposed, the core measure designation and reporting requirements. As such, clinicians participating in the MVP program will be required to report at least one core measure among the four quality measures required under the MVP. Clinicians participating via MIPS must report a core measure as one of their six reported quality measures. CMS finalized an exemption from the seven-point scoring cap for topped-out MIPS core measures, allowing these measures to be scored using the defined topped-out benchmark and earn up to 10 achievement points beginning in CY 2027. CMS also finalized an exemption from the core measure requirements for small practices, defined as those with 15 or fewer clinicians.

The core measures included in the neurosurgical specialty measure set, Surgical Care MVP, and Coordinating Stroke Care MVP are as follows:

- **Neurosurgical Specialty Measure Set**
    - Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention (Q226)
    - Rate of Carotid Endarterectomy (CEA) or Carotid Artery Stenting (CAS) for Asymptomatic Patients, Without Major Complications (Discharged to Home by Post Operative Day #2) (Q344)
    - Door to Puncture Time for Endovascular Stroke Treatment (Q413)
    - Back Pain After Lumbar Surgery (Q459)

- **Surgical Care MVP**
    - Advance Care Plan (Q047)
    - Coronary Artery Bypass Graft (“CABG”): Prolonged Intubation (Q164)
    - Anastomotic Leak Intervention (Q354)
    - Surgical Site Infection (Q357)
    - Back Pain After Lumbar Surgery (Q459)

- **Coordinating Stroke Care MVP**
    - Advance Care Plan (Q047)
    - Controlling High Blood Pressure (Q236)
    - Ischemic Vascular Disease All or None Outcome Measure (Q441)

The AANS/CNS supported CMS's proposal to remove the requirement that clinicians report at least one outcome measure among their required quality measures, and if no outcome measure is available, a high-priority measure. AANS/CNS explained how the removal of these requirements would provide needed flexibility in measure reporting. However, the AANS/CNS opposed the Agency's proposal to add a new core measure designation that would require all clinicians to report at least one core measure. The AANS/CNS expressed concern with CMS's failure to consult specialty societies in developing this policy and emphasized how it would further limit measure choice and reduce the relevance of measures reported by neurosurgeons. The AANS/CNS highlighted the flaws in the measures selected as "core measures" within the neurosurgical specialty measure set and surgical care MVP. Notwithstanding these concerns, the AANS/CNS expressed support for the removal of core measures from the topped out scoring cap if the Agency chose to proceed with the core measure policy.

In the Agency's response, CMS noted that MIPS core measures replace the requirement to report a high-priority measure that may not be aligned with the MVP topic, decreasing complexity while increasing flexibility. CMS stated that core measures represent care central to the MVP's specialty or medical condition. CMS encouraged interested parties to submit new core measures to fill in any gaps during the annual Call for Measures.

In response to concerns about the applicability or limited availability of core measures for specific subspecialties, CMS noted that in identifying core measures, the Agency balanced "alignment of the measure with care central to the MVP topic, while ensuring measure availability for those clinicians who choose to report the MVP." CMS specifically noted that it offered more core measures for the Surgical Care MVP and several other MVPs to ensure clinician choice. CMS also noted that it will allow for a self-attestation process by which clinicians can attest that a core measure is not applicable and select an alternative, more relevant measure in its place.

Promoting Interoperability Performance Changes

In the final rule, CMS removed the Security Risk Analysis MIPS measure beginning in the 2027 performance period, reasoning that it was duplicative of existing obligations under the Health Insurance Portability and Accountability Act (HIPAA) Security Rule. Further, CMS finalized and aligned the Electronic Prior Authorization measure with Fast Healthcare Interoperability Resources (FHIR)-enabled, Office of the National Coordinator for Health Information Technology (ONC)-certified health IT functionality and created a new Electronic Prior Authorization for Prescription Drugs, beginning in the 2028 performance period. CMS also finalized the definition of Certified Electronic Health Record Technology (CEHRT) to align with decertification proposals in the Health Data, Technology, and Interoperability: ASTP/ONC Deregulatory Action to Unleash Prosperity (HTI-5) proposed rule.[1]

The AANS/CNS supported the Agency's proposals to remove the Security Risk Analysis measure, to align the Electronic Prior Authorization measure with FHIR-enabled functionality, and to modify the definition of CEHRT. The AANS/CNS detailed how each of these changes simplifies reporting for neurosurgeons and advances interoperability, and cautioned the Agency to assess readiness before making use of the Electronic Prior Authorization measure as mandatory in future performance years.

CMS acknowledged stakeholder concerns that the system may not be ready to support a mandatory FHIR-based measure in CY 2028 and stated that implementation will require coordination among clinicians, health IT developers, payers, and other stakeholders. CMS stated that it intends to assess implementation experience and coordinate with ONC and the rest of CMS.

CMS recognized support for the Electronic Prior Authorization for Prescription Drugs, which would decrease clinicians' administrative burden and improve patients' timely access to medications. In response to concerns that CY 2028 was premature to make the measure mandatory, CMS stated that CY 2028 gives clinicians

[1] Health Data, Technology, and Interoperability: ASTP/ONC Deregulatory Actions to Unleash Prosperity, 90 Fed. Reg. 60970 (Dec. 29, 2025).

enough time to prepare for implementation, while encouraging timely adoption of electronic prior authorization for prescription drugs. CMS plans to continue developing, testing, and integrating the program until CY 2028.

MVP Virtual Group Reporting

CMS finalized the proposal to allow virtual groups to report MVPs beginning in CY 2029. Beginning in CY 2029, an MVP participant will be defined as "an individual MIPS-eligible clinician, single specialty group, multispecialty group that meets the requirements of a small practice, virtual group, subgroup, or APM Entity that is assessed on an MVP in accordance with § 4147.1365 for all MIPS performance categories."

The AANS/CNS supported permitting virtual groups to report through an MVP, but emphasized how the fact that virtual groups cannot currently report through an MVP underscores how it is premature to make MVP reporting mandatory. CMS acknowledged the concerns that virtual groups will need more time to prepare for MVP reporting and that mandatory MVP reporting for virtual groups should be delayed. CMS agreed that "virtual groups would likely benefit from an opportunity to report MVPs on a voluntary basis prior to the subset of traditional MIPS."

Scoring Reweighting

Effective with the CY 2027 performance year, the Agency will use the most current and reliable data available when determining whether a MIPS-eligible clinician is located in an area affected by an Extreme and Uncontrollable Circumstance. Additionally, CMS finalized the proposal to extend the deadline for submitting reweighting requests for quality improvement activities and promoting interoperability performance categories where a third-party intermediary did not submit data on behalf of the clinician from November 1 to December 31 of the year preceding the applicable MIPS payment year.

The AANS/CNS supported CMS's reweighting proposals, including using broader data to determine whether a clinician qualifies for an Extreme and Uncontrollable Circumstances reweighting exception and extending the deadline for clinicians to submit reweighting requests when data aren't submitted by a third-party intermediary.

Information Blocking: Removal of ONC Attestations

CMS finalized the proposal to remove the required ONC Direct Review attestation and the optional ONC-ACB Surveillance attestation beginning in the CY 2026 performance period. The AANS/CNS supported this change, agreeing that the reporting requirements are duplicative of existing oversight processes.

Performance Threshold

CMS previously finalized maintaining the performance threshold at 75 points through the 2028 performance period and made no changes to the performance threshold in this final rule. The AANS/CNS supported this policy and urged the Agency to keep the performance threshold at 75 points in subsequent performance years.

Clinical Data Registries

Feedback Reports at the Level of Data Submitted

CMS finalized the Agency's proposal to require QCDRs and qualified registries to provide performance feedback at the same level at which the data were or will be submitted (e.g., individual, group, virtual group, subgroup, or APM Entity). The AANS/CNS opposed this policy, as in reality, many practices do not determine until later in the performance year whether they will report at the individual or group level. Therefore, the policy would require registries to provide performance feedback at both levels, increasing administrative burden on registries and causing confusion for clinicians.

CMS recognized that the level of reporting may change during the performance period; however, the Agency stated that third-party intermediaries are expected to provide feedback to the clinician or group at the level that the clinician or group indicated at the time the feedback is provided. CMS stated that its policy was necessary to address "the need to provide participants with relevant performance information while avoiding the unnecessary burden of requiring third-party intermediaries to provide feedback at every potential level of reporting."

Data Validation Sampling Methodology

CMS clarified and finalized its data validation sampling methodology for QCDRs and qualified registries. The methodology requires 100% review of QPP participants when fewer than 10 participants are reported, while registries reporting at least 10 participants would continue to use a 3 percent sample. CMS similarly finalized patient-record sampling requirements, with all records reviewed when fewer than five exist and a sample of at least 25% when five or more records exist.

The AANS/CNS urged CMS to undertake a broader reassessment of the data validation framework, rather than focusing on incremental changes that do not address the complicated, costly, and burdensome nature of current validation requirements.

CMS dismissed concerns that the data validation requirements were unnecessarily complicated and duplicative of existing audits that CMS performs on MIPS. CMS claimed that data validation requirements "are necessary to ensure that the data submitted by third-party intermediaries are true, accurate, and complete and consistent with the information recorded by the clinician in their medical records."

Third-Party Intermediaries That Do Not Submit Data

CMS finalized its proposal to require a QCDR or qualified registry to submit a participation plan to CMS for the Agency's approval if it was approved via the self-nomination process but did not submit MIPS data during the preceding year. Under existing policy, a participation plan is not required until a QCDR or qualified registry does not submit MIPS data for two preceding years.

The AANS/CNS opposed this change, relaying that the existing two-year standard is appropriate, and explained that there are valid reasons why a QCDR or qualified registry may not submit data in a certain year. CMS's response acknowledged that submitting a participation plan after one year might impose additional burdens on a third-party intermediary; however, the Agency explained that the limited additional burden is appropriate to show the third-party intermediary's intent to participate in the program. CMS stated that the purpose of the requirement is not to establish a pattern of noncompliance, but instead to reduce the number of inactive third-party intermediaries.

Qualified Postings

CMS finalized its policy prohibiting QCDRs and qualified registries from making changes to their qualified postings outside of the review period.

The AANS/CNS did not oppose this change but requested that CMS provide a limited opportunity for QCDRs and qualified registries to make material corrections or updates after publication to ensure the accuracy of the information posted. CMS acknowledged that there may be circumstances where a third-party intermediary is unable to provide accurate information during the qualified posting review period. However, the Agency noted that establishing an additional process for third-party intermediaries to make changes after the qualified posting review period "would require [the Agency] to continually review and update information, thereby creating uncertainty for interested parties relying on postings to identify third-party intermediaries and the services they offer."

Ambulatory Specialty Model

Overarching Concerns

The AANS/CNS continued to express strong opposition to neurosurgeons' inclusion in the ASM, detailing how neurosurgeons' attribution under the Low Back Pain episode-based cost measure was not appropriate. The AANS/CNS urged CMS to abandon the model, or at a minimum, exclude neurosurgeons.

In response, CMS noted that the proposed rule did not include any recommendations related to the specialty types included in the ASM low back pain cohort; therefore, comments regarding the inclusion of neurosurgeons in the ASM low back pain cohort were outside the scope of this rule. CMS referred interested parties to the CY 2026 MPFS final rule "for additional discussions on the justifications for including neurosurgeons and orthopedic surgeons in the ASM low back pain cohort."

ASM Participant Exceptions

CMS finalized its proposal to create a new exception to the ASM that would permit ASM heart failure participants who redesignate their primary specialty type through a Medicare enrollment application to certain specialty types to be excepted from ASM requirements.

The AANS/CNS urged CMS to extend this exception to surgeons, including neurosurgeons and orthopedic surgeons participating in the Low Back Pain cohort, detailing why certain heart failure specialty types and surgeons' clinical practices are distinct from the broader management of low back pain. The AANS/CNS also requested that CMS apply the exception automatically and retroactively to the beginning of the performance year. Finally, the AANS/CNS urged CMS to eliminate the one-year limitation on TIN-change exceptions and instead extend the exception to subsequent performance years. In response, CMS stated that the comments were outside the scope of this rule. Again, CMS referred interested parties to the CY 2026 MPFS final rule "for additional discussions on the justifications of including neurosurgeons and orthopedic surgeons in the ASM low back pain cohort."

Administrative Claims-Based Low Back Pain Imaging Quality Measure

CMS finalized its proposal to include the Magnetic Resonance Imaging (MRI) Lumbar Spine for Low Back Pain, Respecified to Be Relevant to ASM Participants Treating Low Back Pain, a claims-based measure, in the low back pain quality measure set. The final rule included an expansion of the conditions and diagnoses used in the measure's denominator; a 24-month performance period to increase denominator volume and reduce volatility; a minimum 20 case count threshold; and a 365-day lookback period. In a win for neurosurgery, the final measure relies on single-participant attribution rather than the multi-participant attribution included in the Proposed Rule.

The AANS/CNS strongly opposed the administrative claims-based low back pain imaging quality measure. The AANS/CNS detailed fundamental flaws with the measure, including its overly broad attribution methodology, failure to account for clinical circumstances underlying a physician's decision to order lumbar spine imaging, lengthy lookback and performance periods, and questionable denominator revisions.

CMS acknowledged calls for more transparency regarding how the denominator exclusions were determined. CMS stated that the Agency conducted "a diagnosis code level clinical review of the denominator exclusions and intended to release additional measure specifications in advance of the 2027 ASM performance year." CMS noted that it used the historical OP-8 specifications and the HEDIS Use of Imaging Studies for Low Back Pain to determine the measures' appropriateness, in addition to "clinical review, technical input, and measure testing."

CMS recognized that the 24-month performance period differs from the typical one-year period used for other ASM measures. However, CMS stated that "the longer period is intended to support more reliable performance

assessment" by including ASM participants with lower annual MRI volumes. CMS's stated goal is to provide "a more stable representation of imaging practices while allowing performance to change as newer cases enter the rolling window."

CMS acknowledged concerns that MRIs could be attributed to ASM participants who did not order the imaging. In response to these concerns, CMS finalized an alternative single-participant attribution methodology, "under which each MRI will be attributed to the ASM participant with the highest number of qualifying encounters during the applicable lookback period."

Finally, CMS acknowledged concerns that the 365-day lookback period could result in an MRI being attributed to an ASM participant "whose involvement in the beneficiary's care occurred well before the imaging decision." However, the Agency believes that "a 365-day lookback period appropriately reflects the longitudinal nature of chronic back pain management and captures antecedent care that may occur over an extended period before imaging." Further, the Agency states that its "decision to finalize single-participant attribution will narrow accountability relative to the proposed multiple-participant approach by attributing each MRI to only one ASM participant."

Patient Reported Outcome Measures

In the final rule, CMS removed quality measure MIPS Q220: Functional Status Change for Patients with Low Back Impairments from the ASM low back pain quality measure set and replaced it with quality measure MIPS Q182: Functional Outcome Assessment. The AANS/CNS supported the removal of Q220 but emphasized that use of Q182 in its place should be a temporary solution due to its limited applicability and usefulness in patient outcome measurement. In response, CMS stated that MIPS Q182 was "the most appropriate available replacement because it supports routine assessment of functional status and development of a care plan when deficiencies are identified." CMS explained that the Agency "may pursue more robust outcome-based measurement in the future."

Alignment with MIPS Promoting Interoperability Proposals

CMS finalized including the Electronic Prior Authorization measure as an optional, unscored ASM Promoting Interoperability measure, without any scoring penalty for non-reporting. This measure will be required starting in CY 2028. While the AANS/CNS supported CMS's efforts to align the ASM with MIPS Promoting Interoperability category policies, AANS/CNS questioned the need for Promoting Interoperability requirements in ASM generally, as ASM participants already have strong incentives to use health IT tools. CMS did not respond to the AANS/CNS's request to remove Promoting Interoperability requirements from ASM altogether. CMS did, however, state its intent to "assess implementation experience, payer and health IT readiness, technological advancements, and the availability of ONC-certified health IT as the measure becomes required."

Improvement Activities Group Data Submission

In the final rule, CMS clarified that small practices may submit quality data at the group level. The AANS/CNS supported this change, stating that it will offer greater flexibility in how participating neurosurgeons or their affiliated groups can submit data.

Rural Scoring Adjustment

CMS finalized a rural scoring adjustment to address unique challenges faced by rural ASM participants. Rural ASM participants who qualify for the adjustment will receive an additional 5 points on their final score.

The AANS/CNS opposed this policy due to the unintended harm the policy would cause to non-rural ASM participants, given that ASM performance is scored relative to peers. CMS acknowledged the concerns raised by the AANS/CNS that ASM participants in non-rural areas may experience similar challenges to those in rural areas. However, CMS explained that the ASM includes other methodological features to address differences in

performance, and that the rural scoring adjustment, along with other ASM scoring adjustments, "appropriately account for differences in ASM participant and patient circumstances." While CMS acknowledged that "ASM payment adjustment factors are determined relative to the performance of other ASM participants in the ASM cohort," this fact does not provide a basis for excluding circumstances associated with ASM participants in rural areas from ASM scoring.

Additional Scoring Concerns

The AANS/CNS expressed continued concerns with the ASM's tournament-style scoring methodology, under which physicians can face penalties despite improving quality or reducing costs. The AANS/CNS also requested that CMS provide more timely performance feedback to clinicians, increase the redistribution percentage from 85 to 100, and phase in downside risk. As this policy was previously finalized, it was not discussed in the final rule.

Alternative Payment Models

Qualifying APM Participants

CMS finalized, with modifications, its proposal to revise its evaluation of Qualifying APM Participants (QP) by making determinations at the TIN level, rather than the NPI level. Under this revised framework, eligibility as a Qualifying APM participant will be evaluated for each TIN, replacing blanket Qualifying APM status at the NPI level. However, for clinicians who achieve QP or Partial QP status through an individual-level determination, CMS will extend Partial QP status to all TIN reassignments associated with that NPI. Because Partial QPs may elect whether to participate in MIPS, this modification allows the TINs associated with the clinician to choose whether to report MIPS data and receive the corresponding payment adjustment.

The AANS/CNS urged CMS not to finalize this proposal, given the chilling effect it would have on specialty participation in advanced APMs. The AANS/CNS detailed how the policy would reduce the predictability and value of the incentives available through participation in APMs.

In its response, CMS acknowledged that the policy would decrease the dollar value of incentives available to some QPs. However, CMS maintained that applying QP status at the TIN/NPI level would better target incentives to practices actually participating in Advanced APMs and prevent an increasing financial windfall to nonparticipating TINs. CMS believes its modified policy to extend Partial QP status to all TINs associated with an NPI when QP or Partial QP status is sufficient to address stakeholder concerns regarding reporting burdens.

Requests for Information

FHIR Timeline

CMS requested feedback on its proposed transition to FHIR-based digital quality reporting under the QPP, including its consideration of a two-year transition period beginning with the 2028 performance period and mandatory FHIR-based reporting beginning in 2030.

The AANS/CNS expressed support for using FHIR with a phased-in transition to allow clinicians and reporting entities time to prepare. The AANS/CNS urged CMS to use the proposed transition period to identify and address barriers to implementation, and to only make FHIR-based reporting mandatory when readiness is clear.

CMS acknowledged the feedback received on its proposed timeline for transitioning to FHIR-based digital quality measurement but did not finalize any policies or commit to a specific implementation timeline. CMS reiterated that it is considering a phased transition, beginning with a two-year period in CY 2028 during which FHIR-based reporting would coexist with existing reporting options, followed by mandatory FHIR-based

reporting for applicable measures beginning in CY 2030. CMS noted that the transition could involve changes beyond reporting format, including different measure specifications, data requirements, scoring, public reporting, and health IT certification criteria. CMS also acknowledged potential implications for third-party intermediaries, including QCDRs and qualified registries, and stated that it would provide further clarification on applicable requirements through future rulemaking.

MVP Scoring

CMS requested feedback on the MVP scoring methodology as the Agency prepares to transition to full MVP reporting. Specifically, the Agency asked whether CMS should normalize MVP scores to improve fairness across different MVPs, including the appropriate level of normalization, the methodology CMS should use, and how a revised scoring approach could affect clinician performance and payment adjustments.

In response to this RFI, the AANS/CNS emphasized that CMS should first focus on ensuring that each MVP contains an appropriate and sufficiently robust set of measures before attempting to establish comparable score distributions across MVPs. The AANS/CNS highlighted how the Surgical Care MVP illustrates the limitations of comparing performance across fundamentally different specialties.

CMS did not address specific responses received and instead stated that it will consider the feedback shared in future rulemaking.

Star Rating Assignment Methodology

CMS requested feedback on improvements to the current star rating assignment methodology for quality measures collected under the administrative claims collection type. Specifically, CMS requested feedback on replacing its existing equal-ranges methodology, based on the Achievable Benchmark of Care (ABC), with a standard-deviation-based methodology similar to the approach CMS already uses to score these measures under MIPS.

The AANS/CNS urged CMS to proceed cautiously when considering revisions to the star rating assignment methodology, particularly when relying on quality measures derived from administrative claims. The AANS/CNS detailed how administrative claims data alone are not an appropriate measure of physician quality. The AANS/CNS urged CMS to ensure that claims-based measures are clinically meaningful and appropriately applicable to the specialties and physicians to whom they are attributed.

CMS did not address specific responses received and instead stated that it will consider the feedback shared in future rulemaking.

ADDITIONAL RESOURCES

For more information on the CY 2027 Physician Fee Schedule Final Rule, visit the Fact Sheet for Calendar Year (CY) 2027 Medicare Physician Fee Schedule Final Rule.

Visit the CMS press release, CMS Finalizes CY 2027 Physician Fee Schedule to Shift from Sick Care to Healthcare and Curb Waste.

To view the final rule on the *Federal Register*, visit: https://www.federalregister.gov/d/2026-22743.

APPENDIX

CY 2027 MPFS Final Rule Impact Table - Neurosurgery

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
Codes Valued for CY 2027															
22210	**Incis 1 vertebral seg cerv**	**24.75**	**23.12**	**23.12**	24.75	-6.59%	NA	NA		12.21	18.44	-33.79%	7.15	8.1	-11.73%
22212	**Incis 1 vertebral seg thorac**	**23.20**	**21.72**	**21.72**	20.47	6.11%	NA	NA		11.81	16.78	-29.62%	6.63	6.34	4.57%
22214	**Incis 1 vertebral seg lumbar**	**21.72**	**19.53**	**19.53**	20.49	-4.69%	NA	NA		11.1	16.58	-33.05%	5.81	6.17	-5.83%
22216	**Incis addl spine segment**	**3.00**	**3.00**	**3.00**	5.88	-48.98%	NA	NA		0.79	1.95	-59.49%	0.89	1.77	-49.72%
27278	**Arthrd si jt i-artic b1 grf**	**7.86**	**7.66**	**7.66**	7.66	0.00%	404.38	403.61	0.19%	4.17	4.64	-10.13%	0.83	0.85	-2.35%
27279	**Arthrd si jt tartclr&/iartic**	**11.00**	**11.00**	**11.00**	11.83	-7.02%	582.34	NA		6.52	8.26	-21.07%	2.45	2.62	-6.49%
62287	**Dcmprn pq nuc pul 1/mlt lmbr**	**7.06**	**6.23**	**6.23**	9.03	-31.01%	NA	NA		6.07	6.02	0.83%	0.64	0.93	-31.18%
Top 15 Neurosurgery Codes (by Medicare Volume)															
63047	Lam facetec & foramot lumbar			14.99	14.99	0.00%	NA	NA		10.01	12.04	-16.86%	4.79	4.87	-1.64%
22551	Arthrd ant ntrbdy cervical			24.38	24.38	0.00%	NA	NA		14.68	15.44	-4.92%	8.04	8.23	-2.31%
22633	Arthrd cmbn 1ntrspc lumbar			26.13	26.13	0.00%	NA	NA		15.52	16.31	-4.84%	8.34	8.44	-1.18%
36224	Place cath carotd art			6.09	6.09	0.00%	59.29	62.37	-4.94%	1.8	1.89	-4.76%	1.96	1.96	0.00%
22612	Arthrd pst tq 1ntrspc lumbar			22.94	22.94	0.00%	NA	NA		13.68	14.38	-4.87%	6.5	6.61	-1.66%
36226	Place cath vertebral art			6.09	6.09	0.00%	57.49	60.47	-4.93%	1.77	1.85	-4.32%	1.93	1.92	0.52%
22600	Arthrd pst tq 1ntrspc crv			16.97	16.97	0.00%	NA	NA		14.62	15.37	-4.88%	5.99	6.07	-1.32%
63030	Lamot dcmprn nrv rt 1 lmbr			11.70	11.70	0.00%	NA	NA		10.8	11.35	-4.85%	3.82	3.84	-0.52%
36223	Place cath carotid/inom art			5.61	5.61	0.00%	49.29	50.07	-1.56%	1.5	1.58	-5.06%	1.72	1.71	0.58%
61312	Crnec/crnot sttl xdrl/sdrl			29.42	29.42	0.00%	NA	NA		17.36	18.25	-4.88%	12.15	12.36	-1.70%
63685	Ins/rplc spi npg/rcvr pocket			5.06	5.06	0.00%	NA	NA		3.27	3.43	-4.66%	0.99	1.05	-5.71%
63045	Lam facetec & foramot crv			17.25	17.50	-1.43%	NA	NA		11.32	13.59	-16.70%	6.12	6.33	-3.32%
61510	Crnec treph exc brn tum sttl			30.06	30.06	0.00%	NA	NA		20.95	22.02	-4.86%	12.43	12.63	-1.58%
64493	Inj paravert f jnt l/s 1 lev			1.48	1.48	0.00%	4.05	4.08	-0.74%	0.78	0.82	-4.88%	0.15	0.14	7.14%
61624	Tcat perm occls/embolj cns			19.50	19.50	0.00%	NA	NA		5.15	5.41	-4.81%	6.22	6.37	-2.35%
All Other Neurosurgical Codes															
10060	I&d abscess simple/single			1.19	1.19	0.00%	2.43	2.53	-3.95%	1.61	1.69	-4.73%	0.15	0.13	15.38%
10061	I&d abscess comp/multiple			2.39	2.39	0.00%	3.78	3.87	-2.33%	2.38	2.47	-3.64%	0.32	0.33	-3.03%
10120	Inc&rmvl fb subq tiss smpl			1.19	1.19	0.00%	3.34	3.38	-1.18%	1.7	1.73	-1.73%	0.15	0.14	7.14%
10121	Inc&rmvl fb subq tiss comp			2.67	2.67	0.00%	5.12	5.19	-1.35%	2.08	2.09	-0.48%	0.38	0.38	0.00%
10140	I&d hmtma seroma/fluid collj			1.54	1.54	0.00%	3.58	3.47	3.17%	1.77	1.71	3.51%	0.21	0.21	0.00%
10160	Pnxr aspir absc hmtma bulla			1.22	1.22	0.00%	2.57	2.56	0.39%	1.35	1.36	-0.74%	0.15	0.16	-6.25%
10180	I&d complex po wound infctj			2.24	2.24	0.00%	5.6	5.89	-4.92%	2.4	2.52	-4.76%	0.52	0.5	4.00%
11012	Dbrd fx skn subq tis musc&b1			6.70	6.70	0.00%	11.92	12.54	-4.94%	2.69	2.83	-4.95%	1.32	1.32	0.00%
11042	Dbrdmt subq tis 1st 20sqcm/<			0.98	0.98	0.00%	3.01	2.87	4.88%	0.59	0.56	5.36%	0.12	0.13	-7.69%
11043	Dbrdmt musc&/fsca 1st 20/<			2.63	2.63	0.00%	4.11	4.13	-0.48%	1.06	1.09	-2.75%	0.42	0.42	0.00%
11044	Dbrdmt bone 1st 20 sq cm/<			4.00	4.00	0.00%	5.02	4.96	1.21%	1.36	1.38	-1.45%	0.65	0.64	1.56%
11045	Dbrdmt subq tiss each addl			0.49	0.49	0.00%	0.72	0.7	2.86%	0.1	0.1	0.00%	0.09	0.07	28.57%
11046	Dbrdmt musc&/fsca ea addl			1.00	1.00	0.00%	1.08	1.1	-1.82%	0.23	0.24	-4.17%	0.17	0.19	-10.53%
11047	Dbrdmt bone each addl			1.76	1.76	0.00%	1.69	1.74	-2.87%	0.42	0.44	-4.55%	0.33	0.35	-5.71%
11102	Tangntl bx skin single les			0.64	0.64	0.00%	2.06	2.16	-4.63%	0.19	0.2	-5.00%	0.06	0.06	0.00%
11103	Tangntl bx skin ea sep/addl			0.37	0.37	0.00%	0.99	1.05	-5.71%	0.1	0.12	-16.67%	0.03	0.04	-25.00%
11406	Exc b9 les t/a/l>4.0 cm			3.43	3.43	0.00%	5.63	5.92	-4.90%	2.61	2.75	-5.09%	0.64	0.64	0.00%
11426	Exc b9 les snhfg>4.0 cm			3.99	3.99	0.00%	5.29	5.55	-4.68%	2.57	2.7	-4.81%	0.64	0.64	0.00%
11981	Insertion drug dlvr implant			1.11	1.11	0.00%	1.81	1.9	-4.74%	0.3	0.32	-6.25%	0.21	0.21	0.00%
12001	Smp rpr s/n/ax/g/t 2.5 cm/<			0.82	0.82	0.00%	2.53	2.42	4.55%	0.33	0.32	3.13%	0.16	0.18	-11.11%
12002	Smp rpr s/n/ax/g/t 2.6-7.5			1.11	1.11	0.00%	2.96	2.82	4.96%	0.4	0.37	8.11%	0.24	0.24	0.00%
12020	Tx supfc wnd dehsn smpl clsr			2.60	2.60	0.00%	6.14	6.45	-4.81%	2.21	2.32	-4.74%	0.47	0.43	9.30%
12021	Tx supfc wnd dehsn w/packing			1.84	1.84	0.00%	3.23	3.39	-4.72%	1.77	1.86	-4.84%	0.32	0.33	-3.03%
12031	Int rpr s/a/t/e 2.5 cm/<			1.95	1.95	0.00%	5.33	5.6	-4.82%	1.73	1.81	-4.42%	0.24	0.23	4.35%
12032	Int rpr s/a/t/e 2.6-7.5 cm			2.46	2.46	0.00%	5.96	6.25	-4.64%	2.11	2.22	-4.95%	0.27	0.26	3.85%
12034	Int rpr s/a/t/e 7.6-12.5 cm			2.90	2.90	0.00%	6.4	6.73	-4.90%	2	2.1	-4.76%	0.38	0.39	-2.56%
12035	Int rpr s/a/t/e 12.6-20.0 cm			3.41	3.41	0.00%	7.97	8.37	-4.78%	2.56	2.69	-4.83%	0.64	0.62	3.23%
13101	Cplx rpr trunk 2.6-7.5 cm			3.41	3.41	0.00%	7.49	7.88	-4.95%	2.35	2.48	-5.24%	0.4	0.4	0.00%
13102	Cplx rpr trunk ea addl 5cm/<			1.21	1.21	0.00%	2.09	2.19	-4.57%	0.37	0.38	-2.63%	0.18	0.2	-10.00%
13120	Cplx rpr s/a/l 1.1-2.5 cm			3.15	3.15	0.00%	6.65	6.98	-4.73%	2.29	2.41	-4.98%	0.36	0.38	-5.26%
13121	Cplx rpr s/a/l 2.6-7.5 cm			3.90	3.90	0.00%	7.77	8.17	-4.90%	2.01	2.11	-4.74%	0.43	0.44	-2.27%
13122	Cplx rpr s/a/l addl 5 cm/>			1.40	1.40	0.00%	2.12	2.23	-4.93%	0.41	0.42	-2.38%	0.2	0.21	-4.76%
13131	Cplx rpr fh-ft 1.1-2.5 cm			3.64	3.64	0.00%	7.07	7.44	-4.97%	1.94	2.04	-4.90%	0.42	0.43	-2.33%
13132	Cplx rpr fh-ft 2.6-7.5 cm			4.66	4.66	0.00%	8.25	8.67	-4.84%	2.24	2.34	-4.27%	0.51	0.51	0.00%
13133	Cplx rpr fh-ft ea addl 5cm/<			2.14	2.14	0.00%	2.49	2.62	-4.96%	0.62	0.65	-4.62%	0.27	0.27	0.00%
13151	Cplx rpr e/n/e/l 1.1-2.5 cm			4.23	4.23	0.00%	7.44	7.82	-4.86%	2.14	2.25	-4.89%	0.5	0.5	0.00%
13160	Sec clsr surg wnd/dehsn xtn			11.74	11.74	0.00%	NA	NA		7.94	8.35	-4.91%	2.04	2.1	-2.86%
14000	Tis trnfr trunk 10 sq cm/<			6.21	6.21	0.00%	12.06	12.68	-4.89%	6.31	6.63	-4.83%	1.08	1.09	-0.92%
14001	Tis trnfr trunk 10.1-30sqcm			8.56	8.56	0.00%	14.74	15.49	-4.84%	7.45	7.83	-4.85%	1.62	1.63	-0.61%
14020	Tis trnfr s/a/l 10 sq cm/<			7.04	7.04	0.00%	12.79	13.44	-4.84%	6.73	7.06	-4.67%	0.96	1	-4.00%
14021	Tis trnfr s/a/l 10.1-30 sqcm			9.48	9.48	0.00%	14.88	15.64	-4.86%	7.4	7.78	-4.88%	1.27	1.32	-3.79%
14040	Tis trnfr f/c/c/m/n/a/g/h/f			8.39	8.39	0.00%	12.86	13.51	-4.81%	6.56	6.89	-4.79%	1.05	1.07	-1.87%
14041	Tis trnfr f/c/c/m/n/a/g/h/f			10.56	10.56	0.00%	15.11	15.88	-4.85%	7.32	7.7	-4.94%	1.25	1.28	-2.34%
14060	Tis trnfr e/n/e/l 10 sq cm/<			9.00	9.00	0.00%	12.4	13.03	-4.83%	6.76	7.1	-4.79%	1.05	1.07	-1.87%
14061	Tis trnfr e/n/e/l10.1-30sqcm			11.19	11.19	0.00%	16.51	17.35	-4.84%	8	8.4	-4.76%	1.32	1.33	-0.75%
14301	Tis trnfr any 30.1-60 sq cm			12.33	12.33	0.00%	18.24	19.16	-4.80%	8.21	8.63	-4.87%	2	2.04	-1.96%
14302	Tis trnfr addl 30 sq cm			3.64	3.64	0.00%	2.24	2.35	-4.68%	1.11	1.17	-5.13%	0.66	0.66	0.00%
15002	Prep rcp site t/a/l 1st			3.56	3.56	0.00%	6.33	6.66	-4.95%	1.6	1.69	-5.33%	0.66	0.65	1.54%
15004	Prep rcp site f-dgt 1st			4.47	4.47	0.00%	6.68	7.02	-4.84%	1.67	1.76	-5.11%	0.64	0.62	3.23%
15220	Fth/gft fr s/a/l 20 sq cm/<			7.89	7.89	0.00%	13.72	14.43	-4.92%	6.75	7.09	-4.80%	1.09	1.12	-2.68%
15240	Fth/gft f/c/c/m/n/ax/g/h/f20			10.15	10.15	0.00%	15.78	16.58	-4.83%	8.96	9.41	-4.78%	1.33	1.33	0.00%
15260	Fth/gft fr n/e/e/l 20 sqcm/<			11.35	11.35	0.00%	16.46	17.3	-4.86%	8.67	9.11	-4.83%	1.28	1.32	-3.03%
15271	Skin sub graft trnk/arm/leg			1.46	1.46	0.00%	3	3.06	-1.96%	0.58	0.58	0.00%	0.21	0.21	0.00%
15273	Skin sub grft t/arm/lg child			3.41	3.41	0.00%	5.33	5.61	-4.99%	1.02	1.11	-8.11%	0.61	0.62	-1.61%
15275	Skin sub graft face/nk/hf/g			1.78	1.78	0.00%	2.96	2.82	4.96%	0.57	0.54	5.56%	0.18	0.2	-10.00%
15731	Forehead flap w/vasc pedicle			14.02	14.02	0.00%	17.33	18.22	-4.88%	9.62	10.11	-4.85%	2.13	2.14	-0.47%
15733	Musc myoq/fscq flp h&n pedcl			15.29	15.29	0.00%	NA	NA		8.86	9.32	-4.94%	2.5	2.58	-3.10%
15734	Muscle-skin graft trunk			22.43	22.43	0.00%	NA	NA		13.42	14.11	-4.89%	5.02	4.98	0.80%
15750	Neurovascular pedicle flap			12.64	12.64	0.00%	NA	NA		9.61	10.1	-4.85%	2.37	2.4	-1.25%
15756	Free myo/skin flap microvasc			36.02	36.02	0.00%	NA	NA		16.01	16.83	-4.87%	5.78	5.89	-1.87%
15769	Grfg autol soft tiss dir exc			6.51	6.51	0.00%	NA	NA		5.48	5.78	-5.19%	1.32	1.33	-0.75%
15770	Derma-fat-fascia graft			8.74	8.74	0.00%	NA	NA		7.61	8	-4.88%	1.37	1.41	-2.84%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
15771	Grfg autol fat lipo 50 cc/<			6.56	6.56	0.00%	11.47	12.06	-4.89%	6.08	6.39	-4.85%	1.2	1.23	-2.44%
15777	Acellular derm matrix implt			3.56	3.56	0.00%	2.35	2.48	-5.24%	1.17	1.23	-4.88%	0.68	0.67	1.49%
17000	Destruct premalg lesion			0.59	0.59	0.00%	1.27	1.34	-5.22%	0.75	0.78	-3.85%	0.06	0.06	0.00%
17110	Destruction b9 les up to 14			0.68	0.68	0.00%	2.45	2.57	-4.67%	1.07	1.11	-3.60%	0.07	0.07	0.00%
17250	Chem caut of granltj tissue			0.49	0.49	0.00%	2.05	2.14	-4.21%	0.51	0.5	2.00%	0.09	0.07	28.57%
17311	Mohs 1 stage h/n/hf/g			6.05	6.05	0.00%	12.69	13.32	-4.73%	1.76	1.95	-9.74%	0.58	0.59	-1.69%
17312	Mohs addl stage			3.22	3.22	0.00%	8.1	8.5	-4.71%	0.92	1.03	-10.68%	0.32	0.33	-3.03%
20100	Expl pentrg wound neck			10.12	10.12	0.00%	NA	NA		3.81	3.99	-4.51%	2.25	2.22	1.35%
20102	Expl pentrg wnd abd/flnk/bk			3.88	3.88	0.00%	14.23	14.96	-4.88%	2.34	2.47	-5.26%	0.97	0.99	-2.02%
20200	Muscle biopsy superficial			1.42	1.42	0.00%	5.19	5.45	-4.77%	0.86	0.91	-5.49%	0.37	0.37	0.00%
20205	Deep muscle biopsy			2.29	2.29	0.00%	6.85	7.2	-4.86%	1.39	1.46	-4.79%	0.64	0.65	-1.54%
20225	Bone biopsy trocar/ndl deep			2.39	2.39	0.00%	8.7	8.28	5.07%	0.78	0.74	5.41%	0.25	0.26	-3.85%
20240	Bone biopsy open superficial			2.54	2.54	0.00%	NA	NA		0.99	0.95	4.21%	0.32	0.3	6.67%
20245	Bone biopsy open deep			5.85	5.85	0.00%	NA	NA		2.08	2.18	-4.59%	1.02	1.05	-2.86%
20250	Biopsy vrt bdy open thoracic			5.06	5.06	0.00%	NA	NA		4.83	5.08	-4.92%	1.48	1.46	1.37%
20251	Biopsy vrt bdy open lmbr/crv			5.58	5.58	0.00%	NA	NA		5.11	5.37	-4.84%	1.68	1.66	1.20%
20520	Rmvl fb musc/tdn simple			1.85	1.85	0.00%	4.53	4.76	-4.83%	2.03	2.13	-4.69%	0.29	0.27	7.41%
20525	Rmvl fb musc/tdn deep/comp			3.45	3.45	0.00%	10.24	10.78	-5.01%	2.73	2.87	-4.88%	0.66	0.66	0.00%
20526	Ther injection carp tunnel			0.92	0.92	0.00%	1.47	1.55	-5.16%	0.38	0.39	-2.56%	0.15	0.17	-11.76%
20550	Njx 1 tendon sheath/ligament			0.73	0.73	0.00%	0.95	0.99	-4.04%	0.17	0.18	-5.56%	0.1	0.09	11.11%
20551	Njx 1 tendon origin/insj			0.73	0.73	0.00%	0.94	1	-6.00%	0.17	0.18	-5.56%	0.09	0.08	12.50%
20552	Njx 1/mlt trigger point 1/2			0.64	0.64	0.00%	0.84	0.84	0.00%	0.36	0.36	0.00%	0.07	0.07	0.00%
20553	Njx 1/mlt trigger points 3/>			0.73	0.73	0.00%	0.98	0.98	0.00%	0.41	0.41	0.00%	0.09	0.08	12.50%
20610	Arthrcnt asp&/njx maj jt w/o			0.77	0.77	0.00%	1.1	1.16	-5.17%	0.27	0.29	-6.90%	0.12	0.13	-7.69%
20611	Arthrcnt asp&/njx maj jt w/			1.07	1.07	0.00%	1.82	1.91	-4.71%	0.27	0.29	-6.90%	0.15	0.14	7.14%
20650	Insj wire/pin skel traction			2.22	2.22	0.00%	4.63	4.87	-4.93%	2.09	2.19	-4.57%	0.4	0.38	5.26%
20660	Appl crnl tong/strtctc frame			3.90	3.90	0.00%	NA	NA		1.21	1.27	-4.72%	1.2	1.26	-4.76%
20661	Application halo cranial			5.13	5.13	0.00%	NA	NA		9.2	9.69	-5.06%	1.78	1.76	1.14%
20665	Rmvl tongs/halo anthr indiv			1.33	1.33	0.00%	1.99	2.12	-6.13%	1.08	1.15	-6.09%	0.11	0.11	0.00%
20670	Removal implant superficial			1.75	1.75	0.00%	8.63	9.07	-4.85%	2.07	2.17	-4.61%	0.27	0.27	0.00%
20680	Removal of implant deep			5.81	5.81	0.00%	11.47	12.05	-4.81%	4.7	4.94	-4.86%	1.05	1.06	-0.94%
20900	Removal of bone for graft			2.93	2.93	0.00%	8.1	8.52	-4.93%	1.33	1.4	-5.00%	0.47	0.48	-2.08%
20912	Remove cartilage for graft			6.38	6.38	0.00%	NA	NA		5.38	5.65	-4.78%	0.97	1	-3.00%
20922	Removal of fascia for graft			6.76	6.76	0.00%	10.86	11.41	-4.82%	5.53	5.82	-4.98%	1.45	1.51	-3.97%
20931	Algrft struxl spi surg only			1.76	1.76	0.00%	NA	NA		0.57	0.59	-3.39%	0.58	0.59	-1.69%
20937	Agrft spine surg mrslzd			2.72	2.72	0.00%	NA	NA		0.85	0.9	-5.56%	0.79	0.79	0.00%
20938	Agrft spine surg struxl			2.94	2.94	0.00%	NA	NA		0.93	0.99	-6.06%	0.96	0.96	0.00%
20939	Bone marrow aspir bone grfg			1.13	1.13	0.00%	NA	NA		0.36	0.37	-2.70%	0.33	0.34	-2.94%
20974	Estim aid bone healg n-invas			0.60	0.60	0.00%	1.99	2.09	-4.78%	0.73	0.76	-3.95%	0.15	0.16	-6.25%
20975	Estim aid bone healg invasiv			2.54	2.54	0.00%	NA	NA		1.67	1.76	-5.11%	0.68	0.75	-9.33%
20982	Ablate bone tumor(s) perq			6.84	6.84	0.00%	96.31	96.42	-0.11%	1.77	1.71	3.51%	1.05	1.08	-2.78%
20983	Ablate bone tumor(s) perq			6.71	6.71	0.00%	146.51	139.46	5.06%	1.6	1.52	5.26%	0.83	0.83	0.00%
20985	Cptr-asst navig px muscsk px			2.44	2.44	0.00%	NA	NA		0.63	0.77	-18.18%	0.51	0.5	2.00%
21011	Exc face les sc <2 cm			2.92	2.92	0.00%	7.98	8.38	-4.77%	3.85	4.04	-4.70%	0.52	0.53	-1.89%
21012	Exc face les sbq 2 cm/>			4.34	4.34	0.00%	NA	NA		4.23	4.45	-4.94%	0.88	0.91	-3.30%
21013	Exc face tum deep < 2 cm			5.28	5.28	0.00%	10.15	10.67	-4.87%	4.63	4.87	-4.93%	0.94	0.98	-4.08%
21014	Exc face tum deep 2 cm/>			6.95	6.95	0.00%	NA	NA		5.81	6.12	-5.07%	1.31	1.32	-0.76%
21016	Resect face/scalp tum 2 cm/>			14.88	14.88	0.00%	NA	NA		8.9	9.36	-4.91%	2.69	2.75	-2.18%
21026	Excision of facial bone(s)			5.56	5.56	0.00%	10.98	10.95	0.27%	6.08	6.07	0.16%	0.79	0.75	5.33%
21029	Contour of face bone lesion			8.18	8.18	0.00%	14.11	14.83	-4.86%	7.2	7.57	-4.89%	1.37	1.35	1.48%
21172	Rcnst supr-lat orb rm&lw fhd			27.50	27.50	0.00%	NA	NA		22.29	23.42	-4.82%	11.44	11.62	-1.55%
21179	Rcnstj forehead with grafts			22.08	22.08	0.00%	NA	NA		13.35	14.03	-4.85%	4.05	4.1	-1.22%
21182	Reconstruct cranial bone			31.77	31.77	0.00%	NA	NA		16.83	17.68	-4.81%	5.83	5.9	-1.19%
21343	Open tx dprsd front sinus fx			13.96	13.96	0.00%	NA	NA		12.53	13.17	-4.86%	2	2.04	-1.96%
21344	Open tx compl front sinus fx			21.03	21.03	0.00%	NA	NA		11.7	12.31	-4.96%	3.03	3.06	-0.98%
21501	I&d dp absc/hmtma sft ts nck			3.88	3.88	0.00%	10.26	10.79	-4.91%	4.85	5.11	-5.09%	0.8	0.83	-3.61%
21550	Biopsy of neck/chest			2.06	2.06	0.00%	5.49	5.78	-5.02%	1.85	1.94	-4.64%	0.3	0.3	0.00%
21552	Exc neck les sc 3 cm/>			6.33	6.33	0.00%	NA	NA		4.78	5.02	-4.78%	1.51	1.5	0.67%
21554	Exc neck tum deep 5 cm/>			10.85	10.85	0.00%	NA	NA		6.8	7.15	-4.90%	2.4	2.39	0.42%
21555	Exc neck les sc < 3 cm			3.86	3.86	0.00%	8.72	9.18	-5.01%	4.02	4.23	-4.96%	0.82	0.82	0.00%
21556	Exc neck tum deep < 5 cm			7.47	7.47	0.00%	NA	NA		5.47	5.76	-5.03%	1.48	1.48	0.00%
21557	Resect neck thorax tumor<5cm			14.38	14.38	0.00%	NA	NA		8.49	8.92	-4.82%	2.98	3.12	-4.49%
21558	Resect neck tumor 5 cm/>			21.04	21.04	0.00%	NA	NA		10.49	11.03	-4.90%	4.42	4.5	-1.78%
21600	Partial removal of rib			7.08	7.08	0.00%	NA	NA		7.83	8.25	-5.09%	1.66	1.68	-1.19%
21601	Exc chest wall tumor w/ribs			17.34	17.34	0.00%	NA	NA		10.94	11.5	-4.87%	4.42	4.43	-0.23%
21610	Costotransversectomy			15.51	15.51	0.00%	NA	NA		13.68	14.39	-4.93%	6.44	6.54	-1.53%
21720	Revision of neck muscle			5.66	5.66	0.00%	NA	NA		8.71	9.17	-5.02%	2.35	2.38	-1.26%
21925	Biopsy soft tissue of back			4.51	4.51	0.00%	10.19	10.72	-4.94%	5.35	5.63	-4.97%	1.06	1.03	2.91%
21930	Exc back les sc < 3 cm			4.82	4.82	0.00%	9.8	10.3	-4.85%	4.4	4.63	-4.97%	1.04	1.07	-2.80%
21931	Exc back les sc 3 cm/>			6.71	6.71	0.00%	NA	NA		4.96	5.21	-4.80%	1.66	1.66	0.00%
21932	Exc back tum deep < 5 cm			9.57	9.57	0.00%	NA	NA		6.63	6.96	-4.74%	2.3	2.25	2.22%
21933	Exc back tum deep 5 cm/>			10.85	10.85	0.00%	NA	NA		7.1	7.48	-5.08%	2.65	2.64	0.38%
21936	Resect back tum 5 cm/>			21.99	21.99	0.00%	NA	NA		11.37	11.94	-4.77%	5.17	5.23	-1.15%
22010	I&d p-spine c/t/cerv-thor			12.43	12.43	0.00%	NA	NA		11.47	12.06	-4.89%	3.82	3.99	-4.26%
22015	I&d abscess p-spine l/s/ls			12.32	12.32	0.00%	NA	NA		11.09	11.67	-4.97%	3.54	3.62	-2.21%
22100	Remove part of neck vertebra			10.73	10.73	0.00%	NA	NA		13.82	14.53	-4.89%	3.09	4.51	-31.49%
22101	Remove part thorax vertebra			10.80	10.80	0.00%	NA	NA		11.18	11.76	-4.93%	3.12	3.42	-8.77%
22102	Remove part lumbar vertebra			10.80	10.80	0.00%	NA	NA		8.06	8.47	-4.84%	1.44	1.75	-17.71%
22103	Remove extra spine segment			2.28	2.28	0.00%	NA	NA		0.66	0.69	-4.35%	0.4	0.5	-20.00%
22110	Remove part of neck vertebra			13.65	13.65	0.00%	NA	NA		11.85	12.46	-4.90%	4.35	4.4	-1.14%
22112	Remove part thorax vertebra			13.72	13.72	0.00%	NA	NA		14.81	15.58	-4.94%	5.69	5.78	-1.56%
22114	Remove part lumbar vertebra			13.72	13.72	0.00%	NA	NA		14.81	15.58	-4.94%	5.69	5.78	-1.56%
22116	Remove extra spine segment			2.26	2.26	0.00%	NA	NA		0.72	0.75	-4.00%	0.73	0.76	-3.95%
22206	Incis spine 3 column thorac			36.25	36.25	0.00%	NA	NA		19.16	20.14	-4.87%	11.58	12.03	-3.74%
22207	Incis spine 3 column lumbar			35.76	35.76	0.00%	NA	NA		18.65	19.61	-4.90%	10.74	10.93	-1.74%
22208	Incis spine 3 column adl seg			9.42	9.42	0.00%	NA	NA		3.03	3.19	-5.02%	3.07	3.2	-4.06%
22220	Osteot dsc ant 1 vrt sgm crv			22.37	22.37	0.00%	NA	NA		16.4	17.25	-4.93%	7.07	7.06	0.14%
22222	Osteot dsc ant 1vrt sgm thrc			22.51	22.51	0.00%	NA	NA		20.08	21.12	-4.92%	9.34	9.51	-1.79%
22224	Osteot dsc ant 1vrt sgm lmbr			22.51	22.51	0.00%	NA	NA		15.28	16.07	-4.92%	5.78	5.75	0.52%
22226	Osteot dsc ant 1vrt sgm ea			5.88	5.88	0.00%	NA	NA		1.84	1.93	-4.66%	1.71	1.76	-2.84%
22310	Closed tx vert fx w/o manj			3.36	3.36	0.00%	5.77	6.08	-5.10%	4.35	4.58	-5.02%	0.79	0.78	1.28%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
22315	Closed tx vert fx w/manj			9.86	9.86	0.00%	16.83	17.7	-4.92%	9.73	10.23	-4.89%	2.56	2.54	0.79%
22318	Treat odontoid fx w/o graft			22.15	22.15	0.00%	NA	NA		16.66	17.53	-4.96%	8.7	8.96	-2.90%
22319	Treat odontoid fx w/graft			24.70	24.70	0.00%	NA	NA		18.12	19.05	-4.88%	10.26	10.42	-1.54%
22325	Treat spine fracture			19.37	19.37	0.00%	NA	NA		16.25	17.07	-4.80%	6.58	6.8	-3.24%
22326	Treat neck spine fracture			20.32	20.32	0.00%	NA	NA		15.57	16.37	-4.89%	7.3	7.45	-2.01%
22327	Treat thorax spine fracture			20.25	20.25	0.00%	NA	NA		16.69	17.55	-4.90%	7.05	7.21	-2.22%
22328	Treat each add spine fx			4.49	4.49	0.00%	NA	NA		1.43	1.51	-5.30%	1.56	1.55	0.65%
22510	Perq cervicothoracic inject			7.70	7.70	0.00%	44.15	43.96	0.43%	2.66	2.61	1.92%	1.08	1.16	-6.90%
22511	Perq lumbosacral injection			7.15	7.15	0.00%	44.69	44.91	-0.49%	2.61	2.6	0.38%	1.02	1.07	-4.67%
22512	Vertebroplasty addl inject			3.90	3.90	0.00%	17.27	17.54	-1.54%	0.8	0.81	-1.23%	0.68	0.72	-5.56%
22513	Perq vertebral augmentation			8.43	8.43	0.00%	155.71	163.81	-4.94%	3.41	3.58	-4.75%	1.45	1.56	-7.05%
22514	Perq vertebral augmentation			7.79	7.79	0.00%	156.57	164.72	-4.95%	3.3	3.47	-4.90%	1.36	1.44	-5.56%
22515	Perq vertebral augmentation			3.90	3.90	0.00%	80.35	84.53	-4.94%	0.92	0.97	-5.15%	0.73	0.78	-6.41%
22532	Arthrd lat xtrcvtry tq thrc			25.34	25.34	0.00%	NA	NA		16.91	17.78	-4.89%	8.74	8.76	-0.23%
22533	Arthrd lat xtrcvtry tq lmbr			24.17	24.17	0.00%	NA	NA		14.75	15.51	-4.90%	6.56	6.66	-1.50%
22534	Arthrd lat xtrcvtry tq ea ad			5.84	5.84	0.00%	NA	NA		1.85	1.94	-4.64%	1.89	1.9	-0.53%
22548	Arthrd ant toral/xoral c1-c2			26.38	26.38	0.00%	NA	NA		19.65	20.67	-4.93%	10.98	11.15	-1.52%
22552	Arthrd ant ntrbd cervical ea			6.34	6.34	0.00%	NA	NA		2.03	2.13	-4.69%	2.04	2.1	-2.86%
22554	Arthrd ant ntrbd min dsc crv			17.25	17.25	0.00%	NA	NA		12.71	13.35	-4.79%	5.75	5.81	-1.03%
22556	Arthrd ant ntrbd min dsc thc			24.08	24.08	0.00%	NA	NA		15.29	16.08	-4.91%	7.32	7.7	-4.94%
22558	Arthrd ant ntrbd min dsc lum			22.94	22.94	0.00%	NA	NA		12.55	13.21	-5.00%	6.33	6.49	-2.47%
22585	Arthrd ant ntrbd min dsc ea			5.38	5.38	0.00%	NA	NA		1.54	1.62	-4.94%	1.57	1.61	-2.48%
22586	Arthrd pre-sac ntrbdy l5-s1			27.42	27.42	0.00%	NA	NA		20.08	21.11	-4.88%	11.41	11.58	-1.47%
22590	Arthrd pst tq craniocervical			21.22	21.22	0.00%	NA	NA		16.56	17.42	-4.94%	7.96	8.05	-1.12%
22595	Arthrd pst tq atlas-axis			20.12	20.12	0.00%	NA	NA		16.26	17.1	-4.91%	7.56	7.67	-1.43%
22610	Arthrd pst tq 1ntrspc thrc			16.85	16.85	0.00%	NA	NA		14.23	14.96	-4.88%	5.72	5.79	-1.21%
22614	Arthrd pst tq 1ntrspc ea add			6.27	6.27	0.00%	NA	NA		2.01	2.11	-4.74%	2.03	2.08	-2.40%
22630	Arthrd pst tq 1ntrspc lum			21.54	21.54	0.00%	NA	NA		15.04	15.81	-4.87%	7.78	7.87	-1.14%
22632	Arthrd pst tq 1ntrspc lm ea			5.09	5.09	0.00%	NA	NA		1.64	1.73	-5.20%	1.75	1.79	-2.23%
22634	Arthrd cmbn 1ntrspc ea addl			7.76	7.76	0.00%	NA	NA		2.48	2.6	-4.62%	2.56	2.58	-0.78%
22800	Arthrd pst dfrm<6 vrt sgm			19.01	19.01	0.00%	NA	NA		13.83	14.54	-4.88%	6	5.77	3.99%
22802	Arthrd pst dfrm 7-12 vrt sgm			31.31	31.31	0.00%	NA	NA		16.99	17.86	-4.87%	8.56	8.81	-2.84%
22804	Arthrd pst dfrm 13+ vrt sgm			36.56	36.56	0.00%	NA	NA		18.66	19.62	-4.89%	10.34	10.35	-0.10%
22808	Arthrd ant dfrm 2-3 vrt sgm			26.82	26.82	0.00%	NA	NA		16.38	17.22	-4.88%	5.65	8.48	-33.37%
22810	Arthrd ant dfrm 4-7 vrt sgm			30.71	30.71	0.00%	NA	NA		15.71	16.51	-4.85%	6.45	6.54	-1.38%
22812	Arthrd ant dfrm 8+ vrt sgm			33.39	33.39	0.00%	NA	NA		17.6	18.5	-4.86%	7.03	7.11	-1.13%
22818	Kyphectomy 1-2 segments			33.47	33.47	0.00%	NA	NA		15.82	16.63	-4.87%	7.05	7.13	-1.12%
22819	Kyphectomy 3 or more			38.40	38.40	0.00%	NA	NA		18.4	19.34	-4.86%	8.08	8.18	-1.22%
22830	Exploration of spinal fusion			10.94	10.94	0.00%	NA	NA		8.96	9.43	-4.98%	3.25	3.34	-2.69%
22840	Insert spine fixation device			12.21	12.21	0.00%	NA	NA		3.85	4.04	-4.70%	3.68	3.76	-2.13%
22842	Insert spine fixation device			12.25	12.25	0.00%	NA	NA		3.9	4.1	-4.88%	3.96	4	-1.00%
22843	Insert spine fixation device			13.10	13.10	0.00%	NA	NA		4.18	4.4	-5.00%	4.25	4.3	-1.16%
22844	Insert spine fixation device			16.01	16.01	0.00%	NA	NA		5.06	5.32	-4.89%	4.79	4.86	-1.44%
22845	Insert spine fixation device			11.64	11.64	0.00%	NA	NA		3.71	3.9	-4.87%	3.75	3.85	-2.60%
22846	Insert spine fixation device			12.09	12.09	0.00%	NA	NA		3.87	4.06	-4.68%	3.95	4	-1.25%
22847	Insert spine fixation device			13.44	13.44	0.00%	NA	NA		4.07	4.28	-4.91%	2.81	2.86	-1.75%
22848	Insert pelv fixation device			5.84	5.84	0.00%	NA	NA		1.84	1.93	-4.66%	1.72	1.74	-1.15%
22849	Reinsert spinal fixation			18.69	18.69	0.00%	NA	NA		11.66	12.26	-4.89%	5.59	5.79	-3.45%
22850	Remove spine fixation device			9.57	9.57	0.00%	NA	NA		8.45	8.89	-4.95%	2.91	3.01	-3.32%
22852	Remove spine fixation device			9.14	9.14	0.00%	NA	NA		8.31	8.73	-4.81%	2.81	2.85	-1.40%
22853	Insj biomechanical device			4.14	4.14	0.00%	NA	NA		1.31	1.38	-5.07%	1.32	1.33	-0.75%
22854	Insj biomechanical device			5.36	5.36	0.00%	NA	NA		1.72	1.8	-4.44%	1.83	1.84	-0.54%
22855	Removal anterior instrmj			15.46	15.46	0.00%	NA	NA		10.55	11.1	-4.95%	4.82	4.9	-1.63%
22856	Tot disc arthrp 1ntrspc crv			23.45	23.45	0.00%	NA	NA		14.01	14.72	-4.82%	7.39	7.41	-0.27%
22857	Tot disc arthrp 1ntrspc lmbr			26.45	26.45	0.00%	NA	NA		14.17	14.89	-4.84%	5.57	5.64	-1.24%
22858	Tot disc arthrp 2nd lvl crv			8.19	8.19	0.00%	NA	NA		2.59	2.72	-4.78%	2.56	2.54	0.79%
22859	Insj biomechanical device			5.36	5.36	0.00%	NA	NA		1.73	1.81	-4.42%	1.84	1.82	1.10%
22861	Rev rplcm arthrp 1ntrspc crv			32.53	32.53	0.00%	NA	NA		20.04	21.07	-4.89%	13.52	13.73	-1.53%
22862	Rev rplcm rthrp 1ntrspc lmbr			31.81	31.81	0.00%	NA	NA		21.54	22.65	-4.90%	13.22	13.44	-1.64%
22864	Rmvl tot arthrp 1ntrspc crv			28.67	28.67	0.00%	NA	NA		18.76	19.72	-4.87%	11.9	12.1	-1.65%
22865	Rmvl tot arthrp 1ntrspc lmbr			30.96	30.96	0.00%	NA	NA		21.26	22.35	-4.88%	12.87	13.07	-1.53%
22867	Insj stablj dev w/dcmprn			14.63	14.63	0.00%	NA	NA		10.79	11.34	-4.85%	4.55	4.33	5.08%
22868	Insj stablj dev w/dcmprn			3.90	3.90	0.00%	NA	NA		1.25	1.31	-4.58%	1.18	1.22	-3.28%
22869	Insj stablj dev w/o dcmprn			6.85	6.85	0.00%	NA	NA		4.11	4.32	-4.86%	0.66	0.66	0.00%
23066	Biopsy shoulder tissues			4.19	4.19	0.00%	12.96	13.63	-4.92%	5.57	5.86	-4.95%	0.88	0.91	-3.30%
23350	Injection for shoulder x-ray			0.98	0.98	0.00%	3.72	3.63	2.48%	0.2	0.19	5.26%	0.1	0.09	11.11%
23405	Incision of tendon & muscle			8.33	8.33	0.00%	NA	NA		6.96	7.31	-4.79%	1.5	1.55	-3.23%
23472	Reconstruct shoulder joint			19.35	21.58	-10.33%	NA	NA		9.57	12.99	-26.33%	3.85	4.36	-11.70%
24066	Biopsy arm/elbow soft tissue			5.22	5.22	0.00%	13.44	14.13	-4.88%	5.73	6.03	-4.98%	1.14	1.2	-5.00%
24140	Partial exc bone humerus			9.31	9.31	0.00%	NA	NA		8.01	8.42	-4.87%	1.86	1.9	-2.11%
25280	Revise wrist/forearm tendon			7.21	7.21	0.00%	NA	NA		6.97	7.32	-4.78%	1.37	1.41	-2.84%
25310	Transplant forearm tendon			8.78	8.78	0.00%	NA	NA		9.09	9.57	-5.02%	1.67	1.67	0.00%
25312	Transplant forearm tendon			9.57	9.57	0.00%	NA	NA		8.02	8.43	-4.86%	1.84	1.88	-2.13%
26992	Inc bone cortex plvs&/hip jt			13.14	13.14	0.00%	NA	NA		11.68	12.28	-4.89%	2.81	2.87	-2.09%
27075	Resect hip tumor			31.89	31.89	0.00%	NA	NA		16.14	16.96	-4.83%	6.72	6.79	-1.03%
27080	Removal of tail bone			6.72	6.72	0.00%	NA	NA		6.26	6.58	-4.86%	1.7	1.69	0.59%
27095	Injection for hip x-ray			1.46	1.46	0.00%	7.67	8.08	-5.07%	0.4	0.41	-2.44%	0.21	0.22	-4.55%
27096	Inject sacroiliac joint			1.44	1.44	0.00%	3.65	3.68	-0.82%	0.61	0.63	-3.17%	0.12	0.14	-14.29%
27146	Incision of hip bone			18.45	18.45	0.00%	NA	NA		12.01	12.62	-4.83%	3.88	3.93	-1.27%
27280	Arthr si jt opn b1grf instrm			19.50	19.50	0.00%	NA	NA		12.26	12.89	-4.89%	6.1	6.04	0.99%
27290	Amputation of leg at hip			23.94	23.94	0.00%	NA	NA		14.16	14.88	-4.84%	5.05	5.09	-0.79%
27324	Biopsy thigh soft tissues			4.91	4.91	0.00%	NA	NA		5.71	6.02	-5.15%	1.1	1.13	-2.65%
27369	Njx cntrst kne arthg/ct/mri			0.75	0.75	0.00%	4.38	4.62	-5.19%	0.18	0.19	-5.26%	0.09	0.08	12.50%
29848	Wrist endoscopy/surgery			6.23	6.23	0.00%	NA	NA		6.76	7.1	-4.79%	1.18	1.21	-2.48%
30140	Resect inferior turbinate			2.93	2.93	0.00%	5.18	5.44	-4.78%	1.17	1.23	-4.88%	0.42	0.43	-2.33%
30435	Revision of nose			12.41	12.41	0.00%	NA	NA		22.75	23.94	-4.97%	2.29	2.31	-0.87%
30450	Revision of nose			19.17	19.17	0.00%	NA	NA		25.11	26.4	-4.89%	3.51	3.56	-1.40%
30520	Repair of nasal septum			6.83	6.83	0.00%	NA	NA		10.02	10.53	-4.84%	0.99	1.01	-1.98%
30560	Lysis intranasal synechia			1.28	1.28	0.00%	7.58	7.98	-5.01%	2.58	2.71	-4.80%	0.17	0.19	-10.53%
31081	Removal of frontal sinus			13.84	13.84	0.00%	NA	NA		14.78	15.55	-4.95%	2	2.02	-0.99%
31085	Removal of frontal sinus			15.25	15.25	0.00%	NA	NA		15.11	15.9	-4.97%	2.21	2.21	0.00%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
31288	Nasal/sinus endoscopy surg			4.00	4.00	0.00%	NA	NA		1.28	1.35	-5.19%	0.56	0.58	-3.45%
31290	Nasal/sinus endoscopy surg			18.14	18.14	0.00%	NA	NA		8.31	8.73	-4.81%	2.86	2.83	1.06%
31291	Nasal/sinus endoscopy surg			19.07	19.07	0.00%	NA	NA		9.03	9.5	-4.95%	3.85	3.67	4.90%
31294	Nsl/sins ndsc surg on dcmprn			19.80	19.80	0.00%	NA	NA		8.37	8.79	-4.78%	2.85	2.88	-1.04%
31500	Insert emergency airway			2.93	2.93	0.00%	NA	NA		0.59	0.57	3.51%	0.47	0.48	-2.08%
31600	Planned tracheostomy			5.42	5.42	0.00%	NA	NA		1.6	1.69	-5.33%	1.04	1.06	-1.89%
31622	Dx bronchoscope/wash			2.47	2.47	0.00%	5.83	5.69	2.46%	0.81	0.83	-2.41%	0.3	0.3	0.00%
31624	Dx bronchoscope/lavage			2.56	2.56	0.00%	5.98	5.78	3.46%	0.81	0.82	-1.22%	0.24	0.24	0.00%
32100	Exploration of chest			13.41	13.41	0.00%	NA	NA		6.41	6.55	-2.14%	3.3	3.29	0.30%
32504	Resect apical lung tum/chest			35.63	35.63	0.00%	NA	NA		13	12.85	1.17%	8.85	8.98	-1.45%
32664	Thoracoscopy w/ th nrv exc			13.92	13.92	0.00%	NA	NA		7.07	7.02	0.71%	3.45	3.5	-1.43%
32900	Removal of rib(s)			23.21	23.21	0.00%	NA	NA		9.72	9.63	0.93%	5.75	5.84	-1.54%
33853	Rpr hypopl a-arch w/byp			31.70	31.70	0.00%	NA	NA		12.27	12.1	1.40%	7.88	7.98	-1.25%
34705	Evac rpr a-biiliac ndgft			28.84	28.84	0.00%	NA	NA		5.37	5.1	5.29%	7.13	7.22	-1.25%
34707	Evasc rpr ilio-iliac ndgft			21.72	21.72	0.00%	NA	NA		4.53	4.31	5.10%	5.41	5.43	-0.37%
35201	Repair blood vessel dir neck			16.51	16.51	0.00%	NA	NA		5.04	4.79	5.22%	4.01	4.02	-0.25%
35221	Rpr bld vsl dir intra-abdl			25.95	25.95	0.00%	NA	NA		7.71	7.58	1.72%	6.5	6.54	-0.61%
35271	Rpr blvs gr ot/th vn ntrth w			23.97	23.97	0.00%	NA	NA		9.74	9.89	-1.52%	5.66	5.74	-1.39%
35301	Rechanneling of artery			20.63	20.63	0.00%	NA	NA		4.97	4.72	5.30%	5.28	5.34	-1.12%
35501	Art byp grft ipsilat carotid			28.36	28.36	0.00%	NA	NA		4.32	4.11	5.11%	7.15	7.26	-1.52%
35601	Bpg com crtd-ipsi int crtd			26.41	26.41	0.00%	NA	NA		5.05	4.8	5.21%	6.62	6.79	-2.50%
35691	Art trnsposj vertbrl carotid			17.95	17.95	0.00%	NA	NA		3.49	3.31	5.44%	4.51	4.57	-1.31%
35701	Expl n/flwd surg neck art			7.31	7.31	0.00%	NA	NA		2.75	2.87	-4.18%	1.32	1.3	1.54%
35800	Explore neck vessels			11.70	11.70	0.00%	NA	NA		5.47	5.76	-5.03%	2.3	2.34	-1.71%
35820	Explore chest vessels			35.97	35.97	0.00%	NA	NA		11.12	11.22	-0.89%	8.72	8.82	-1.13%
35840	Explore abdominal vessels			20.23	20.23	0.00%	NA	NA		7.98	8.38	-4.77%	4.96	5.02	-1.20%
36011	Place catheter in vein			3.06	3.06	0.00%	20.84	19.83	5.09%	0.52	0.49	6.12%	0.52	0.54	-3.70%
36012	Place catheter in vein			3.42	3.42	0.00%	21.19	20.17	5.06%	0.59	0.56	5.36%	0.65	0.62	4.84%
36140	Intro ndl icath upr/lxtr art			1.72	1.72	0.00%	13.53	12.88	5.05%	0.28	0.27	3.70%	0.36	0.37	-2.70%
36215	Place catheter in artery			4.07	4.07	0.00%	28.17	27.19	3.60%	0.98	0.94	4.26%	0.66	0.62	6.45%
36216	Place catheter in artery			5.14	5.14	0.00%	27.41	26.1	5.02%	1.06	1.02	3.92%	1.09	1.13	-3.54%
36217	Place catheter in artery			6.13	6.13	0.00%	54.15	51.54	5.06%	1.44	1.37	5.11%	1.58	1.53	3.27%
36218	Place catheter in artery			0.98	0.98	0.00%	5.95	5.69	4.57%	0.21	0.2	5.00%	0.24	0.21	14.29%
36221	Place cath thoracic aorta			3.82	3.82	0.00%	25.03	23.83	5.04%	0.65	0.61	6.56%	0.89	0.9	-1.11%
36222	Place cath carotid/inom art			5.15	5.15	0.00%	32.51	31.27	3.97%	1.15	1.1	4.55%	1.28	1.32	-3.03%
36225	Place cath subclavian art			5.61	5.61	0.00%	46.1	46.39	-0.63%	1.43	1.51	-5.30%	1.7	1.69	0.59%
36227	Place cath xtrnl carotid			2.04	2.04	0.00%	5.24	5.5	-4.73%	0.53	0.55	-3.64%	0.66	0.65	1.54%
36228	Place cath intracranial art			4.14	4.14	0.00%	38.59	40.59	-4.93%	1.1	1.16	-5.17%	1.42	1.43	-0.70%
36245	Ins cath abd/l-ext art 1st			4.53	4.53	0.00%	32.06	30.52	5.05%	0.85	0.81	4.94%	0.83	0.86	-3.49%
36246	Ins cath abd/l-ext art 2nd			4.89	4.89	0.00%	18.87	17.96	5.07%	0.73	0.69	5.80%	1.02	1.05	-2.86%
36247	Ins cath abd/l-ext art 3rd			5.89	5.89	0.00%	35.45	33.75	5.04%	0.91	0.87	4.60%	0.96	0.99	-3.03%
36251	Ins cath ren art 1st unilat			4.97	4.97	0.00%	32.37	30.81	5.06%	0.84	0.8	5.00%	0.94	0.94	0.00%
36465	Njx noncmpnd sclrsnt 1 vein			2.29	2.29	0.00%	39.14	35.78	9.39%	0.43	0.39	10.26%	0.47	0.48	-2.08%
36500	Insertion of catheter vein			3.42	3.42	0.00%	NA	NA		0.72	0.71	1.41%	0.66	0.67	-1.49%
36556	Insert non-tunnel cv cath			1.71	1.71	0.00%	5.32	5.18	2.70%	0.41	0.38	7.89%	0.21	0.23	-8.70%
36569	Insj picc 5 yr+ w/o imaging			1.85	1.85	0.00%	NA	NA		0.4	0.4	0.00%	0.35	0.33	6.06%
36620	Insertion catheter artery			0.98	0.98	0.00%	NA	NA		0.17	0.16	6.25%	0.09	0.08	12.50%
37184	Prim art m-thrmbc 1st vsl			8.20	8.20	0.00%	41.13	39.15	5.06%	1.64	1.56	5.13%	1.5	1.51	-0.66%
37187	Venous mech thrombectomy			7.59	7.59	0.00%	41.02	39.05	5.04%	1.52	1.45	4.83%	1.31	1.31	0.00%
37211	Thrombolytic art therapy			7.56	7.56	0.00%	NA	NA		1.12	1.07	4.67%	1.54	1.5	2.67%
37215	Transcath stent cca w/eps			17.31	17.31	0.00%	NA	NA		4.95	4.7	5.32%	4.62	4.62	0.00%
37217	Stent placemt retro carotid			19.87	19.87	0.00%	NA	NA		4.66	4.43	5.19%	4.94	5	-1.20%
37218	Stent placemt ante carotid			14.38	14.38	0.00%	NA	NA		4.47	4.25	5.18%	3.52	3.58	-1.68%
37236	Open/perq place stent 1st			8.53	8.53	0.00%	70.78	67.38	5.05%	1.24	1.18	5.08%	1.96	1.97	-0.51%
37238	Open/perq place stent same			5.89	5.89	0.00%	95.59	90.99	5.06%	1.02	0.98	4.08%	1.21	1.24	-2.42%
37241	Vasc embolize/occlude venous			8.53	8.53	0.00%	127.99	121.83	5.06%	1.38	1.31	5.34%	1.23	1.27	-3.15%
37242	Vasc embolize/occlude artery			9.56	9.56	0.00%	198.52	189	5.04%	1.41	1.34	5.22%	1.43	1.47	-2.72%
37243	Vasc embolize/occlude organ			11.45	11.45	0.00%	238.26	226.82	5.04%	1.77	1.69	4.73%	1.31	1.3	0.77%
37244	Vasc embolize/occlude bleed			13.41	13.41	0.00%	176.53	168.05	5.05%	2.12	2.01	5.47%	1.52	1.53	-0.65%
37246	Trluml balo angiop 1st art			6.83	6.83	0.00%	46.38	44.15	5.05%	1.11	1.06	4.72%	1.37	1.34	2.24%
37248	Trluml balo angiop 1st vein			5.85	5.85	0.00%	33.96	32.33	5.04%	1.05	1.01	3.96%	0.96	0.93	3.23%
37600	Ligation xtrnl carotid art			12.11	12.11	0.00%	NA	NA		5.32	5.59	-4.83%	1.96	2.13	-7.98%
37609	Ligation/bx temporal artery			2.97	2.97	0.00%	5.61	5.84	-3.94%	1.96	2.01	-2.49%	0.65	0.65	0.00%
37615	Ligation major artery neck			7.61	7.61	0.00%	NA	NA		4.58	4.81	-4.78%	1.37	1.43	-4.20%
38720	Removal of lymph nodes neck			21.40	21.40	0.00%	NA	NA		10.06	10.57	-4.82%	3.76	3.81	-1.31%
38724	Removal of lymph nodes neck			23.35	23.35	0.00%	NA	NA		10.23	10.75	-4.84%	3.61	3.69	-2.17%
39220	Resect mediastinal tumor			19.06	19.06	0.00%	NA	NA		8.2	8.47	-3.19%	4.42	4.43	-0.23%
42725	I&d absc phrngl xtrnl appr			12.10	12.10	0.00%	NA	NA		6.83	7.18	-4.87%	1.82	1.92	-5.21%
43420	Repair esophagus opening			16.36	16.36	0.00%	NA	NA		7.19	7.56	-4.89%	2.35	2.39	-1.67%
44005	Freeing of bowel adhesion			18.00	18.00	0.00%	NA	NA		7.62	8.01	-4.87%	4.49	4.54	-1.10%
44140	Partial removal of colon			22.03	22.03	0.00%	NA	NA		9.51	10	-4.90%	5.34	5.4	-1.11%
44143	Partial removal of colon			27.10	27.10	0.00%	NA	NA		11.54	12.13	-4.86%	6.56	6.6	-0.61%
44144	Partial removal of colon			29.16	29.16	0.00%	NA	NA		12.14	12.76	-4.86%	6.93	7.01	-1.14%
47562	Laparoscopic cholecystectomy			10.21	10.21	0.00%	NA	NA		5.74	6.04	-4.97%	2.64	2.66	-0.75%
49010	Exploration behind abdomen			15.66	15.66	0.00%	NA	NA		6.13	6.34	-3.31%	3.82	3.87	-1.29%
49020	Drainage abdom abscess open			26.00	26.00	0.00%	NA	NA		11.62	12.21	-4.83%	6.26	6.34	-1.26%
49060	Drain open retroperi abscess			18.07	18.07	0.00%	NA	NA		8	8.41	-4.88%	4.24	4.24	0.00%
49187	Opn exc/dstr ntra-abd 5.1-10			27.93	27.93	0.00%	NA	NA		11.37	11.95	-4.85%	6.37	6.41	-0.62%
49188	Opn exc/dst ntra-abd 10.1-20			33.15	33.15	0.00%	NA	NA		13.95	14.67	-4.91%	7.55	7.64	-1.18%
49215	Excise sacral spine tumor			36.86	36.86	0.00%	NA	NA		14.31	15.03	-4.79%	8.61	8.08	6.56%
49320	Diag laparo separate proc			5.01	5.01	0.00%	NA	NA		3.08	3.23	-4.64%	1.2	1.23	-2.44%
49324	Lap insert tunnel ip cath			6.16	6.16	0.00%	NA	NA		3.11	3.19	-2.51%	1.59	1.61	-1.24%
49425	Insert abdomen-venous drain			11.91	11.91	0.00%	NA	NA		6.91	7.26	-4.82%	3.13	3.18	-1.57%
49591	Rpr aa hrn 1st < 3 cm rdc			5.81	5.81	0.00%	NA	NA		2.05	2.15	-4.65%	1.51	1.49	1.34%
58571	Tlh w/t/o 250 g or less			14.63	14.63	0.00%	NA	NA		6.86	7.21	-4.85%	2.92	2.97	-1.68%
59410	Obstetrical care			18.76	18.76	0.00%	NA	NA		4.73	5.13	-7.80%	5.2	5.33	-2.44%
59515	Cesarean delivery			22.79	22.79	0.00%	NA	NA		6.3	6.62	-4.83%	7.12	7.26	-1.93%
60200	Exc cyst/adenoma thyroid			9.77	9.77	0.00%	NA	NA		6.47	6.8	-4.85%	1.98	2.04	-2.94%
60600	Exc crtd bdy tum wo exc art			24.46	24.46	0.00%	NA	NA		6.93	6.59	5.16%	5.56	5.61	-0.89%
61020	Remove brain cavity fluid			1.47	1.47	0.00%	NA	NA		0.92	0.97	-5.15%	0.52	0.51	1.96%
61026	Injection into brain canal			1.65	1.65	0.00%	NA	NA		0.95	1.01	-5.94%	0.47	0.48	-2.08%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
61070	Brain canal shunt procedure			0.87	0.87	0.00%	NA	NA		0.5	0.52	-3.85%	0.15	0.15	0.00%
61105	Tdh sdrl/ventr pnxr			5.31	5.31	0.00%	NA	NA		7.01	7.39	-5.14%	2.22	2.23	-0.45%
61107	Tdh pnxr implt ventr cath			4.87	4.87	0.00%	NA	NA		1.61	1.69	-4.73%	2	2.04	-1.96%
61108	Tdh pnxr evac&/drg sdrl hmta			11.35	11.35	0.00%	NA	NA		11.31	11.88	-4.80%	4.46	4.57	-2.41%
61120	Burr hole for ventr puncture			9.36	9.36	0.00%	NA	NA		9.39	9.87	-4.86%	3.9	3.94	-1.02%
61140	Burr hole/treph bx brain/les			16.80	16.80	0.00%	NA	NA		13.45	14.15	-4.95%	6.91	7.02	-1.57%
61150	Bur hol/trph drg brn abs/cst			18.43	18.43	0.00%	NA	NA		13.15	13.82	-4.85%	7.67	7.76	-1.16%
61151	Burr hole/treph sbsq tapping			13.15	13.15	0.00%	NA	NA		10.66	11.2	-4.82%	5.49	5.55	-1.08%
61154	Burr hole w/evac&/drg hmtma			16.64	16.64	0.00%	NA	NA		14.17	14.9	-4.90%	6.89	6.98	-1.29%
61156	Burr hol aspir hmtm/cst icer			17.01	17.01	0.00%	NA	NA		11.9	12.53	-5.03%	7.03	7.11	-1.13%
61210	Burr hole implt ventr cath			5.68	5.68	0.00%	NA	NA		1.9	1.98	-4.04%	2.35	2.38	-1.26%
61215	Ins subq rsvr pmp/nfs sys			5.70	5.70	0.00%	NA	NA		8.17	8.59	-4.89%	2.37	2.4	-1.25%
61250	Burr hole/treph sttl expl			11.20	11.20	0.00%	NA	NA		10.01	10.52	-4.85%	4.67	4.71	-0.85%
61304	Crnec/crnot expl supratntorl			22.82	22.82	0.00%	NA	NA		15.05	15.82	-4.87%	9.32	9.52	-2.10%
61305	Crnec/crnot expl infratntorl			27.92	27.92	0.00%	NA	NA		18.02	18.96	-4.96%	11.6	11.8	-1.69%
61313	Crnec/crnot sttl icere			27.39	27.39	0.00%	NA	NA		18.47	19.42	-4.89%	11.32	11.5	-1.57%
61314	Crnec/crnot ittl xdrl/sdrl			25.25	25.25	0.00%	NA	NA		16.83	17.7	-4.92%	10.19	10.62	-4.05%
61315	Crnec/crnot ittl ntracereblr			28.91	28.91	0.00%	NA	NA		18.32	19.26	-4.88%	11.88	12.2	-2.62%
61316	Inc&subq plmt crnl bone grf			1.36	1.36	0.00%	NA	NA		0.45	0.47	-4.26%	0.55	0.56	-1.79%
61320	Crnec/crnot drg icr abs sttl			26.73	26.73	0.00%	NA	NA		16.3	17.13	-4.85%	10.93	11.14	-1.89%
61321	Crnec/crnot drg icr abs ittl			29.77	29.77	0.00%	NA	NA		18.64	19.6	-4.90%	12.38	12.58	-1.59%
61322	Crnec/crnot dcmprv w/o lobec			33.40	33.40	0.00%	NA	NA		20.48	21.53	-4.88%	13.76	14.02	-1.85%
61323	Crnec/crnot dcmprv w/lobec			34.18	34.18	0.00%	NA	NA		19.24	20.22	-4.85%	14.19	14.42	-1.60%
61330	Dcmprn orbit only transcrnl			24.67	24.67	0.00%	NA	NA		16.84	17.71	-4.91%	10.25	10.41	-1.54%
61333	Expl orbit w/removal lesion			28.54	28.54	0.00%	NA	NA		17.12	18	-4.89%	11.86	12.06	-1.66%
61340	Subtemporal cranial dcmprn			19.61	19.61	0.00%	NA	NA		14.14	14.86	-4.85%	8.14	8.27	-1.57%
61343	Crnec sopl crv lam dcmprn			31.06	31.06	0.00%	NA	NA		18.48	19.43	-4.89%	12.58	12.76	-1.41%
61345	Oth cranial dcmprn pst fossa			28.50	28.50	0.00%	NA	NA		18.1	19.03	-4.89%	11.84	12.04	-1.66%
61450	Crnec stpl sctj cmprn/dcmprn			27.00	27.00	0.00%	NA	NA		16.59	17.45	-4.93%	11.22	11.4	-1.58%
61458	Crnec sopl xpl/dcmpr crl nrv			28.12	28.12	0.00%	NA	NA		17.92	18.84	-4.88%	11.61	11.83	-1.86%
61460	Crnec sopl sctj 1+crnl nrv			29.48	29.48	0.00%	NA	NA		18.43	19.38	-4.90%	12.26	12.46	-1.61%
61500	Crnec exc tum/bone les skull			18.70	18.70	0.00%	NA	NA		11.05	11.62	-4.91%	5.29	5.57	-5.03%
61501	Craniectomy f/osteomyelitis			15.94	15.94	0.00%	NA	NA		10.45	10.99	-4.91%	4.42	4.68	-5.56%
61512	Crnec treph exc mngioma sttl			36.21	36.21	0.00%	NA	NA		21.25	22.34	-4.88%	14.95	15.2	-1.64%
61514	Crnec treph exc brn abs sttl			26.55	26.55	0.00%	NA	NA		17.13	18.01	-4.89%	10.89	11.04	-1.36%
61516	Crnec treph exc cyst sttl			25.92	25.92	0.00%	NA	NA		16.94	17.81	-4.88%	10.78	10.8	-0.19%
61517	Implt brn intrcv chemotx agt			1.35	1.35	0.00%	NA	NA		0.45	0.47	-4.26%	0.55	0.56	-1.79%
61518	Removal of brain lesion			38.89	38.89	0.00%	NA	NA		23.9	25.12	-4.86%	16.11	16.37	-1.59%
61519	Remove brain lining lesion			42.34	42.34	0.00%	NA	NA		23.24	24.43	-4.87%	17.46	17.73	-1.52%
61520	Removal of brain lesion			55.66	55.66	0.00%	NA	NA		26.57	27.92	-4.84%	20.52	21.15	-2.98%
61521	Removal of brain lesion			45.82	45.82	0.00%	NA	NA		24.24	25.49	-4.90%	19.04	18.83	1.12%
61522	Removal of brain abscess			30.75	30.75	0.00%	NA	NA		18.86	19.82	-4.84%	12.77	12.98	-1.62%
61524	Removal of brain lesion			29.14	29.14	0.00%	NA	NA		18.32	19.26	-4.88%	12.09	12.3	-1.71%
61526	Removal of brain lesion			52.73	52.73	0.00%	NA	NA		21.32	22.42	-4.91%	15.13	15.53	-2.58%
61530	Removal of brain lesion			44.42	44.42	0.00%	NA	NA		23.43	24.63	-4.87%	18.45	18.75	-1.60%
61531	Implant brain electrodes			16.00	16.00	0.00%	NA	NA		13.59	14.3	-4.97%	6.66	6.74	-1.19%
61533	Implant brain electrodes			20.92	20.92	0.00%	NA	NA		14.57	15.32	-4.90%	8.7	8.83	-1.47%
61534	Removal of brain lesion			22.43	22.43	0.00%	NA	NA		16.08	16.9	-4.85%	9.3	9.48	-1.90%
61535	Remove brain electrodes			12.82	12.82	0.00%	NA	NA		11.86	12.47	-4.89%	5.33	5.4	-1.30%
61536	Removal of brain lesion			36.78	36.78	0.00%	NA	NA		20.88	21.94	-4.83%	15.3	15.51	-1.35%
61537	Removal of brain tissue			35.54	35.54	0.00%	NA	NA		18.99	19.96	-4.86%	14.77	15.01	-1.60%
61538	Removal of brain tissue			38.46	38.46	0.00%	NA	NA		20.43	21.47	-4.84%	15.97	16.24	-1.66%
61539	Removal of brain tissue			33.42	33.42	0.00%	NA	NA		19.75	20.76	-4.87%	13.9	14.1	-1.42%
61540	Removal of brain tissue			30.64	30.64	0.00%	NA	NA		18.74	19.7	-4.87%	12.72	12.92	-1.55%
61541	Incision of brain tissue			30.17	30.17	0.00%	NA	NA		18.66	19.62	-4.89%	12.54	12.74	-1.57%
61543	Removal of brain tissue			30.53	30.53	0.00%	NA	NA		18.78	19.75	-4.91%	12.7	12.88	-1.40%
61544	Remove & treat brain lesion			26.68	26.68	0.00%	NA	NA		16.48	17.34	-4.96%	11.1	11.27	-1.51%
61545	Excision of brain tumor			45.27	45.27	0.00%	NA	NA		26.16	27.5	-4.87%	18.81	19.09	-1.47%
61546	Removal of pituitary gland			32.60	32.60	0.00%	NA	NA		19.47	20.47	-4.89%	13.56	13.76	-1.45%
61548	Removal of pituitary gland			22.79	22.79	0.00%	NA	NA		12.96	13.63	-4.92%	8.2	8.1	1.23%
61557	Incise skull/sutures			22.73	22.73	0.00%	NA	NA		16.9	17.76	-4.84%	9.45	9.6	-1.56%
61559	Excision of skull/sutures			33.17	33.17	0.00%	NA	NA		21.88	23	-4.87%	13.78	14	-1.57%
61563	Excision of skull tumor			27.73	27.73	0.00%	NA	NA		17.42	18.31	-4.86%	11.52	11.72	-1.71%
61564	Excision of skull tumor			33.87	33.87	0.00%	NA	NA		20.63	21.68	-4.84%	14.07	14.3	-1.61%
61566	Removal of brain tissue			31.64	31.64	0.00%	NA	NA		19.07	20.04	-4.84%	13.13	13.36	-1.72%
61567	Incision of brain tissue			36.08	36.08	0.00%	NA	NA		21.64	22.75	-4.88%	14.99	15.22	-1.51%
61570	Remove foreign body brain			25.85	25.85	0.00%	NA	NA		17.22	18.11	-4.91%	10.73	10.93	-1.83%
61571	Incise skull for brain wound			27.71	27.71	0.00%	NA	NA		17.85	18.76	-4.85%	11.52	11.72	-1.71%
61575	Skull base/brainstem surgery			35.65	35.65	0.00%	NA	NA		20.49	21.55	-4.92%	14.81	15.04	-1.53%
61580	Craniofacial approach skull			33.65	33.65	0.00%	NA	NA		24.49	25.76	-4.93%	6.05	7.01	-13.69%
61581	Craniofacial approach skull			38.15	38.15	0.00%	NA	NA		25.61	26.93	-4.90%	5.5	5.57	-1.26%
61582	Craniofacial approach skull			34.26	34.26	0.00%	NA	NA		42.19	44.37	-4.91%	13.41	13.51	-0.74%
61583	Craniofacial approach skull			37.54	37.54	0.00%	NA	NA		32.93	34.63	-4.91%	15.08	15.36	-1.82%
61584	Orbitocranial approach/skull			36.76	36.76	0.00%	NA	NA		32.03	33.68	-4.90%	14.14	14.33	-1.33%
61585	Orbitocranial approach/skull			41.51	41.51	0.00%	NA	NA		36.55	38.44	-4.92%	17.25	17.52	-1.54%
61586	Resect nasopharynx skull			26.79	26.79	0.00%	NA	NA		38.92	40.93	-4.91%	11.16	11.32	-1.41%
61590	Infratemporal approach/skull			45.86	45.86	0.00%	NA	NA		23.57	24.78	-4.88%	8.95	9.16	-2.29%
61591	Infratemporal approach/skull			45.84	45.84	0.00%	NA	NA		24.84	26.12	-4.90%	9.56	11.23	-14.87%
61592	Orbitocranial approach/skull			42.00	42.00	0.00%	NA	NA		31.11	32.7	-4.86%	15.87	16.1	-1.43%
61595	Transtemporal approach/skull			32.90	32.90	0.00%	NA	NA		22.89	24.07	-4.90%	7.81	8.48	-7.90%
61596	Transcochlear approach/skull			38.44	38.44	0.00%	NA	NA		17.62	18.52	-4.86%	5.53	5.61	-1.43%
61597	Transcondylar approach/skull			39.80	39.80	0.00%	NA	NA		30.61	32.19	-4.91%	15.83	16.8	-5.77%
61598	Transpetrosal approach/skull			35.62	35.62	0.00%	NA	NA		32.91	34.61	-4.91%	14.8	15.03	-1.53%
61600	Resect/excise cranial lesion			29.26	29.26	0.00%	NA	NA		20.53	21.58	-4.87%	6.3	6.49	-2.93%
61601	Resect/excise cranial lesion			30.36	30.36	0.00%	NA	NA		28.12	29.57	-4.90%	12	11.94	0.50%
61605	Resect/excise cranial lesion			31.76	31.76	0.00%	NA	NA		18.96	19.94	-4.91%	5.16	5.57	-7.36%
61606	Resect/excise cranial lesion			41.00	41.00	0.00%	NA	NA		25.32	26.62	-4.88%	14.54	14.05	3.49%
61607	Resect/excise cranial lesion			39.91	39.91	0.00%	NA	NA		21.3	23.49	-9.32%	10.91	11.24	-2.94%
61608	Resect/excise cranial lesion			44.40	44.40	0.00%	NA	NA		30.59	32.16	-4.88%	17.83	18.09	-1.44%
61613	Remove aneurysm sinus			43.90	43.90	0.00%	NA	NA		31.99	33.63	-4.88%	18.25	18.53	-1.51%
61615	Resect/excise lesion skull			34.88	34.88	0.00%	NA	NA		33.07	34.77	-4.89%	14.5	14.73	-1.56%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
61616	Resect/excise lesion skull			45.57	45.57	0.00%	NA	NA		30.62	32.19	-4.88%	16.25	16.71	-2.75%
61618	Sec rpr dura leak fr tis grf			18.22	18.22	0.00%	NA	NA		11.59	12.18	-4.84%	5.97	6.08	-1.81%
61619	Sec rpr dura leak pedcl flap			21.55	21.55	0.00%	NA	NA		15.42	16.21	-4.87%	8.95	9.09	-1.54%
61623	Evasc temp balo artl occ h/n			9.70	9.70	0.00%	NA	NA		2.73	2.87	-4.88%	3.07	2.95	4.07%
61626	Tcat perm occls/embol noncns			14.93	14.93	0.00%	267.84	272.69	-1.78%	3.43	3.6	-4.72%	4.11	4.04	1.73%
61630	Balo angioplasty icr perq			21.52	21.52	0.00%	NA	NA		8.84	9.22	-4.12%	7.09	6.82	3.96%
61635	Intracran angioplsty w/stent			23.67	23.67	0.00%	NA	NA		9.18	9.66	-4.97%	7.2	7.28	-1.10%
61645	Perq art m-thrombect &/nfs			14.63	14.63	0.00%	NA	NA		3.51	3.69	-4.88%	4.24	4.31	-1.62%
61650	Evasc prlng admn rx agnt 1st			9.75	9.75	0.00%	NA	NA		2.6	2.73	-4.76%	3.12	3.19	-2.19%
61651	Evasc prlng admn rx agnt add			4.14	4.14	0.00%	NA	NA		1.13	1.19	-5.04%	1.34	1.37	-2.19%
61680	Intracranial vessel surgery			31.74	31.74	0.00%	NA	NA		19.91	20.93	-4.87%	13.08	13.41	-2.46%
61682	Intracranial vessel surgery			61.82	61.82	0.00%	NA	NA		27.48	28.89	-4.88%	25.27	25.52	-0.98%
61684	Intracranial vessel surgery			40.60	40.60	0.00%	NA	NA		22.86	24.04	-4.91%	16.86	17.14	-1.63%
61686	Intracranial vessel surgery			65.81	65.81	0.00%	NA	NA		31.97	33.61	-4.88%	27.37	27.78	-1.48%
61690	Intracranial vessel surgery			30.56	30.56	0.00%	NA	NA		19.14	20.12	-4.87%	12.71	12.89	-1.40%
61692	Intracranial vessel surgery			53.23	53.23	0.00%	NA	NA		26.72	28.08	-4.84%	22.1	22.48	-1.69%
61697	Brain aneurysm repr complx			61.82	61.82	0.00%	NA	NA		30.49	32.05	-4.87%	25.6	26.01	-1.58%
61698	Brain aneurysm repr complx			67.89	67.89	0.00%	NA	NA		32.67	34.33	-4.84%	28.21	28.67	-1.60%
61700	Brain aneurysm repr simple			49.35	49.35	0.00%	NA	NA		25.42	26.71	-4.83%	20.13	20.06	0.35%
61702	Inner skull vessel surgery			58.54	58.54	0.00%	NA	NA		29.55	31.06	-4.86%	24.34	24.69	-1.42%
61703	Clamp neck artery			18.33	18.33	0.00%	NA	NA		13.7	14.4	-4.86%	7.61	7.72	-1.42%
61705	Revise circulation to head			37.15	37.15	0.00%	NA	NA		20.99	22.07	-4.89%	15.44	15.67	-1.47%
61708	Revise circulation to head			36.27	36.27	0.00%	NA	NA		20.71	21.77	-4.87%	15.07	15.3	-1.50%
61710	Revise circulation to head			30.51	30.51	0.00%	NA	NA		17.77	18.68	-4.87%	12.68	12.87	-1.48%
61711	Fusion of skull arteries			37.27	37.27	0.00%	NA	NA		20.88	21.94	-4.83%	15.36	15.46	-0.65%
61720	Incise skull/brain surgery			17.18	17.18	0.00%	NA	NA		12.73	13.38	-4.86%	7.15	7.25	-1.38%
61735	Incise skull/brain surgery			21.79	21.79	0.00%	NA	NA		15.27	16.07	-4.98%	9.06	9.2	-1.52%
61736	Litt icr 1 traj 1 smpl les			18.58	18.58	0.00%	NA	NA		7.37	7.74	-4.78%	7.61	7.83	-2.81%
61737	Litt icr mlt trj mlt/cplx ls			22.10	22.10	0.00%	NA	NA		8.55	8.99	-4.89%	9.18	9.34	-1.71%
61750	Incise skull/brain biopsy			19.33	19.33	0.00%	NA	NA		13.35	14.03	-4.85%	8	8.11	-1.36%
61751	Brain biopsy w/ct/mr guide			18.32	18.32	0.00%	NA	NA		14.74	15.5	-4.90%	7.58	7.69	-1.43%
61760	Implant brain electrodes			21.83	21.83	0.00%	NA	NA		14.74	15.5	-4.90%	9.01	9.22	-2.28%
61770	Incise skull for treatment			22.61	22.61	0.00%	NA	NA		14.55	15.29	-4.84%	9.4	9.55	-1.57%
61781	Scan proc cranial intra			3.66	3.66	0.00%	NA	NA		1	1.27	-21.26%	1.51	1.51	0.00%
61782	Scan proc cranial extra			2.06	3.10	-33.55%	8.46	NA		1.14	0.76	50.00%	0.3	0.46	-34.78%
61783	Scan proc spinal			3.66	3.66	0.00%	NA	NA		0.98	1.24	-20.97%	1.27	1.32	-3.79%
61790	Treat trigeminal nerve			11.31	11.31	0.00%	NA	NA		10.35	10.89	-4.96%	4.58	4.67	-1.93%
61791	Treat trigeminal tract			15.02	15.02	0.00%	NA	NA		11.77	12.38	-4.93%	6.24	6.33	-1.42%
61796	Srs cranial lesion simple			13.58	13.58	0.00%	NA	NA		10.52	11.06	-4.88%	5.59	5.7	-1.93%
61797	Srs cran les simple addl			3.39	3.39	0.00%	NA	NA		1.12	1.18	-5.08%	1.41	1.42	-0.70%
61798	Srs cranial lesion complex			19.35	19.35	0.00%	NA	NA		12.14	12.76	-4.86%	7.76	7.96	-2.51%
61799	Srs cran les complex addl			4.69	4.69	0.00%	NA	NA		1.55	1.63	-4.91%	1.92	1.93	-0.52%
61800	Appl strtctc headframe srs			2.19	2.19	0.00%	NA	NA		1.19	1.25	-4.80%	0.89	0.91	-2.20%
61850	Implant neuroelectrodes			13.01	13.01	0.00%	NA	NA		10.61	11.16	-4.93%	5.42	5.49	-1.28%
61860	Implant neuroelectrodes			21.70	21.70	0.00%	NA	NA		14.24	14.97	-4.88%	9.01	9.16	-1.64%
61863	Implant neuroelectrode			20.19	20.19	0.00%	NA	NA		15.28	16.07	-4.92%	8.38	8.52	-1.64%
61864	Implant neuroelectrde addl			4.38	4.38	0.00%	NA	NA		1.46	1.54	-5.19%	1.83	1.84	-0.54%
61867	Implant neuroelectrode			32.20	32.20	0.00%	NA	NA		19.28	20.26	-4.84%	13.38	13.59	-1.55%
61868	Implant neuroelectrde addl			7.71	7.71	0.00%	NA	NA		2.57	2.7	-4.81%	3.2	3.24	-1.23%
61880	Revise/remove neuroelectrode			6.78	6.78	0.00%	NA	NA		8.5	8.94	-4.92%	2.81	2.83	-0.71%
61885	Insrt/redo neurostim 1 array			5.90	5.90	0.00%	NA	NA		8.01	8.43	-4.98%	2.34	2.37	-1.27%
61886	Implant neurostim arrays			9.68	9.68	0.00%	NA	NA		13.48	14.18	-4.94%	3.97	4.03	-1.49%
61888	Revise/remove neuroreceiver			5.10	5.10	0.00%	NA	NA		4.69	4.93	-4.87%	1.94	2.04	-4.90%
61889	Ins sk-mnt crnl nstm pg/rcvr			25.11	25.11	0.00%	NA	NA		15.87	16.69	-4.91%	10.44	10.6	-1.51%
61891	Rev/rplcmt sk-mnt crnl nstm			10.97	10.97	0.00%	NA	NA		9.36	9.84	-4.88%	4.57	4.26	7.28%
61892	Rmv sk-mnt crnl nstm pg/rcvr			14.63	14.63	0.00%	NA	NA		11.45	12.03	-4.82%	6.08	6.16	-1.30%
62000	Treat skull fracture			13.58	13.58	0.00%	NA	NA		11.29	11.87	-4.89%	5.65	5.73	-1.40%
62005	Treat skull fracture			17.19	17.19	0.00%	NA	NA		12.73	13.38	-4.86%	7.15	7.26	-1.52%
62010	Treatment of head injury			20.89	20.89	0.00%	NA	NA		14.97	15.75	-4.95%	8.69	8.81	-1.36%
62100	Repair brain fluid leakage			22.94	22.94	0.00%	NA	NA		12.58	13.23	-4.91%	7.51	7.45	0.81%
62115	Reduction of skull defect			22.34	22.34	0.00%	NA	NA		17.67	18.58	-4.90%	9.28	9.43	-1.59%
62120	Repair skull cavity lesion			23.98	23.98	0.00%	NA	NA		28.64	30.11	-4.88%	9.96	10.13	-1.68%
62121	Incise skull repair			22.45	22.45	0.00%	NA	NA		13.81	14.52	-4.89%	5.81	5.93	-2.02%
62140	Crnop skull defect<5 cm diam			14.19	14.19	0.00%	NA	NA		9.72	10.22	-4.89%	5.13	4.9	4.69%
62141	Crnop skull defect>5 cm diam			15.67	15.67	0.00%	NA	NA		11.19	11.76	-4.85%	6.03	5.96	1.17%
62142	Rmvl b1 flp/prostc plate skl			11.53	11.53	0.00%	NA	NA		10.28	10.82	-4.99%	4.58	4.64	-1.29%
62143	Rpl b1 flp/prostc plate skl			13.80	13.80	0.00%	NA	NA		11.21	11.79	-4.92%	5.57	5.64	-1.24%
62145	Repair of skull & brain			19.59	19.59	0.00%	NA	NA		12.91	13.57	-4.86%	8.04	7.74	3.88%
62146	Crnop w/autograft<5 cm diam			16.85	16.85	0.00%	NA	NA		12.62	13.27	-4.90%	7.01	7.1	-1.27%
62147	Crnop w/autograft>5 cm diam			20.15	20.15	0.00%	NA	NA		12.17	12.79	-4.85%	8.38	7.83	7.02%
62148	Retr bone flap to fix skull			1.95	1.95	0.00%	NA	NA		0.65	0.68	-4.41%	0.81	0.82	-1.22%
62160	Neuroendoscopy intracranial			2.93	2.93	0.00%	NA	NA		0.96	1.02	-5.88%	1.2	1.21	-0.83%
62161	Dissect brain w/scope			20.70	20.70	0.00%	NA	NA		14.89	15.65	-4.86%	8.39	8.65	-3.01%
62162	Remove colloid cyst w/scope			26.13	26.13	0.00%	NA	NA		17.42	18.31	-4.86%	10.84	11.04	-1.81%
62164	Remove brain tumor w/scope			28.69	28.69	0.00%	NA	NA		19.83	20.86	-4.94%	11.92	12.12	-1.65%
62165	Remove pituit tumor w/scope			22.65	22.65	0.00%	NA	NA		12.04	12.66	-4.90%	6.57	6.61	-0.61%
62180	Establish brain cavity shunt			22.02	22.02	0.00%	NA	NA		15.02	15.79	-4.88%	9.14	9.29	-1.61%
62190	Establish brain cavity shunt			11.87	11.87	0.00%	NA	NA		10.95	11.52	-4.95%	4.93	4.98	-1.00%
62192	Establish brain cavity shunt			13.02	13.02	0.00%	NA	NA		11.34	11.92	-4.87%	5.17	5.49	-5.83%
62194	Replace/irrigate catheter			5.64	5.64	0.00%	NA	NA		7.4	7.78	-4.88%	2.22	2.35	-5.53%
62200	Establish brain cavity shunt			18.81	18.81	0.00%	NA	NA		13.27	13.96	-4.94%	7.8	7.93	-1.64%
62201	Brain cavity shunt w/scope			15.64	15.64	0.00%	NA	NA		13.82	14.54	-4.95%	6.46	6.54	-1.22%
62220	Establish brain cavity shunt			13.75	13.75	0.00%	NA	NA		9.48	9.96	-4.82%	5.25	5.31	-1.13%
62223	Establish brain cavity shunt			13.70	13.70	0.00%	NA	NA		11.3	11.87	-4.80%	4.94	5.07	-2.56%
62225	Replace/irrigate catheter			6.04	6.04	0.00%	NA	NA		8.17	8.59	-4.89%	2.41	2.51	-3.98%
62230	Replace/revise brain shunt			11.14	11.14	0.00%	NA	NA		9.16	9.64	-4.98%	4.31	4.36	-1.15%
62252	Csf shunt reprogram			0.72	0.72	0.00%	2.01	2.11	-4.74%	NA	NA		0.28	0.28	0.00%
62252	Csf shunt reprogram			0.72	0.72	0.00%	0.47	0.49	-4.08%	0.47	0.49	-4.08%	0.27	0.27	0.00%
62252	Csf shunt reprogram			0.00	0.00		1.54	1.62	-4.94%	NA	NA		0.01	0.01	0.00%
62256	Remove brain cavity shunt			7.20	7.20	0.00%	NA	NA		8.54	8.98	-4.90%	2.91	2.98	-2.35%
62258	Replace brain cavity shunt			15.25	15.25	0.00%	NA	NA		11.2	11.77	-4.84%	5.85	6.07	-3.62%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
62267	Interdiscal perq aspir dx			2.93	2.93	0.00%	4.72	4.49	5.12%	0.81	0.78	3.85%	0.32	0.33	-3.03%
62268	Drain spinal cord cyst			4.61	4.61	0.00%	NA	NA		2.83	2.98	-5.03%	1.92	1.94	-1.03%
62270	Dx lmbr spi pnxr			1.19	1.19	0.00%	3.29	3.46	-4.91%	0.26	0.28	-7.14%	0.29	0.29	0.00%
62272	Ther spi pnxr drg csf			1.54	1.54	0.00%	4.26	4.48	-4.91%	0.51	0.53	-3.77%	0.47	0.47	0.00%
62273	Inject epidural patch			2.10	2.10	0.00%	2.99	2.84	5.28%	0.78	0.75	4.00%	0.21	0.21	0.00%
62282	Treat spinal canal lesion			2.27	2.27	0.00%	7.39	7.78	-5.01%	1.33	1.4	-5.00%	0.18	0.21	-14.29%
62284	Injection for myelogram			1.50	1.50	0.00%	3.92	3.74	4.81%	0.52	0.49	6.12%	0.15	0.16	-6.25%
62290	Njx px discography lumbar			2.93	2.93	0.00%	8.22	7.89	4.18%	1.13	1.08	4.63%	0.25	0.26	-3.85%
62302	Myelography lumbar injection			2.23	2.23	0.00%	5.14	4.88	5.33%	0.65	0.61	6.56%	0.21	0.22	-4.55%
62304	Myelography lumbar injection			2.19	2.19	0.00%	5.1	4.86	4.94%	0.65	0.61	6.56%	0.21	0.22	-4.55%
62305	Myelography lumbar injection			2.29	2.29	0.00%	5.69	5.41	5.18%	0.67	0.63	6.35%	0.24	0.22	9.09%
62321	Njx interlaminar crv/thrc			1.90	1.90	0.00%	5.96	6.2	-3.87%	0.76	0.78	-2.56%	0.15	0.18	-16.67%
62322	Njx interlaminar lmbr/sac			1.51	1.51	0.00%	2.84	2.71	4.80%	0.59	0.56	5.36%	0.15	0.15	0.00%
62323	Njx interlaminar lmbr/sac			1.76	1.76	0.00%	6.05	6.25	-3.20%	0.72	0.74	-2.70%	0.15	0.17	-11.76%
62328	Dx lmbr spi pnxr w/fluor/ct			1.69	1.69	0.00%	4.81	4.59	4.79%	0.34	0.33	3.03%	0.16	0.18	-11.11%
62329	Ther spi pnxr csf fluor/ct			1.98	1.98	0.00%	6.08	5.86	3.75%	0.47	0.45	4.44%	0.34	0.35	-2.86%
62330	Dcmprn prq rmv lig flv 1lmbr			8.00	8.00	0.00%	NA	NA		5.37	5.64	-4.79%	0.73	0.71	2.82%
62331	Dcmprn prq rmv lig flv addl			4.25	4.25	0.00%	NA	NA		0.97	1.03	-5.83%	0.38	0.38	0.00%
62350	Implant spinal canal cath			5.90	5.90	0.00%	NA	NA		4.03	4.24	-4.95%	1.1	1.17	-5.98%
62351	Implant spinal canal cath			11.37	11.37	0.00%	NA	NA		11.28	11.85	-4.81%	3.76	4.14	-9.18%
62355	Remove spinal canal catheter			3.46	3.46	0.00%	NA	NA		3.89	4.09	-4.89%	0.83	0.86	-3.49%
62360	Insert spine infusion device			4.22	4.22	0.00%	NA	NA		3.89	4.1	-5.12%	1.02	0.99	3.03%
62361	Implant spine infusion pump			4.88	4.88	0.00%	NA	NA		6.65	6.99	-4.86%	2.02	2.05	-1.46%
62362	Implant spine infusion pump			5.46	5.46	0.00%	NA	NA		4.19	4.41	-4.99%	1.2	1.26	-4.76%
62365	Remove spine infusion device			3.83	3.83	0.00%	NA	NA		3.86	4.05	-4.69%	0.96	0.98	-2.04%
62367	Analyze spine infus pump			0.47	0.47	0.00%	0.49	0.48	2.08%	0.11	0.12	-8.33%	0.05	0.05	0.00%
62368	Analyze sp inf pump w/reprog			0.65	0.65	0.00%	0.68	0.67	1.49%	0.15	0.16	-6.25%	0.07	0.07	0.00%
62369	Anal sp inf pmp w/reprg&fill			0.65	0.65	0.00%	2.09	2.19	-4.57%	0.16	0.17	-5.88%	0.07	0.07	0.00%
62370	Anl sp inf pmp w/mdreprg&fil			0.88	0.88	0.00%	1.89	1.95	-3.08%	0.21	0.22	-4.55%	0.09	0.08	12.50%
63001	Remove spine lamina 1/2 crvl			17.17	17.17	0.00%	NA	NA		11.54	12.12	-4.79%	6.33	6.45	-1.86%
63003	Remove spine lamina 1/2 thrc			17.30	17.30	0.00%	NA	NA		11.53	12.11	-4.79%	6.27	6.46	-2.94%
63005	Remove spine lamina 1/2 lmbr			16.02	16.02	0.00%	NA	NA		12.9	13.57	-4.94%	5.99	6.12	-2.12%
63011	Remove spine lamina 1/2 scrl			15.51	15.51	0.00%	NA	NA		10.19	10.72	-4.94%	4.09	4.03	1.49%
63012	Remove lamina/facets lumbar			16.43	16.43	0.00%	NA	NA		11.76	12.38	-5.01%	5.66	5.63	0.53%
63015	Remove spine lamina >2 crvcl			20.33	20.33	0.00%	NA	NA		14.35	15.08	-4.84%	7.69	7.82	-1.66%
63016	Remove spine lamina >2 thrc			21.48	21.48	0.00%	NA	NA		13.69	14.39	-4.86%	7.89	7.94	-0.63%
63017	Remove spine lamina >2 lmbr			16.90	16.90	0.00%	NA	NA		13.21	13.9	-4.96%	6.37	6.49	-1.85%
63020	Lamot dcmprn nrv rt 1 cerv			14.54	14.54	0.00%	NA	NA		11.94	12.56	-4.94%	4.68	4.76	-1.68%
63032	Lamot rpr anulr dfct 1 lmbr			2.50	2.50	0.00%	NA	NA		0.76	0.79	-3.80%	0.78	0.79	-1.27%
63035	Lamot dcmprn nrv rt ea addl			3.76	3.76	0.00%	NA	NA		1.19	1.25	-4.80%	1.15	1.17	-1.71%
63040	Laminotomy single cervical			19.80	19.80	0.00%	NA	NA		12	12.61	-4.84%	6.01	6.14	-2.12%
63042	Laminotomy single lumbar			18.29	18.29	0.00%	NA	NA		12.11	12.73	-4.87%	5.48	5.51	-0.54%
63046	Lam facetec & foramot thrc			16.71	16.82	-0.65%	NA	NA		10.87	12.91	-15.80%	5.65	5.75	-1.74%
63048	Lam facetec &foramot ea addl			3.38	3.38	0.00%	NA	NA		0.89	1.13	-21.24%	1.09	1.1	-0.91%
63050	Cervical laminoplsty 2/> seg			21.46	21.46	0.00%	NA	NA		12.98	13.65	-4.91%	6.89	6.85	0.58%
63051	C-laminoplasty w/graft/plate			24.87	24.87	0.00%	NA	NA		14.02	14.74	-4.88%	7.46	7.54	-1.06%
63052	Lam facetc/frmt arthrd lum 1			4.14	4.14	0.00%	NA	NA		1.32	1.39	-5.04%	1.36	1.35	0.74%
63053	Lam factc/frmt arthrd lum ea			3.69	3.69	0.00%	NA	NA		1.17	1.23	-4.88%	1.2	1.21	-0.83%
63055	Decompress spinal cord thrc			22.96	22.96	0.00%	NA	NA		14.25	14.98	-4.87%	8.27	8.56	-3.39%
63056	Decompress spinal cord lmbr			21.31	21.31	0.00%	NA	NA		12.93	13.59	-4.86%	6.88	7.14	-3.64%
63057	Decompress spine cord add-on			5.12	5.12	0.00%	NA	NA		1.64	1.73	-5.20%	1.68	1.76	-4.55%
63064	Decompress spinal cord thrc			25.56	25.56	0.00%	NA	NA		14.89	15.66	-4.92%	9.41	9.25	1.73%
63066	Decompress spine cord add-on			3.18	3.18	0.00%	NA	NA		1.06	1.11	-4.50%	1.33	1.33	0.00%
63075	Neck spine disk surgery			19.11	19.11	0.00%	NA	NA		12.48	13.12	-4.88%	6.42	6.34	1.26%
63076	Neck spine disk surgery			3.94	3.94	0.00%	NA	NA		1.24	1.3	-4.62%	1.31	1.26	3.97%
63077	Spine disk surgery thorax			22.31	22.31	0.00%	NA	NA		11.62	12.21	-4.83%	4.69	4.75	-1.26%
63078	Spine disk surgery thorax			3.20	3.20	0.00%	NA	NA		1.07	1.12	-4.46%	1.34	1.33	0.75%
63081	Remove vert body dcmprn crvl			25.45	25.45	0.00%	NA	NA		14.85	15.61	-4.87%	8.53	8.65	-1.39%
63082	Remove vertebral body add-on			4.25	4.25	0.00%	NA	NA		1.36	1.43	-4.90%	1.42	1.43	-0.70%
63085	Remove vert body dcmprn thrc			28.73	28.73	0.00%	NA	NA		15.34	16.13	-4.90%	9.61	9.63	-0.21%
63086	Remove vertebral body add-on			3.11	3.11	0.00%	NA	NA		0.92	0.98	-6.12%	0.66	1.03	-35.92%
63087	Remov vertbr dcmprn thrclmbr			36.59	36.59	0.00%	NA	NA		18.13	19.06	-4.88%	12.14	12.13	0.08%
63088	Remove vertebral body add-on			4.21	4.21	0.00%	NA	NA		1.3	1.37	-5.11%	1.52	1.44	5.56%
63090	Remove vert body dcmprn lmbr			30.16	30.16	0.00%	NA	NA		14.89	15.66	-4.92%	8.71	8.74	-0.34%
63091	Remove vertebral body add-on			2.95	2.95	0.00%	NA	NA		0.88	0.93	-5.38%	0.85	0.85	0.00%
63101	Remove vert body dcmprn thrc			33.25	33.25	0.00%	NA	NA		19.9	20.93	-4.92%	11.86	12.2	-2.79%
63102	Remove vert body dcmprn lmbr			33.25	33.25	0.00%	NA	NA		19.29	20.28	-4.88%	11.26	11.55	-2.51%
63103	Remove vertebral body add-on			4.70	4.70	0.00%	NA	NA		1.5	1.58	-5.06%	1.52	1.59	-4.40%
63170	Incise spinal cord tract(s)			21.65	21.65	0.00%	NA	NA		15.58	16.38	-4.88%	9	9.14	-1.53%
63172	Drainage of spinal cyst			19.27	19.27	0.00%	NA	NA		13.77	14.48	-4.90%	8.02	8.12	-1.23%
63173	Drainage of spinal cyst			23.70	23.70	0.00%	NA	NA		16.26	17.1	-4.91%	9.86	10.02	-1.60%
63185	Incise spine nrv half segmnt			16.08	16.08	0.00%	NA	NA		13.48	14.17	-4.87%	6.69	6.77	-1.18%
63190	Incise spine nrv >2 segmnts			18.42	18.42	0.00%	NA	NA		10.79	11.34	-4.85%	3.88	3.92	-1.02%
63191	Incise spine accessory nerve			18.45	18.45	0.00%	NA	NA		14.27	15.01	-4.93%	7.67	7.77	-1.29%
63197	Lam w/cordotomy 1stg thrc			23.48	23.48	0.00%	NA	NA		16.19	17.02	-4.88%	9.76	9.92	-1.61%
63200	Release spinal cord lumbar			20.90	20.90	0.00%	NA	NA		15.54	16.33	-4.84%	8.7	8.74	-0.46%
63250	Revise spinal cord vsls crvl			42.76	42.76	0.00%	NA	NA		22.87	24.05	-4.91%	17.76	18.05	-1.61%
63251	Revise spinal cord vsls thrc			43.52	43.52	0.00%	NA	NA		23.85	25.07	-4.87%	18.08	18.37	-1.58%
63252	Revise spine cord vsl thrlmb			43.51	43.51	0.00%	NA	NA		23.84	25.06	-4.87%	18.08	18.37	-1.58%
63265	Excise intraspinl lesion crv			23.22	23.22	0.00%	NA	NA		15.3	16.09	-4.91%	8.86	9	-1.56%
63266	Excise intrspinl lesion thrc			24.06	24.06	0.00%	NA	NA		15.54	16.33	-4.84%	9.18	9.25	-0.76%
63267	Excise intrspinl lesion lmbr			18.96	18.96	0.00%	NA	NA		13.24	13.93	-4.95%	6.52	6.7	-2.69%
63268	Excise intrspinl lesion scrl			19.52	19.52	0.00%	NA	NA		15.1	15.88	-4.91%	8.1	8.23	-1.58%
63270	Excise intrspinl lesion crvl			29.06	29.06	0.00%	NA	NA		18.29	19.23	-4.89%	12.08	12.27	-1.55%
63271	Excise intrspinl lesion thrc			29.17	29.17	0.00%	NA	NA		18.09	19.03	-4.94%	11.97	12.05	-0.66%
63272	Excise intrspinl lesion lmbr			26.81	26.81	0.00%	NA	NA		16.57	17.42	-4.88%	10.39	10.53	-1.33%
63273	Excise intrspinl lesion scrl			25.81	25.81	0.00%	NA	NA		17.21	18.09	-4.86%	10.72	10.91	-1.74%
63275	Bx/exc xdrl spine lesn crvl			25.21	25.21	0.00%	NA	NA		16.04	16.86	-4.86%	9.45	9.77	-3.28%
63276	Bx/exc xdrl spine lesn thrc			25.05	25.05	0.00%	NA	NA		16.02	16.84	-4.87%	9.59	9.8	-2.14%
63277	Bx/exc xdrl spine lesn lmbr			21.83	21.83	0.00%	NA	NA		14.33	15.06	-4.85%	7.72	8.09	-4.57%
63278	Bx/exc xdrl spine lesn scrl			21.57	21.57	0.00%	NA	NA		15.79	16.6	-4.88%	8.95	9.09	-1.54%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
63280	Bx/exc idrl spine lesn crvl			29.53	29.53	0.00%	NA	NA		18.97	19.94	-4.86%	12.06	12.26	-1.63%
63281	Bx/exc idrl spine lesn thrc			29.24	29.24	0.00%	NA	NA		18.87	19.83	-4.84%	12.03	12.19	-1.31%
63282	Bx/exc idrl spine lesn lmbr			27.45	27.45	0.00%	NA	NA		18.23	19.16	-4.85%	11.29	11.4	-0.96%
63283	Bx/exc idrl spine lesn scrl			26.09	26.09	0.00%	NA	NA		18.02	18.95	-4.91%	10.84	11.02	-1.63%
63285	Bx/exc idrl imed lesn cervl			37.10	37.10	0.00%	NA	NA		21.7	22.81	-4.87%	15.44	15.65	-1.34%
63286	Bx/exc idrl imed lesn thrc			36.68	36.68	0.00%	NA	NA		21.5	22.61	-4.91%	15.23	15.38	-0.98%
63287	Bx/exc idrl imed lesn thrlmb			39.08	39.08	0.00%	NA	NA		22.36	23.5	-4.85%	16.24	16.49	-1.52%
63290	Bx/exc xdrl/idrl lsn any lvl			39.80	39.80	0.00%	NA	NA		22.6	23.76	-4.88%	16.53	16.8	-1.61%
63295	Repair laminectomy defect			5.12	5.12	0.00%	NA	NA		1.7	1.78	-4.49%	2.1	2.15	-2.33%
63300	Remove vert xdrl body crvcl			26.13	26.13	0.00%	NA	NA		15.67	16.47	-4.86%	9.18	9.52	-3.57%
63301	Remove vert xdrl body thrc			30.78	30.78	0.00%	NA	NA		19.59	20.59	-4.86%	12.78	13	-1.69%
63302	Remove vert xdrl body thrlmb			30.37	30.37	0.00%	NA	NA		19.44	20.45	-4.94%	12.62	12.81	-1.48%
63303	Remov vert xdrl bdy lmbr/sac			32.71	32.71	0.00%	NA	NA		19.51	20.51	-4.88%	13.57	13.8	-1.67%
63304	Remove vert idrl body crvcl			33.00	33.00	0.00%	NA	NA		20.33	21.37	-4.87%	13.72	13.93	-1.51%
63305	Remove vert idrl body thrc			35.33	35.33	0.00%	NA	NA		21.11	22.19	-4.87%	14.69	14.92	-1.54%
63306	Remov vert idrl bdy thrclmbr			34.66	34.66	0.00%	NA	NA		20.89	21.95	-4.83%	14.4	14.63	-1.57%
63307	Remov vert idrl bdy lmbr/sac			34.09	34.09	0.00%	NA	NA		20.11	21.14	-4.87%	14.18	14.38	-1.39%
63308	Remove vertebral body add-on			5.11	5.11	0.00%	NA	NA		1.62	1.71	-5.26%	1.82	1.83	-0.55%
63600	Remove spinal cord lesion			14.74	14.74	0.00%	NA	NA		10.97	11.53	-4.86%	6.12	6.21	-1.45%
63620	Srs spinal lesion			15.21	15.21	0.00%	NA	NA		11.15	11.72	-4.86%	6.32	6.4	-1.25%
63621	Srs spinal lesion addl			3.90	3.90	0.00%	NA	NA		1.3	1.37	-5.11%	1.62	1.64	-1.22%
63650	Implant neuroelectrodes			6.97	6.97	0.00%	60.65	63.8	-4.94%	3.31	3.48	-4.89%	0.79	0.79	0.00%
63655	Implant neuroelectrodes			10.65	10.65	0.00%	NA	NA		10.11	10.63	-4.89%	3.78	3.83	-1.31%
63661	Remove spine eltrd perq aray			4.95	4.95	0.00%	15.54	16.34	-4.90%	3.16	3.32	-4.82%	0.94	0.98	-4.08%
63662	Remove spine eltrd plate			10.73	10.73	0.00%	NA	NA		10.31	10.84	-4.89%	3.82	3.87	-1.29%
63663	Revise spine eltrd perq aray			7.56	7.56	0.00%	18.94	19.91	-4.87%	3.45	3.62	-4.70%	0.99	1.08	-8.33%
63664	Revise spine eltrd plate			11.23	11.23	0.00%	NA	NA		10.66	11.2	-4.82%	4.11	4.11	0.00%
63688	Rev/rmv imp sp npg/r dtch cn			4.24	4.24	0.00%	NA	NA		3.66	3.85	-4.94%	1.27	1.06	19.81%
63700	Repair of spinal herniation			17.03	17.03	0.00%	NA	NA		14.65	15.4	-4.87%	7.08	7.19	-1.53%
63702	Repair of spinal herniation			18.92	18.92	0.00%	NA	NA		15.27	16.07	-4.98%	7.87	7.97	-1.25%
63704	Repair of spinal herniation			21.87	21.87	0.00%	NA	NA		17.98	18.92	-4.97%	9.07	9.24	-1.84%
63706	Repair of spinal herniation			24.72	24.72	0.00%	NA	NA		18.94	19.91	-4.87%	10.26	10.44	-1.72%
63707	Repair spinal fluid leakage			12.33	12.33	0.00%	NA	NA		10.56	11.11	-4.95%	4.13	4.34	-4.84%
63709	Repair spinal fluid leakage			15.26	15.26	0.00%	NA	NA		11.41	11.99	-4.84%	5.22	5.23	-0.19%
63710	Graft repair of spine defect			15.02	15.02	0.00%	NA	NA		11.06	11.63	-4.90%	4.69	4.66	0.64%
63740	Install spinal shunt			12.31	12.31	0.00%	NA	NA		12.11	12.73	-4.87%	5.12	5.17	-0.97%
63741	Install spinal shunt			8.89	8.89	0.00%	NA	NA		8.67	9.11	-4.83%	3.68	3.35	9.85%
63744	Revision of spinal shunt			8.72	8.72	0.00%	NA	NA		9.17	9.66	-5.07%	3.61	3.67	-1.63%
63746	Removal of spinal shunt			7.15	7.15	0.00%	NA	NA		8.66	9.1	-4.84%	2.98	3.01	-1.00%
64400	Njx aa&/strd trigeminal nrv			0.73	0.73	0.00%	2.02	2.71	-25.46%	0.21	0.48	-56.25%	0.21	0.21	0.00%
64405	Njx aa&/strd gr ocpl nrv			0.84	0.92	-8.70%	0.96	1.23	-21.95%	0.2	0.24	-16.67%	0.2	0.21	-4.76%
64418	Njx aa&/strd sprscap nrv			1.07	1.07	0.00%	1.46	1.51	-3.31%	0.25	0.26	-3.85%	0.11	0.11	0.00%
64445	Njx aa&/strd sciatic nrv img			1.36	1.36	0.00%	3.87	3.68	5.16%	0.5	0.47	6.38%	0.15	0.15	0.00%
64450	Njx aa&/strd other pn/branch			0.73	0.73	0.00%	1.7	1.62	4.94%	0.37	0.35	5.71%	0.09	0.07	28.57%
64451	Njx aa&/strd nrv nrvtg si jt			1.48	1.48	0.00%	5.47	5.62	-2.67%	0.54	0.55	-1.82%	0.15	0.14	7.14%
64454	Njx aa&/strd gnclr nrv brnch			1.48	1.48	0.00%	5.45	5.43	0.37%	0.58	0.58	0.00%	0.12	0.13	-7.69%
64466	Thrc fascial pln blk uni njx			1.46	1.46	0.00%	2.79	2.65	5.28%	0.25	0.24	4.17%	0.12	0.14	-14.29%
64467	Thrc fascial pln blk uni nfs			1.70	1.70	0.00%	6.55	6.22	5.31%	0.28	0.27	3.70%	0.15	0.16	-6.25%
64468	Thrc fascial pln blk bi njx			1.63	1.63	0.00%	3.3	3.14	5.10%	0.27	0.26	3.85%	0.15	0.15	0.00%
64469	Thrc fascial pln blk bi nfs			1.78	1.78	0.00%	11.09	10.55	5.12%	0.3	0.29	3.45%	0.15	0.17	-11.76%
64473	Lwr xtr fscl pln blk uni njx			1.31	1.31	0.00%	2.74	2.6	5.38%	0.22	0.21	4.76%	0.11	0.12	-8.33%
64474	Lwr xtr fscl pln blk uni nfs			1.63	1.63	0.00%	6.51	6.2	5.00%	0.27	0.26	3.85%	0.15	0.15	0.00%
64479	Njx aa&/strd tfrm epi c/t 1			2.23	2.23	0.00%	5.82	6.11	-4.75%	1	1.06	-5.66%	0.18	0.2	-10.00%
64480	Njx aa&/strd tfrm epi c/t ea			1.17	1.17	0.00%	2.85	3.01	-5.32%	0.29	0.31	-6.45%	0.11	0.11	0.00%
64483	Njx aa&/strd tfrm epi l/s 1			1.85	1.85	0.00%	5.62	5.91	-4.91%	0.91	0.96	-5.21%	0.15	0.17	-11.76%
64484	Njx aa&/strd tfrm epi l/s ea			0.98	0.98	0.00%	2.33	2.46	-5.28%	0.24	0.25	-4.00%	0.09	0.08	12.50%
64490	Inj paravert f jnt c/t 1 lev			1.77	1.77	0.00%	4.16	4.2	-0.95%	0.83	0.88	-5.68%	0.15	0.17	-11.76%
64491	Inj paravert f jnt c/t 2 lev			1.13	1.13	0.00%	1.77	1.81	-2.21%	0.26	0.28	-7.14%	0.11	0.11	0.00%
64494	Inj paravert f jnt l/s 2 lev			0.98	0.98	0.00%	1.76	1.81	-2.76%	0.24	0.25	-4.00%	0.09	0.08	12.50%
64553	Implant neuroelectrodes			5.98	5.98	0.00%	129.8	136.55	-4.94%	4.76	5	-4.80%	1.15	2.52	-54.37%
64555	Implant neuroelectrodes			5.62	5.62	0.00%	57.43	60.42	-4.95%	2.47	2.6	-5.00%	0.55	0.58	-5.17%
64568	Opn impltj crnl nrv nea&pg			8.78	8.78	0.00%	NA	NA		7.49	7.89	-5.07%	2	3.1	-35.48%
64569	Revj/rplcmt cranial nrv nea			10.73	10.73	0.00%	NA	NA		7.5	7.9	-5.06%	3.81	3.72	2.42%
64570	Rmvl cranial nerve nea & pg			8.87	8.87	0.00%	NA	NA		9.83	10.33	-4.84%	3.68	3.72	-1.08%
64575	Opn impltj nea perph nerve			4.31	4.31	0.00%	NA	NA		3.63	3.8	-4.47%	0.75	0.69	8.70%
64582	Opn mpltj hpglsl nstm ary pg			13.65	13.65	0.00%	NA	NA		5.7	6	-5.00%	1.98	1.99	-0.50%
64585	Rev/rmv perph nstim eltrd ra			2.06	2.06	0.00%	4.97	5.19	-4.24%	1.67	1.72	-2.91%	0.29	0.29	0.00%
64590	Ins/rpl prph sac/gstr npg/r			4.97	4.97	0.00%	6.79	7.12	-4.63%	2.18	2.29	-4.80%	0.73	0.73	0.00%
64595	Rev/rmv prph sac/gstr npg/r			3.70	3.70	0.00%	5.87	6.17	-4.86%	1.94	2.03	-4.43%	0.54	0.55	-1.82%
64605	Injection treatment of nerve			5.51	5.51	0.00%	23.9	25.14	-4.93%	4.62	4.85	-4.74%	2.3	2.33	-1.29%
64610	Injection treatment of nerve			7.02	7.02	0.00%	15.72	16.53	-4.90%	4.02	4.23	-4.96%	2.3	2.2	4.55%
64612	Destroy nerve face muscle			1.37	1.37	0.00%	2.45	2.58	-5.04%	1.5	1.58	-5.06%	0.3	0.29	3.45%
64615	Chemodenerv musc migraine			1.80	1.80	0.00%	2.17	2.28	-4.82%	0.8	0.85	-5.88%	0.62	0.62	0.00%
64616	Chemodenerv musc neck dyston			1.49	1.49	0.00%	2.2	2.32	-5.17%	0.93	0.99	-6.06%	0.51	0.5	2.00%
64624	Dstrj nulyt agt gnclr nrv			2.44	2.44	0.00%	9.17	9.66	-5.07%	1.26	1.33	-5.26%	0.21	0.22	-4.55%
64625	Rf abltj nrv nrvtg si jt			3.31	3.31	0.00%	10.66	11.21	-4.91%	1.57	1.65	-4.85%	0.32	0.33	-3.03%
64628	Trml dstrj ios bvn 1st 2 l/s			6.97	6.97	0.00%	NA	NA		3.07	3.23	-4.95%	0.69	0.72	-4.17%
64629	Trml dstrj ios bvn ea addl			3.68	3.68	0.00%	NA	NA		0.89	0.94	-5.32%	0.38	0.39	-2.56%
64633	Destroy cerv/thor facet jnt			3.24	3.24	0.00%	9.7	10.2	-4.90%	1.55	1.63	-4.91%	0.29	0.3	-3.33%
64634	Destroy c/th facet jnt addl			1.29	1.29	0.00%	6.25	6.57	-4.87%	0.3	0.32	-6.25%	0.11	0.12	-8.33%
64635	Destroy lumb/sac facet jnt			3.24	3.24	0.00%	9.88	10.4	-5.00%	1.57	1.65	-4.85%	0.27	0.29	-6.90%
64636	Destroy l/s facet jnt addl			1.13	1.13	0.00%	5.98	6.29	-4.93%	0.26	0.28	-7.14%	0.1	0.11	-9.09%
64640	Injection treatment of nerve			1.93	1.93	0.00%	5.57	5.87	-5.11%	1.13	1.19	-5.04%	0.21	0.22	-4.55%
64642	Chemodenerv 1 extremity 1-4			1.61	1.61	0.00%	2.75	2.89	-4.84%	0.83	0.88	-5.68%	0.38	0.39	-2.56%
64643	Chemodenerv 1 extrem 1-4 ea			1.19	1.19	0.00%	1.49	1.57	-5.10%	0.36	0.36	0.00%	0.21	0.23	-8.70%
64644	Chemodenerv 1 extrem 5/> mus			1.77	1.77	0.00%	3.37	3.54	-4.80%	0.88	0.93	-5.38%	0.37	0.4	-7.50%
64654	1st opn implt bat modulj sys			11.00	11.00	0.00%	NA	NA		3.11	2.96	5.07%	2.75	2.79	-1.43%
64704	Revise hand/foot nerve			4.57	4.57	0.00%	NA	NA		4.1	4.1	0.00%	0.56	0.56	0.00%
64708	Revise arm/leg nerve			6.20	6.20	0.00%	NA	NA		6.52	6.85	-4.82%	0.78	0.85	-8.24%
64712	Revision of sciatic nerve			7.87	7.87	0.00%	NA	NA		6.8	7.14	-4.76%	1.63	1.68	-2.98%
64713	Revision of arm nerve(s)			11.12	11.12	0.00%	NA	NA		8.19	8.61	-4.88%	2.51	2.58	-2.71%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
64714	Revise low back nerve(s)			10.29	10.29	0.00%	NA	NA		8.31	8.73	-4.81%	2.31	2.41	-4.15%
64716	Revision of cranial nerve			6.82	6.82	0.00%	NA	NA		5.8	6.1	-4.92%	1.14	1.15	-0.87%
64718	Revise ulnar nerve at elbow			7.08	7.08	0.00%	NA	NA		8.29	8.71	-4.82%	1.42	1.43	-0.70%
64719	Revise ulnar nerve at wrist			4.85	4.85	0.00%	NA	NA		5.51	5.8	-5.00%	0.94	0.96	-2.08%
64721	Carpal tunnel surgery			4.85	4.85	0.00%	8.19	8.61	-4.88%	6.5	6.83	-4.83%	0.97	0.99	-2.02%
64722	Decompression unspec nerve			4.70	4.70	0.00%	NA	NA		5.1	5.36	-4.85%	0.92	1.11	-17.12%
64727	Internal neurolysis			3.02	3.02	0.00%	NA	NA		1	1.06	-5.66%	0.25	0.26	-3.85%
64728	Dcmprn median nrv carpl tunl			2.70	2.70	0.00%	39.19	37.3	5.07%	0.77	0.73	5.48%	0.27	0.24	12.50%
64744	Incise nerve back of head			5.58	5.58	0.00%	NA	NA		7.9	8.3	-4.82%	2.34	2.35	-0.43%
64771	Sever cranial nerve			7.95	7.95	0.00%	NA	NA		6.96	7.31	-4.79%	1.44	1.47	-2.04%
64772	Incision of spinal nerve			7.64	7.64	0.00%	NA	NA		6.08	6.4	-5.00%	1.44	1.43	0.70%
64774	Exc neuroma cutaneous nerve			5.66	5.66	0.00%	NA	NA		5.22	5.48	-4.74%	1.2	1.19	0.84%
64782	Exc neuroma hand/foot			6.69	6.69	0.00%	NA	NA		5.05	5.31	-4.90%	1.05	1.06	-0.94%
64784	Exc neuroma major perph nrv			10.35	10.35	0.00%	NA	NA		7.34	7.72	-4.92%	2	2.08	-3.85%
64786	Exc neuroma sciatic nerve			15.84	15.84	0.00%	NA	NA		8	8.41	-4.88%	4.17	4.23	-1.42%
64787	Impl nerve end in bone/musc			4.18	4.18	0.00%	NA	NA		1.11	1.17	-5.13%	0.74	0.75	-1.33%
64788	Exc neurfib/neurle cutan nrv			5.11	5.11	0.00%	NA	NA		5.27	5.53	-4.70%	1.05	1.07	-1.87%
64790	Exc neurf/neurle major pn			11.80	11.80	0.00%	NA	NA		8.71	9.16	-4.91%	3.14	3.11	0.96%
64792	Exc neurf/neurle extensive			15.46	15.46	0.00%	NA	NA		13.64	14.35	-4.95%	6.41	6.51	-1.54%
64795	Biopsy of nerve			2.93	2.93	0.00%	NA	NA		1.68	1.77	-5.08%	0.88	0.88	0.00%
64804	Sympathectomy cervicothorac			15.51	15.51	0.00%	NA	NA		13.19	13.86	-4.83%	6.44	6.54	-1.53%
64856	Repair/transpose nerve			14.69	14.69	0.00%	NA	NA		8.91	9.37	-4.91%	3.45	3.47	-0.58%
64859	Nerve surgery			4.14	4.14	0.00%	NA	NA		1.26	1.32	-4.55%	0.88	0.89	-1.12%
64861	Repair of arm nerves			20.37	20.37	0.00%	NA	NA		15.52	16.32	-4.90%	8.44	8.6	-1.86%
64864	Repair of facial nerve			13.07	13.07	0.00%	NA	NA		6.98	7.35	-5.03%	2.15	2.19	-1.83%
64886	Nerve graft head/neck >4 cm			20.30	20.30	0.00%	NA	NA		9.47	9.95	-4.82%	3.14	3.22	-2.48%
64890	Nrv grf 1strnd hnd/foot <4cm			15.83	15.83	0.00%	NA	NA		9.64	10.13	-4.84%	3.32	3.37	-1.48%
64892	Nrv grf 1strnd arm/leg <4cm			15.35	15.35	0.00%	NA	NA		9.5	9.98	-4.81%	3.24	3.26	-0.61%
64898	Nrv grf mltst arm/leg >4 cm			20.45	20.45	0.00%	NA	NA		11.64	12.23	-4.82%	4.3	4.34	-0.92%
64905	Nrv pedicle transfer 1st stg			14.73	14.73	0.00%	NA	NA		8.48	8.91	-4.83%	3.17	3.05	3.93%
64907	Nrv pedicle transfer 2nd stg			19.53	19.53	0.00%	NA	NA		10.76	11.31	-4.86%	4.11	4.15	-0.96%
64910	Nerve repair w/allograft			10.26	10.26	0.00%	NA	NA		8.42	8.86	-4.97%	1.7	1.76	-3.41%
64912	Nrv rpr w/nrv algrft 1st			11.70	11.70	0.00%	NA	NA		10.05	10.56	-4.83%	2.35	2.26	3.98%
67400	Explore/biopsy eye socket			10.92	10.92	0.00%	NA	NA		14.73	15.48	-4.84%	0.88	0.89	-1.12%
67412	Explore/treat eye socket			10.04	10.04	0.00%	NA	NA		14.54	15.29	-4.91%	0.82	0.84	-2.38%
67414	Explr/decompress eye socket			17.49	17.49	0.00%	NA	NA		17.46	18.36	-4.90%	1.51	1.55	-2.58%
67420	Explore/treat eye socket			21.32	21.32	0.00%	NA	NA		20.61	21.67	-4.89%	2	2.05	-2.44%
67450	Explore/biopsy eye socket			15.02	15.02	0.00%	NA	NA		19.26	20.25	-4.89%	1.18	1.21	-2.48%
67570	Decompress optic nerve			14.04	14.04	0.00%	NA	NA		17.14	18.03	-4.94%	1.09	1.12	-2.68%
69502	Mastoidectomy			12.25	12.25	0.00%	NA	NA		10.56	11.11	-4.95%	1.76	1.8	-2.22%
69970	Remove inner ear lesion			31.60	31.60	0.00%	NA	NA		18.02	18.95	-4.91%	4.55	4.61	-1.30%
69990	Microsurg tqs operatg mcrscp			3.37	3.37	0.00%	NA	NA		1.11	1.17	-5.13%	1.37	1.39	-1.44%
70250	X-ray exam of skull			0.18	0.18	0.00%	0.85	0.87	-2.30%	NA	NA		0.02	0.02	0.00%
70250	X-ray exam of skull			0.18	0.18	0.00%	0.07	0.07	0.00%	0.07	0.07	0.00%	0.01	0.01	0.00%
70250	X-ray exam of skull			0.00	0.00		0.78	0.8	-2.50%	NA	NA		0.01	0.01	0.00%
70450	Ct head/brain w/o dye			0.83	0.83	0.00%	2.35	2.3	2.17%	NA	NA		0.06	0.06	0.00%
70450	Ct head/brain w/o dye			0.83	0.83	0.00%	0.31	0.3	3.33%	0.31	0.3	3.33%	0.05	0.05	0.00%
70450	Ct head/brain w/o dye			0.00	0.00		2.04	2	2.00%	NA	NA		0.01	0.01	0.00%
70460	Ct head/brain w/dye			1.10	1.10	0.00%	3.32	3.26	1.84%	NA	NA		0.09	0.09	0.00%
70460	Ct head/brain w/dye			1.10	1.10	0.00%	0.42	0.39	7.69%	0.42	0.39	7.69%	0.07	0.07	0.00%
70460	Ct head/brain w/dye			0.00	0.00		2.9	2.87	1.05%	NA	NA		0.02	0.02	0.00%
70470	Ct head/brain w/o & w/dye			1.24	1.24	0.00%	3.93	3.85	2.08%	NA	NA		0.11	0.09	22.22%
70470	Ct head/brain w/o & w/dye			1.24	1.24	0.00%	0.47	0.44	6.82%	0.47	0.44	6.82%	0.09	0.07	28.57%
70470	Ct head/brain w/o & w/dye			0.00	0.00		3.46	3.41	1.47%	NA	NA		0.02	0.02	0.00%
70471	Cta h&n c+ w/noncontrast img			2.50	2.50	0.00%	8.78	8.61	1.97%	NA	NA		0.18	0.18	0.00%
70471	Cta h&n c+ w/noncontrast img			2.50	2.50	0.00%	0.93	0.89	4.49%	0.93	0.89	4.49%	0.15	0.15	0.00%
70471	Cta h&n c+ w/noncontrast img			0.00	0.00		7.85	7.72	1.68%	NA	NA		0.03	0.03	0.00%
70496	Ct angiography head			1.71	1.71	0.00%	6.51	6.38	2.04%	NA	NA		0.12	0.12	0.00%
70496	Ct angiography head			1.71	1.71	0.00%	0.64	0.6	6.67%	0.64	0.6	6.67%	0.1	0.09	11.11%
70496	Ct angiography head			0.00	0.00		5.87	5.78	1.56%	NA	NA		0.02	0.03	-33.33%
70498	Ct angiography neck			1.71	1.71	0.00%	6.51	6.37	2.20%	NA	NA		0.12	0.12	0.00%
70498	Ct angiography neck			1.71	1.71	0.00%	0.64	0.6	6.67%	0.64	0.6	6.67%	0.1	0.09	11.11%
70498	Ct angiography neck			0.00	0.00		5.87	5.77	1.73%	NA	NA		0.02	0.03	-33.33%
70543	Mri orbt/fac/nck w/o &w/dye			2.10	2.10	0.00%	8.01	7.85	2.04%	NA	NA		0.14	0.15	-6.67%
70543	Mri orbt/fac/nck w/o &w/dye			2.10	2.10	0.00%	0.78	0.74	5.41%	0.78	0.74	5.41%	0.11	0.12	-8.33%
70543	Mri orbt/fac/nck w/o &w/dye			0.00	0.00		7.23	7.11	1.69%	NA	NA		0.03	0.03	0.00%
70544	Mra head w/post-pxessing c-			1.17	1.17	0.00%	5.95	5.17	15.09%	NA	NA		0.09	0.1	-10.00%
70544	Mra head w/post-pxessing c-			1.17	1.17	0.00%	0.45	0.41	9.76%	0.45	0.41	9.76%	0.07	0.07	0.00%
70544	Mra head w/post-pxessing c-			0.00	0.00		5.5	4.76	15.55%	NA	NA		0.02	0.03	-33.33%
70546	Mra head w/pst-pxessg c-/c+			1.44	1.44	0.00%	9.53	8.25	15.52%	NA	NA		0.12	0.12	0.00%
70546	Mra head w/pst-pxessg c-/c+			1.44	1.44	0.00%	0.56	0.51	9.80%	0.56	0.51	9.80%	0.09	0.08	12.50%
70546	Mra head w/pst-pxessg c-/c+			0.00	0.00		8.97	7.74	15.89%	NA	NA		0.03	0.04	-25.00%
70547	Mra neck w/post-pxessing c-			1.17	1.17	0.00%	5.94	5.16	15.12%	NA	NA		0.09	0.1	-10.00%
70547	Mra neck w/post-pxessing c-			1.17	1.17	0.00%	0.45	0.41	9.76%	0.45	0.41	9.76%	0.07	0.07	0.00%
70547	Mra neck w/post-pxessing c-			0.00	0.00		5.49	4.75	15.58%	NA	NA		0.02	0.03	-33.33%
70551	Mri brain stem w/o dye			1.44	1.44	0.00%	4.4	4.31	2.09%	NA	NA		0.11	0.1	10.00%
70551	Mri brain stem w/o dye			1.44	1.44	0.00%	0.54	0.51	5.88%	0.54	0.51	5.88%	0.09	0.08	12.50%
70551	Mri brain stem w/o dye			0.00	0.00		3.86	3.8	1.58%	NA	NA		0.02	0.02	0.00%
70552	Mri brain stem w/dye			1.74	1.74	0.00%	6.3	6.2	1.61%	NA	NA		0.13	0.12	8.33%
70552	Mri brain stem w/dye			1.74	1.74	0.00%	0.66	0.62	6.45%	0.66	0.62	6.45%	0.1	0.09	11.11%
70552	Mri brain stem w/dye			0.00	0.00		5.64	5.58	1.08%	NA	NA		0.03	0.03	0.00%
70553	Mri brain stem w/o & w/dye			2.23	2.23	0.00%	7.23	7.1	1.83%	NA	NA		0.15	0.16	-6.25%
70553	Mri brain stem w/o & w/dye			2.23	2.23	0.00%	0.82	0.79	3.80%	0.82	0.79	3.80%	0.12	0.13	-7.69%
70553	Mri brain stem w/o & w/dye			0.00	0.00		6.41	6.31	1.58%	NA	NA		0.03	0.03	0.00%
70557	Mri brain w/o dye			0.00	0.00		0	0		NA	NA		0	0	
70557	Mri brain w/o dye			2.83	2.83	0.00%	1.57	1.65	-4.85%	1.57	1.65	-4.85%	0.12	0.13	-7.69%
70557	Mri brain w/o dye			0.00	0.00		0	0		NA	NA		0	0	
70558	Mri brain w/dye			0.00	0.00		0	0		NA	NA		0	0	
70558	Mri brain w/dye			3.12	3.12	0.00%	1.73	1.81	-4.42%	1.73	1.81	-4.42%	0.15	0.15	0.00%
70558	Mri brain w/dye			0.00	0.00		0	0		NA	NA		0	0	
70559	Mri brain w/o & w/dye			0.00	0.00		0	0		NA	NA		0	0	

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
70559	Mri brain w/o & w/dye			3.12	3.12	0.00%	1.28	1.29	-0.78%	1.28	1.29	-0.78%	0.32	0.28	14.29%
70559	Mri brain w/o & w/dye			0.00	0.00		0	0		NA	NA		0	0	
71045	X-ray exam chest 1 view			0.18	0.18	0.00%	0.57	0.56	1.79%	NA	NA		0.02	0.02	0.00%
71045	X-ray exam chest 1 view			0.18	0.18	0.00%	0.06	0.06	0.00%	0.06	0.06	0.00%	0.01	0.01	0.00%
71045	X-ray exam chest 1 view			0.00	0.00		0.51	0.5	2.00%	NA	NA		0.01	0.01	0.00%
71046	X-ray exam chest 2 views			0.21	0.21	0.00%	0.76	0.76	0.00%	NA	NA		0.02	0.02	0.00%
71046	X-ray exam chest 2 views			0.21	0.21	0.00%	0.08	0.08	0.00%	0.08	0.08	0.00%	0.01	0.01	0.00%
71046	X-ray exam chest 2 views			0.00	0.00		0.68	0.68	0.00%	NA	NA		0.01	0.01	0.00%
71250	Ct thorax dx c-			1.05	1.05	0.00%	2.91	2.85	2.11%	NA	NA		0.07	0.07	0.00%
71250	Ct thorax dx c-			1.05	1.05	0.00%	0.4	0.37	8.11%	0.4	0.37	8.11%	0.06	0.06	0.00%
71250	Ct thorax dx c-			0.00	0.00		2.51	2.48	1.21%	NA	NA		0.01	0.01	0.00%
71260	Ct thorax dx c+			1.13	1.13	0.00%	3.84	3.77	1.86%	NA	NA		0.09	0.09	0.00%
71260	Ct thorax dx c+			1.13	1.13	0.00%	0.44	0.41	7.32%	0.44	0.41	7.32%	0.07	0.07	0.00%
71260	Ct thorax dx c+			0.00	0.00		3.4	3.36	1.19%	NA	NA		0.02	0.02	0.00%
72020	X-ray exam of spine 1 view			0.16	0.16	0.00%	0.52	0.53	-1.89%	NA	NA		0.02	0.02	0.00%
72020	X-ray exam of spine 1 view			0.16	0.16	0.00%	0.06	0.06	0.00%	0.06	0.06	0.00%	0.01	0.01	0.00%
72020	X-ray exam of spine 1 view			0.00	0.00		0.46	0.47	-2.13%	NA	NA		0.01	0.01	0.00%
72040	X-ray exam neck spine 2-3 vw			0.21	0.21	0.00%	0.91	0.96	-5.21%	NA	NA		0.02	0.02	0.00%
72040	X-ray exam neck spine 2-3 vw			0.21	0.21	0.00%	0.09	0.09	0.00%	0.09	0.09	0.00%	0.01	0.01	0.00%
72040	X-ray exam neck spine 2-3 vw			0.00	0.00		0.82	0.87	-5.75%	NA	NA		0.01	0.01	0.00%
72050	X-ray exam neck spine 4/5vws			0.26	0.26	0.00%	1.32	1.36	-2.94%	NA	NA		0.03	0.03	0.00%
72050	X-ray exam neck spine 4/5vws			0.26	0.26	0.00%	0.11	0.11	0.00%	0.11	0.11	0.00%	0.02	0.02	0.00%
72050	X-ray exam neck spine 4/5vws			0.00	0.00		1.21	1.25	-3.20%	NA	NA		0.01	0.01	0.00%
72052	X-ray exam neck spine 6/>vws			0.29	0.29	0.00%	1.54	1.56	-1.28%	NA	NA		0.03	0.03	0.00%
72052	X-ray exam neck spine 6/>vws			0.29	0.29	0.00%	0.12	0.12	0.00%	0.12	0.12	0.00%	0.02	0.02	0.00%
72052	X-ray exam neck spine 6/>vws			0.00	0.00		1.42	1.44	-1.39%	NA	NA		0.01	0.01	0.00%
72070	X-ray exam thorac spine 2vws			0.20	0.20	0.00%	0.76	0.77	-1.30%	NA	NA		0.02	0.02	0.00%
72070	X-ray exam thorac spine 2vws			0.20	0.20	0.00%	0.08	0.08	0.00%	0.08	0.08	0.00%	0.01	0.01	0.00%
72070	X-ray exam thorac spine 2vws			0.00	0.00		0.68	0.69	-1.45%	NA	NA		0.01	0.01	0.00%
72072	X-ray exam thorac spine 3vws			0.22	0.22	0.00%	0.92	0.92	0.00%	NA	NA		0.02	0.02	0.00%
72072	X-ray exam thorac spine 3vws			0.22	0.22	0.00%	0.08	0.08	0.00%	0.08	0.08	0.00%	0.01	0.01	0.00%
72072	X-ray exam thorac spine 3vws			0.00	0.00		0.84	0.84	0.00%	NA	NA		0.01	0.01	0.00%
72074	X-ray exam thorac spine4/>vw			0.24	0.24	0.00%	1.05	1.06	-0.94%	NA	NA		0.02	0.02	0.00%
72074	X-ray exam thorac spine4/>vw			0.24	0.24	0.00%	0.09	0.09	0.00%	0.09	0.09	0.00%	0.01	0.01	0.00%
72074	X-ray exam thorac spine4/>vw			0.00	0.00		0.96	0.97	-1.03%	NA	NA		0.01	0.01	0.00%
72080	X-ray exam thoracolmb 2/> vw			0.20	0.20	0.00%	0.8	0.83	-3.61%	NA	NA		0.02	0.02	0.00%
72080	X-ray exam thoracolmb 2/> vw			0.20	0.20	0.00%	0.08	0.09	-11.11%	0.08	0.09	-11.11%	0.01	0.01	0.00%
72080	X-ray exam thoracolmb 2/> vw			0.00	0.00		0.72	0.74	-2.70%	NA	NA		0.01	0.01	0.00%
72081	X-ray exam entire spi 1 vw			0.25	0.25	0.00%	1	1.05	-4.76%	NA	NA		0.03	0.03	0.00%
72081	X-ray exam entire spi 1 vw			0.25	0.25	0.00%	0.1	0.11	-9.09%	0.1	0.11	-9.09%	0.02	0.02	0.00%
72081	X-ray exam entire spi 1 vw			0.00	0.00		0.9	0.94	-4.26%	NA	NA		0.01	0.01	0.00%
72082	X-ray exam entire spi 2/3 vw			0.30	0.30	0.00%	1.77	1.82	-2.75%	NA	NA		0.03	0.03	0.00%
72082	X-ray exam entire spi 2/3 vw			0.30	0.30	0.00%	0.13	0.13	0.00%	0.13	0.13	0.00%	0.02	0.02	0.00%
72082	X-ray exam entire spi 2/3 vw			0.00	0.00		1.64	1.69	-2.96%	NA	NA		0.01	0.01	0.00%
72083	X-ray exam entire spi 4/5 vw			0.34	0.34	0.00%	1.92	2.02	-4.95%	NA	NA		0.03	0.03	0.00%
72083	X-ray exam entire spi 4/5 vw			0.34	0.34	0.00%	0.14	0.15	-6.67%	0.14	0.15	-6.67%	0.02	0.02	0.00%
72083	X-ray exam entire spi 4/5 vw			0.00	0.00		1.78	1.87	-4.81%	NA	NA		0.01	0.01	0.00%
72084	X-ray exam entire spi 6/> vw			0.40	0.40	0.00%	2.45	2.52	-2.78%	NA	NA		0.04	0.04	0.00%
72084	X-ray exam entire spi 6/> vw			0.40	0.40	0.00%	0.16	0.17	-5.88%	0.16	0.17	-5.88%	0.02	0.02	0.00%
72084	X-ray exam entire spi 6/> vw			0.00	0.00		2.29	2.35	-2.55%	NA	NA		0.02	0.02	0.00%
72100	X-ray exam l-s spine 2/3 vws			0.21	0.21	0.00%	0.92	0.97	-5.15%	NA	NA		0.02	0.02	0.00%
72100	X-ray exam l-s spine 2/3 vws			0.21	0.21	0.00%	0.09	0.09	0.00%	0.09	0.09	0.00%	0.01	0.01	0.00%
72100	X-ray exam l-s spine 2/3 vws			0.00	0.00		0.83	0.88	-5.68%	NA	NA		0.01	0.01	0.00%
72110	X-ray exam l-2 spine 4/>vws			0.25	0.25	0.00%	1.27	1.32	-3.79%	NA	NA		0.03	0.03	0.00%
72110	X-ray exam l-2 spine 4/>vws			0.25	0.25	0.00%	0.11	0.11	0.00%	0.11	0.11	0.00%	0.02	0.02	0.00%
72110	X-ray exam l-2 spine 4/>vws			0.00	0.00		1.16	1.21	-4.13%	NA	NA		0.01	0.01	0.00%
72114	X-ray exam l-s spine bending			0.29	0.29	0.00%	1.49	1.53	-2.61%	NA	NA		0.03	0.03	0.00%
72114	X-ray exam l-s spine bending			0.29	0.29	0.00%	0.12	0.12	0.00%	0.12	0.12	0.00%	0.02	0.02	0.00%
72114	X-ray exam l-s spine bending			0.00	0.00		1.37	1.41	-2.84%	NA	NA		0.01	0.01	0.00%
72120	X-ray bend only l-s spine			0.21	0.21	0.00%	0.97	1.03	-5.83%	NA	NA		0.02	0.02	0.00%
72120	X-ray bend only l-s spine			0.21	0.21	0.00%	0.09	0.1	-10.00%	0.09	0.1	-10.00%	0.01	0.01	0.00%
72120	X-ray bend only l-s spine			0.00	0.00		0.88	0.93	-5.38%	NA	NA		0.01	0.01	0.00%
72125	Ct neck spine w/o dye			0.98	0.98	0.00%	2.91	2.86	1.75%	NA	NA		0.07	0.07	0.00%
72125	Ct neck spine w/o dye			0.98	0.98	0.00%	0.37	0.35	5.71%	0.37	0.35	5.71%	0.06	0.06	0.00%
72125	Ct neck spine w/o dye			0.00	0.00		2.54	2.51	1.20%	NA	NA		0.01	0.01	0.00%
72126	Ct neck spine w/dye			1.19	1.19	0.00%	3.86	3.76	2.66%	NA	NA		0.09	0.09	0.00%
72126	Ct neck spine w/dye			1.19	1.19	0.00%	0.45	0.42	7.14%	0.45	0.42	7.14%	0.07	0.07	0.00%
72126	Ct neck spine w/dye			0.00	0.00		3.41	3.34	2.10%	NA	NA		0.02	0.02	0.00%
72128	Ct chest spine w/o dye			0.98	0.98	0.00%	2.9	2.85	1.75%	NA	NA		0.07	0.07	0.00%
72128	Ct chest spine w/o dye			0.98	0.98	0.00%	0.37	0.35	5.71%	0.37	0.35	5.71%	0.06	0.06	0.00%
72128	Ct chest spine w/o dye			0.00	0.00		2.53	2.5	1.20%	NA	NA		0.01	0.01	0.00%
72129	Ct chest spine w/dye			1.19	1.19	0.00%	3.88	3.79	2.37%	NA	NA		0.09	0.09	0.00%
72129	Ct chest spine w/dye			1.19	1.19	0.00%	0.45	0.42	7.14%	0.45	0.42	7.14%	0.07	0.07	0.00%
72129	Ct chest spine w/dye			0.00	0.00		3.43	3.37	1.78%	NA	NA		0.02	0.02	0.00%
72131	Ct lumbar spine w/o dye			0.98	0.98	0.00%	2.89	2.84	1.76%	NA	NA		0.07	0.07	0.00%
72131	Ct lumbar spine w/o dye			0.98	0.98	0.00%	0.37	0.35	5.71%	0.37	0.35	5.71%	0.06	0.06	0.00%
72131	Ct lumbar spine w/o dye			0.00	0.00		2.52	2.49	1.20%	NA	NA		0.01	0.01	0.00%
72132	Ct lumbar spine w/dye			1.19	1.19	0.00%	3.87	3.77	2.65%	NA	NA		0.09	0.09	0.00%
72132	Ct lumbar spine w/dye			1.19	1.19	0.00%	0.45	0.42	7.14%	0.45	0.42	7.14%	0.07	0.07	0.00%
72132	Ct lumbar spine w/dye			0.00	0.00		3.42	3.35	2.09%	NA	NA		0.02	0.02	0.00%
72141	Mri neck spine w/o dye			1.44	1.44	0.00%	4.24	4.17	1.68%	NA	NA		0.11	0.1	10.00%
72141	Mri neck spine w/o dye			1.44	1.44	0.00%	0.55	0.52	5.77%	0.55	0.52	5.77%	0.09	0.08	12.50%
72141	Mri neck spine w/o dye			0.00	0.00		3.69	3.65	1.10%	NA	NA		0.02	0.02	0.00%
72146	Mri chest spine w/o dye			1.44	1.44	0.00%	4.24	4.16	1.92%	NA	NA		0.11	0.1	10.00%
72146	Mri chest spine w/o dye			1.44	1.44	0.00%	0.55	0.52	5.77%	0.55	0.52	5.77%	0.09	0.08	12.50%
72146	Mri chest spine w/o dye			0.00	0.00		3.69	3.64	1.37%	NA	NA		0.02	0.02	0.00%
72147	Mri chest spine w/dye			1.74	1.74	0.00%	6.37	6.26	1.76%	NA	NA		0.14	0.12	16.67%
72147	Mri chest spine w/dye			1.74	1.74	0.00%	0.67	0.63	6.35%	0.67	0.63	6.35%	0.11	0.09	22.22%
72147	Mri chest spine w/dye			0.00	0.00		5.7	5.63	1.24%	NA	NA		0.03	0.03	0.00%
72148	Mri lumbar spine w/o dye			1.44	1.44	0.00%	4.25	4.2	1.19%	NA	NA		0.11	0.1	10.00%
72148	Mri lumbar spine w/o dye			1.44	1.44	0.00%	0.56	0.53	5.66%	0.56	0.53	5.66%	0.09	0.08	12.50%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
72148	Mri lumbar spine w/o dye			0.00	0.00		3.69	3.67	0.54%	NA	NA		0.02	0.02	0.00%
72149	Mri lumbar spine w/dye			1.74	1.74	0.00%	6.33	6.22	1.77%	NA	NA		0.13	0.12	8.33%
72149	Mri lumbar spine w/dye			1.74	1.74	0.00%	0.67	0.63	6.35%	0.67	0.63	6.35%	0.1	0.09	11.11%
72149	Mri lumbar spine w/dye			0.00	0.00		5.66	5.59	1.25%	NA	NA		0.03	0.03	0.00%
72156	Mri neck spine w/o & w/dye			2.23	2.23	0.00%	7.28	7.14	1.96%	NA	NA		0.15	0.16	-6.25%
72156	Mri neck spine w/o & w/dye			2.23	2.23	0.00%	0.84	0.8	5.00%	0.84	0.8	5.00%	0.12	0.13	-7.69%
72156	Mri neck spine w/o & w/dye			0.00	0.00		6.44	6.34	1.58%	NA	NA		0.03	0.03	0.00%
72157	Mri chest spine w/o & w/dye			2.23	2.23	0.00%	7.29	7.16	1.82%	NA	NA		0.15	0.16	-6.25%
72157	Mri chest spine w/o & w/dye			2.23	2.23	0.00%	0.84	0.8	5.00%	0.84	0.8	5.00%	0.12	0.13	-7.69%
72157	Mri chest spine w/o & w/dye			0.00	0.00		6.45	6.36	1.42%	NA	NA		0.03	0.03	0.00%
72158	Mri lumbar spine w/o & w/dye			2.23	2.23	0.00%	7.27	7.14	1.82%	NA	NA		0.15	0.16	-6.25%
72158	Mri lumbar spine w/o & w/dye			2.23	2.23	0.00%	0.84	0.8	5.00%	0.84	0.8	5.00%	0.12	0.13	-7.69%
72158	Mri lumbar spine w/o & w/dye			0.00	0.00		6.43	6.34	1.42%	NA	NA		0.03	0.03	0.00%
72170	X-ray exam of pelvis			0.17	0.17	0.00%	0.64	0.65	-1.54%	NA	NA		0.02	0.02	0.00%
72170	X-ray exam of pelvis			0.17	0.17	0.00%	0.07	0.07	0.00%	0.07	0.07	0.00%	0.01	0.01	0.00%
72170	X-ray exam of pelvis			0.00	0.00		0.57	0.58	-1.72%	NA	NA		0.01	0.01	0.00%
72190	X-ray exam of pelvis			0.24	0.24	0.00%	0.97	1.03	-5.83%	NA	NA		0.03	0.03	0.00%
72190	X-ray exam of pelvis			0.24	0.24	0.00%	0.1	0.11	-9.09%	0.1	0.11	-9.09%	0.02	0.02	0.00%
72190	X-ray exam of pelvis			0.00	0.00		0.87	0.92	-5.43%	NA	NA		0.01	0.01	0.00%
72192	Ct pelvis w/o dye			1.06	1.06	0.00%	2.9	2.84	2.11%	NA	NA		0.07	0.07	0.00%
72192	Ct pelvis w/o dye			1.06	1.06	0.00%	0.4	0.37	8.11%	0.4	0.37	8.11%	0.06	0.06	0.00%
72192	Ct pelvis w/o dye			0.00	0.00		2.5	2.47	1.21%	NA	NA		0.01	0.01	0.00%
72195	Mri pelvis w/o dye			1.42	1.42	0.00%	5.39	5.31	1.51%	NA	NA		0.11	0.09	22.22%
72195	Mri pelvis w/o dye			1.42	1.42	0.00%	0.54	0.51	5.88%	0.54	0.51	5.88%	0.09	0.07	28.57%
72195	Mri pelvis w/o dye			0.00	0.00		4.85	4.8	1.04%	NA	NA		0.02	0.02	0.00%
72197	Mri pelvis w/o & w/dye			2.15	2.15	0.00%	7.85	7.7	1.95%	NA	NA		0.15	0.16	-6.25%
72197	Mri pelvis w/o & w/dye			2.15	2.15	0.00%	0.79	0.75	5.33%	0.79	0.75	5.33%	0.12	0.13	-7.69%
72197	Mri pelvis w/o & w/dye			0.00	0.00		7.06	6.95	1.58%	NA	NA		0.03	0.03	0.00%
72200	X-ray exam si joints			0.17	0.17	0.00%	0.81	0.82	-1.22%	NA	NA		0.02	0.02	0.00%
72200	X-ray exam si joints			0.17	0.17	0.00%	0.07	0.07	0.00%	0.07	0.07	0.00%	0.01	0.01	0.00%
72200	X-ray exam si joints			0.00	0.00		0.74	0.75	-1.33%	NA	NA		0.01	0.01	0.00%
72202	X-ray exam si joints 3/> vws			0.22	0.22	0.00%	0.91	0.92	-1.09%	NA	NA		0.02	0.02	0.00%
72202	X-ray exam si joints 3/> vws			0.22	0.22	0.00%	0.08	0.08	0.00%	0.08	0.08	0.00%	0.01	0.01	0.00%
72202	X-ray exam si joints 3/> vws			0.00	0.00		0.83	0.84	-1.19%	NA	NA		0.01	0.01	0.00%
72220	X-ray exam sacrum tailbone			0.17	0.17	0.00%	0.76	0.77	-1.30%	NA	NA		0.02	0.02	0.00%
72220	X-ray exam sacrum tailbone			0.17	0.17	0.00%	0.07	0.07	0.00%	0.07	0.07	0.00%	0.01	0.01	0.00%
72220	X-ray exam sacrum tailbone			0.00	0.00		0.69	0.7	-1.43%	NA	NA		0.01	0.01	0.00%
73030	X-ray exam of shoulder			0.18	0.18	0.00%	0.84	0.87	-3.45%	NA	NA		0.02	0.02	0.00%
73030	X-ray exam of shoulder			0.18	0.18	0.00%	0.08	0.08	0.00%	0.08	0.08	0.00%	0.01	0.01	0.00%
73030	X-ray exam of shoulder			0.00	0.00		0.76	0.79	-3.80%	NA	NA		0.01	0.01	0.00%
73040	Contrast x-ray of shoulder			0.53	0.53	0.00%	3.3	3.46	-4.62%	NA	NA		0.04	0.04	0.00%
73040	Contrast x-ray of shoulder			0.53	0.53	0.00%	0.23	0.24	-4.17%	0.23	0.24	-4.17%	0.03	0.03	0.00%
73040	Contrast x-ray of shoulder			0.00	0.00		3.07	3.22	-4.66%	NA	NA		0.01	0.01	0.00%
73218	Mri upper extremity w/o dye			1.32	1.32	0.00%	7.72	7.67	0.65%	NA	NA		0.12	0.1	20.00%
73218	Mri upper extremity w/o dye			1.32	1.32	0.00%	0.52	0.49	6.12%	0.52	0.49	6.12%	0.09	0.07	28.57%
73218	Mri upper extremity w/o dye			0.00	0.00		7.2	7.18	0.28%	NA	NA		0.03	0.03	0.00%
73220	Mri uppr extremity w/o&w/dye			2.10	2.10	0.00%	10.03	9.93	1.01%	NA	NA		0.14	0.16	-12.50%
73220	Mri uppr extremity w/o&w/dye			2.10	2.10	0.00%	0.79	0.76	3.95%	0.79	0.76	3.95%	0.11	0.12	-8.33%
73220	Mri uppr extremity w/o&w/dye			0.00	0.00		9.24	9.17	0.76%	NA	NA		0.03	0.04	-25.00%
73221	Mri joint upr extrem w/o dye			1.32	1.32	0.00%	4.73	4.73	0.00%	NA	NA		0.11	0.09	22.22%
73221	Mri joint upr extrem w/o dye			1.32	1.32	0.00%	0.52	0.5	4.00%	0.52	0.5	4.00%	0.09	0.07	28.57%
73221	Mri joint upr extrem w/o dye			0.00	0.00		4.21	4.23	-0.47%	NA	NA		0.02	0.02	0.00%
73501	X-ray exam hip uni 1 view			0.18	0.18	0.00%	0.78	0.81	-3.70%	NA	NA		0.02	0.02	0.00%
73501	X-ray exam hip uni 1 view			0.18	0.18	0.00%	0.08	0.08	0.00%	0.08	0.08	0.00%	0.01	0.01	0.00%
73501	X-ray exam hip uni 1 view			0.00	0.00		0.7	0.73	-4.11%	NA	NA		0.01	0.01	0.00%
73502	X-ray exam hip uni 2-3 views			0.21	0.21	0.00%	1.17	1.23	-4.88%	NA	NA		0.02	0.02	0.00%
73502	X-ray exam hip uni 2-3 views			0.21	0.21	0.00%	0.09	0.1	-10.00%	0.09	0.1	-10.00%	0.01	0.01	0.00%
73502	X-ray exam hip uni 2-3 views			0.00	0.00		1.08	1.13	-4.42%	NA	NA		0.01	0.01	0.00%
73521	X-ray exam hips bi 2 views			0.21	0.21	0.00%	0.96	1.03	-6.80%	NA	NA		0.02	0.02	0.00%
73521	X-ray exam hips bi 2 views			0.21	0.21	0.00%	0.09	0.1	-10.00%	0.09	0.1	-10.00%	0.01	0.01	0.00%
73521	X-ray exam hips bi 2 views			0.00	0.00		0.87	0.93	-6.45%	NA	NA		0.01	0.01	0.00%
73522	X-ray exam hips bi 3-4 views			0.28	0.28	0.00%	1.27	1.32	-3.79%	NA	NA		0.03	0.03	0.00%
73522	X-ray exam hips bi 3-4 views			0.28	0.28	0.00%	0.12	0.12	0.00%	0.12	0.12	0.00%	0.02	0.02	0.00%
73522	X-ray exam hips bi 3-4 views			0.00	0.00		1.15	1.2	-4.17%	NA	NA		0.01	0.01	0.00%
73523	X-ray exam hips bi 5/> views			0.30	0.30	0.00%	1.47	1.51	-2.65%	NA	NA		0.03	0.03	0.00%
73523	X-ray exam hips bi 5/> views			0.30	0.30	0.00%	0.12	0.12	0.00%	0.12	0.12	0.00%	0.02	0.02	0.00%
73523	X-ray exam hips bi 5/> views			0.00	0.00		1.35	1.39	-2.88%	NA	NA		0.01	0.01	0.00%
73560	X-ray exam of knee 1 or 2			0.16	0.16	0.00%	0.82	0.85	-3.53%	NA	NA		0.02	0.02	0.00%
73560	X-ray exam of knee 1 or 2			0.16	0.16	0.00%	0.07	0.07	0.00%	0.07	0.07	0.00%	0.01	0.01	0.00%
73560	X-ray exam of knee 1 or 2			0.00	0.00		0.75	0.78	-3.85%	NA	NA		0.01	0.01	0.00%
73562	X-ray exam of knee 3			0.18	0.18	0.00%	1	1.07	-6.54%	NA	NA		0.02	0.02	0.00%
73562	X-ray exam of knee 3			0.18	0.18	0.00%	0.08	0.09	-11.11%	0.08	0.09	-11.11%	0.01	0.01	0.00%
73562	X-ray exam of knee 3			0.00	0.00		0.92	0.98	-6.12%	NA	NA		0.01	0.01	0.00%
73564	X-ray exam knee 4 or more			0.21	0.21	0.00%	1.19	1.25	-4.80%	NA	NA		0.02	0.02	0.00%
73564	X-ray exam knee 4 or more			0.21	0.21	0.00%	0.1	0.11	-9.09%	0.1	0.11	-9.09%	0.01	0.01	0.00%
73564	X-ray exam knee 4 or more			0.00	0.00		1.09	1.14	-4.39%	NA	NA		0.01	0.01	0.00%
73580	Contrast x-ray of knee joint			0.58	0.58	0.00%	2.71	2.85	-4.91%	NA	NA		0.07	0.08	-12.50%
73580	Contrast x-ray of knee joint			0.58	0.58	0.00%	0.28	0.3	-6.67%	0.28	0.3	-6.67%	0.06	0.07	-14.29%
73580	Contrast x-ray of knee joint			0.00	0.00		2.43	2.55	-4.71%	NA	NA		0.01	0.01	0.00%
73590	X-ray exam of lower leg			0.16	0.16	0.00%	0.76	0.76	0.00%	NA	NA		0.02	0.02	0.00%
73590	X-ray exam of lower leg			0.16	0.16	0.00%	0.06	0.06	0.00%	0.06	0.06	0.00%	0.01	0.01	0.00%
73590	X-ray exam of lower leg			0.00	0.00		0.7	0.7	0.00%	NA	NA		0.01	0.01	0.00%
73718	Mri lower extremity w/o dye			1.32	1.32	0.00%	5.36	5.26	1.90%	NA	NA		0.11	0.09	22.22%
73718	Mri lower extremity w/o dye			1.32	1.32	0.00%	0.5	0.47	6.38%	0.5	0.47	6.38%	0.09	0.07	28.57%
73718	Mri lower extremity w/o dye			0.00	0.00		4.86	4.79	1.46%	NA	NA		0.02	0.02	0.00%
73721	Mri jnt of lwr extre w/o dye			1.32	1.32	0.00%	4.73	4.71	0.42%	NA	NA		0.11	0.09	22.22%
73721	Mri jnt of lwr extre w/o dye			1.32	1.32	0.00%	0.52	0.49	6.12%	0.52	0.49	6.12%	0.09	0.07	28.57%
73721	Mri jnt of lwr extre w/o dye			0.00	0.00		4.21	4.22	-0.24%	NA	NA		0.02	0.02	0.00%
73723	Mri joint lwr extr w/o&w/dye			2.10	2.10	0.00%	9.32	9.18	1.53%	NA	NA		0.14	0.15	-6.67%
73723	Mri joint lwr extr w/o&w/dye			2.10	2.10	0.00%	0.78	0.75	4.00%	0.78	0.75	4.00%	0.11	0.12	-8.33%
73723	Mri joint lwr extr w/o&w/dye			0.00	0.00		8.54	8.43	1.30%	NA	NA		0.03	0.03	0.00%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
74018	Radex abdomen 1 view			0.18	0.18	0.00%	0.7	0.69	1.45%	NA	NA		0.02	0.02	0.00%
74018	Radex abdomen 1 view			0.18	0.18	0.00%	0.07	0.07	0.00%	0.07	0.07	0.00%	0.01	0.01	0.00%
74018	Radex abdomen 1 view			0.00	0.00		0.63	0.62	1.61%	NA	NA		0.01	0.01	0.00%
74019	Radex abdomen 2 views			0.22	0.22	0.00%	0.84	0.84	0.00%	NA	NA		0.02	0.02	0.00%
74019	Radex abdomen 2 views			0.22	0.22	0.00%	0.09	0.09	0.00%	0.09	0.09	0.00%	0.01	0.01	0.00%
74019	Radex abdomen 2 views			0.00	0.00		0.75	0.75	0.00%	NA	NA		0.01	0.01	0.00%
74176	Ct abd & pelvis w/o contrast			1.70	1.70	0.00%	3.75	3.67	2.18%	NA	NA		0.12	0.11	9.09%
74176	Ct abd & pelvis w/o contrast			1.70	1.70	0.00%	0.64	0.6	6.67%	0.64	0.6	6.67%	0.1	0.09	11.11%
74176	Ct abd & pelvis w/o contrast			0.00	0.00		3.11	3.07	1.30%	NA	NA		0.02	0.02	0.00%
74177	Ct abd & pelvis w/contrast			1.77	1.77	0.00%	7.23	7.1	1.83%	NA	NA		0.13	0.13	0.00%
74177	Ct abd & pelvis w/contrast			1.77	1.77	0.00%	0.67	0.63	6.35%	0.67	0.63	6.35%	0.11	0.11	0.00%
74177	Ct abd & pelvis w/contrast			0.00	0.00		6.56	6.47	1.39%	NA	NA		0.02	0.02	0.00%
74178	Ct abd&plv wo cntr flwd cntr			1.96	1.96	0.00%	8.14	8.02	1.50%	NA	NA		0.14	0.15	-6.67%
74178	Ct abd&plv wo cntr flwd cntr			1.96	1.96	0.00%	0.74	0.7	5.71%	0.74	0.7	5.71%	0.11	0.12	-8.33%
74178	Ct abd&plv wo cntr flwd cntr			0.00	0.00		7.4	7.32	1.09%	NA	NA		0.03	0.03	0.00%
75705	Artery x-rays spine			2.13	2.13	0.00%	5.78	6.08	-4.93%	NA	NA		0.5	0.5	0.00%
75705	Artery x-rays spine			2.13	2.13	0.00%	1.02	1.08	-5.56%	1.02	1.08	-5.56%	0.47	0.47	0.00%
75705	Artery x-rays spine			0.00	0.00		4.76	5	-4.80%	NA	NA		0.03	0.03	0.00%
75710	Artery x-rays arm/leg			1.71	1.71	0.00%	2.65	2.51	5.58%	NA	NA		0.26	0.25	4.00%
75710	Artery x-rays arm/leg			1.71	1.71	0.00%	0.5	0.47	6.38%	0.5	0.47	6.38%	0.24	0.23	4.35%
75710	Artery x-rays arm/leg			0.00	0.00		2.15	2.04	5.39%	NA	NA		0.02	0.02	0.00%
75716	Artery x-rays arms/legs			1.92	1.92	0.00%	2.88	2.72	5.88%	NA	NA		0.23	0.23	0.00%
75716	Artery x-rays arms/legs			1.92	1.92	0.00%	0.61	0.57	7.02%	0.61	0.57	7.02%	0.21	0.21	0.00%
75716	Artery x-rays arms/legs			0.00	0.00		2.27	2.15	5.58%	NA	NA		0.02	0.02	0.00%
75736	Artery x-rays pelvis			1.11	1.11	0.00%	3.22	3.07	4.89%	NA	NA		0.12	0.11	9.09%
75736	Artery x-rays pelvis			1.11	1.11	0.00%	0.32	0.31	3.23%	0.32	0.31	3.23%	0.09	0.08	12.50%
75736	Artery x-rays pelvis			0.00	0.00		2.9	2.76	5.07%	NA	NA		0.03	0.03	0.00%
75774	Artery x-ray each vessel			0.98	0.98	0.00%	1.88	1.79	5.03%	NA	NA		0.1	0.08	25.00%
75774	Artery x-ray each vessel			0.98	0.98	0.00%	0.29	0.28	3.57%	0.29	0.28	3.57%	0.09	0.07	28.57%
75774	Artery x-ray each vessel			0.00	0.00		1.59	1.51	5.30%	NA	NA		0.01	0.01	0.00%
75860	Vngrph ven sins/jugular rs&i			1.11	1.11	0.00%	2.78	2.64	5.30%	NA	NA		0.14	0.13	7.69%
75860	Vngrph ven sins/jugular rs&i			1.11	1.11	0.00%	0.41	0.38	7.89%	0.41	0.38	7.89%	0.12	0.11	9.09%
75860	Vngrph ven sins/jugular rs&i			0.00	0.00		2.37	2.26	4.87%	NA	NA		0.02	0.02	0.00%
75870	Vngrph sup sgtl sinus rs&i			1.11	1.11	0.00%	4.05	4.16	-2.64%	NA	NA		0.26	0.24	8.33%
75870	Vngrph sup sgtl sinus rs&i			1.11	1.11	0.00%	0.52	0.54	-3.70%	0.52	0.54	-3.70%	0.24	0.22	9.09%
75870	Vngrph sup sgtl sinus rs&i			0.00	0.00		3.53	3.62	-2.49%	NA	NA		0.02	0.02	0.00%
75894	X-rays transcath therapy			2.19	2.19	0.00%	6.45	6.79	-5.01%	NA	NA		0.5	0.51	-1.96%
75894	X-rays transcath therapy			2.19	2.19	0.00%	1.09	1.15	-5.22%	1.09	1.15	-5.22%	0.47	0.48	-2.08%
75894	X-rays transcath therapy			0.00	0.00		5.36	5.64	-4.96%	NA	NA		0.03	0.03	0.00%
75898	Follow-up angiography			1.80	1.80	0.00%	5.65	5.94	-4.88%	NA	NA		0.42	0.43	-2.33%
75898	Follow-up angiography			1.80	1.80	0.00%	0.92	0.97	-5.15%	0.92	0.97	-5.15%	0.4	0.41	-2.44%
75898	Follow-up angiography			0.00	0.00		4.73	4.97	-4.83%	NA	NA		0.02	0.02	0.00%
76000	Fluoroscopy <1 hr phys/qhp			0.30	0.30	0.00%	0.92	0.98	-6.12%	NA	NA		0.04	0.04	0.00%
76000	Fluoroscopy <1 hr phys/qhp			0.30	0.30	0.00%	0.12	0.13	-7.69%	0.12	0.13	-7.69%	0.03	0.03	0.00%
76000	Fluoroscopy <1 hr phys/qhp			0.00	0.00		0.8	0.85	-5.88%	NA	NA		0.01	0.01	0.00%
76014	Mr sfty implt&/fb asmt stf 1			0.00	0.00		0.33	0.32	3.13%	NA	NA		0.01	0.01	0.00%
76015	Mr sfty mplt&/fb asmt stf ea			0.00	0.00		1.56	1.53	1.96%	NA	NA		0.06	0.06	0.00%
76120	Cineradiograpy/vidradiograpy			0.37	0.37	0.00%	2.86	3.01	-4.98%	NA	NA		0.02	0.02	0.00%
76120	Cineradiograpy/vidradiograpy			0.37	0.37	0.00%	0.17	0.18	-5.56%	0.17	0.18	-5.56%	0.01	0.01	0.00%
76120	Cineradiograpy/vidradiograpy			0.00	0.00		2.69	2.83	-4.95%	NA	NA		0.01	0.01	0.00%
76376	3d render w/intrp postproces			0.20	0.20	0.00%	0.55	0.54	1.85%	NA	NA		0.02	0.02	0.00%
76376	3d render w/intrp postproces			0.20	0.20	0.00%	0.07	0.07	0.00%	0.07	0.07	0.00%	0.01	0.01	0.00%
76376	3d render w/intrp postproces			0.00	0.00		0.48	0.47	2.13%	NA	NA		0.01	0.01	0.00%
76377	3d render w/intrp postproces			0.77	0.77	0.00%	1.54	1.53	0.65%	NA	NA		0.07	0.07	0.00%
76377	3d render w/intrp postproces			0.77	0.77	0.00%	0.3	0.29	3.45%	0.3	0.29	3.45%	0.05	0.05	0.00%
76377	3d render w/intrp postproces			0.00	0.00		1.24	1.24	0.00%	NA	NA		0.02	0.02	0.00%
76380	Cat scan follow-up study			0.96	0.96	0.00%	3.07	2.93	4.78%	NA	NA		0.08	0.08	0.00%
76380	Cat scan follow-up study			0.96	0.96	0.00%	0.32	0.31	3.23%	0.32	0.31	3.23%	0.07	0.07	0.00%
76380	Cat scan follow-up study			0.00	0.00		2.75	2.62	4.96%	NA	NA		0.01	0.01	0.00%
76800	Us exam spinal canal			1.10	1.10	0.00%	4.16	4.36	-4.59%	NA	NA		0.22	0.24	-8.33%
76800	Us exam spinal canal			1.10	1.10	0.00%	0.58	0.6	-3.33%	0.58	0.6	-3.33%	0.21	0.23	-8.70%
76800	Us exam spinal canal			0.00	0.00		3.58	3.76	-4.79%	NA	NA		0.01	0.01	0.00%
76857	Us exam pelvic limited			0.49	0.49	0.00%	0.99	1	-1.00%	NA	NA		0.04	0.04	0.00%
76857	Us exam pelvic limited			0.49	0.49	0.00%	0.19	0.19	0.00%	0.19	0.19	0.00%	0.03	0.03	0.00%
76857	Us exam pelvic limited			0.00	0.00		0.8	0.81	-1.23%	NA	NA		0.01	0.01	0.00%
76881	Us compl joint r-t w/img			0.88	0.88	0.00%	0.67	0.68	-1.47%	NA	NA		0.04	0.05	-20.00%
76881	Us compl joint r-t w/img			0.88	0.88	0.00%	0.36	0.36	0.00%	0.36	0.36	0.00%	0.03	0.04	-25.00%
76881	Us compl joint r-t w/img			0.00	0.00		0.31	0.32	-3.13%	NA	NA		0.01	0.01	0.00%
76882	Us lmtd jt/fcl evl nvasc xtr			0.67	0.67	0.00%	1.2	1.2	0.00%	NA	NA		0.04	0.05	-20.00%
76882	Us lmtd jt/fcl evl nvasc xtr			0.67	0.67	0.00%	0.26	0.25	4.00%	0.26	0.25	4.00%	0.03	0.04	-25.00%
76882	Us lmtd jt/fcl evl nvasc xtr			0.00	0.00		0.94	0.95	-1.05%	NA	NA		0.01	0.01	0.00%
76937	Us guide vascular access			0.29	0.29	0.00%	0.91	0.88	3.41%	NA	NA		0.04	0.04	0.00%
76937	Us guide vascular access			0.29	0.29	0.00%	0.09	0.09	0.00%	0.09	0.09	0.00%	0.03	0.03	0.00%
76937	Us guide vascular access			0.00	0.00		0.82	0.79	3.80%	NA	NA		0.01	0.01	0.00%
76942	Echo guide for biopsy			0.65	0.65	0.00%	1.21	1.23	-1.63%	NA	NA		0.04	0.04	0.00%
76942	Echo guide for biopsy			0.65	0.65	0.00%	0.27	0.26	3.85%	0.27	0.26	3.85%	0.03	0.03	0.00%
76942	Echo guide for biopsy			0.00	0.00		0.94	0.97	-3.09%	NA	NA		0.01	0.01	0.00%
76998	Us guide intraop			0.00	0.00		0	0		NA	NA		0	0	
76998	Us guide intraop			0.89	0.89	0.00%	0.4	0.4	0.00%	0.4	0.4	0.00%	0.15	0.16	-6.25%
76998	Us guide intraop			0.00	0.00		0	0		NA	NA		0	0	
77002	Fluor gdn f/needle placement			0.53	0.53	0.00%	2.91	3.06	-4.90%	NA	NA		0.04	0.04	0.00%
77002	Fluor gdn f/needle placement			0.53	0.53	0.00%	0.24	0.25	-4.00%	0.24	0.25	-4.00%	0.03	0.03	0.00%
77002	Fluor gdn f/needle placement			0.00	0.00		2.67	2.81	-4.98%	NA	NA		0.01	0.01	0.00%
77003	Fluoroguide for spine inject			0.59	0.59	0.00%	2.51	2.49	0.80%	NA	NA		0.04	0.05	-20.00%
77003	Fluoroguide for spine inject			0.59	0.59	0.00%	0.23	0.22	4.55%	0.23	0.22	4.55%	0.03	0.04	-25.00%
77003	Fluoroguide for spine inject			0.00	0.00		2.28	2.27	0.44%	NA	NA		0.01	0.01	0.00%
77011	Ct scan for localization			1.18	1.18	0.00%	5.12	5.38	-4.83%	NA	NA		0.1	0.08	25.00%
77011	Ct scan for localization			1.18	1.18	0.00%	0.53	0.55	-3.64%	0.53	0.55	-3.64%	0.09	0.07	28.57%
77011	Ct scan for localization			0.00	0.00		4.59	4.83	-4.97%	NA	NA		0.01	0.01	0.00%
77012	Ct scan for needle biopsy			1.46	1.46	0.00%	2.23	2.12	5.19%	NA	NA		0.11	0.1	10.00%
77012	Ct scan for needle biopsy			1.46	1.46	0.00%	0.49	0.46	6.52%	0.49	0.46	6.52%	0.1	0.09	11.11%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
77012	Ct scan for needle biopsy			0.00	0.00		1.74	1.66	4.82%	NA	NA		0.01	0.01	0.00%
77067	Scr mammo bi incl cad			0.74	0.74	0.00%	2.99	2.99	0.00%	NA	NA		0.04	0.05	-20.00%
77067	Scr mammo bi incl cad			0.74	0.74	0.00%	0.28	0.27	3.70%	0.28	0.27	3.70%	0.03	0.04	-25.00%
77067	Scr mammo bi incl cad			0.00	0.00		2.71	2.72	-0.37%	NA	NA		0.01	0.01	0.00%
77073	Bone length studies			0.25	0.25	0.00%	1.04	1.11	-6.31%	NA	NA		0.03	0.03	0.00%
77073	Bone length studies			0.25	0.25	0.00%	0.11	0.12	-8.33%	0.11	0.12	-8.33%	0.02	0.02	0.00%
77073	Bone length studies			0.00	0.00		0.93	0.99	-6.06%	NA	NA		0.01	0.01	0.00%
77075	Radex osseous survey compl			0.54	0.54	0.00%	2.38	2.34	1.71%	NA	NA		0.05	0.05	0.00%
77075	Radex osseous survey compl			0.54	0.54	0.00%	0.21	0.2	5.00%	0.21	0.2	5.00%	0.03	0.03	0.00%
77075	Radex osseous survey compl			0.00	0.00		2.17	2.14	1.40%	NA	NA		0.02	0.02	0.00%
77078	Ct bone density axial			0.24	0.24	0.00%	2.67	2.7	-1.11%	NA	NA		0.02	0.02	0.00%
77078	Ct bone density axial			0.24	0.24	0.00%	0.09	0.09	0.00%	0.09	0.09	0.00%	0.01	0.01	0.00%
77078	Ct bone density axial			0.00	0.00		2.58	2.61	-1.15%	NA	NA		0.01	0.01	0.00%
77080	Dxa bone density axial			0.20	0.20	0.00%	0.95	0.96	-1.04%	NA	NA		0.02	0.02	0.00%
77080	Dxa bone density axial			0.20	0.20	0.00%	0.07	0.07	0.00%	0.07	0.07	0.00%	0.01	0.01	0.00%
77080	Dxa bone density axial			0.00	0.00		0.88	0.89	-1.12%	NA	NA		0.01	0.01	0.00%
77295	3-d radiotherapy plan			4.18	4.18	0.00%	9.61	10.21	-5.88%	NA	NA		0.23	0.25	-8.00%
77295	3-d radiotherapy plan			4.18	4.18	0.00%	2.26	2.41	-6.22%	2.26	2.41	-6.22%	0.16	0.18	-11.11%
77295	3-d radiotherapy plan			0.00	0.00		7.35	7.8	-5.77%	NA	NA		0.07	0.07	0.00%
77432	Stereotactic radiation trmt			7.72	7.72	0.00%	4.15	4.45	-6.74%	4.15	4.45	-6.74%	0.62	0.61	1.64%
77778	Apply interstit radiat compl			8.56	8.56	0.00%	17.91	19.06	-6.03%	NA	NA		0.55	0.54	1.85%
77778	Apply interstit radiat compl			8.56	8.56	0.00%	4.6	4.92	-6.50%	4.6	4.92	-6.50%	0.4	0.38	5.26%
77778	Apply interstit radiat compl			0.00	0.00		13.31	14.14	-5.87%	NA	NA		0.15	0.16	-6.25%
88361	Tumor immunohistochem/comput			0.93	0.93	0.00%	2.53	2.49	1.61%	NA	NA		0.02	0.02	0.00%
88361	Tumor immunohistochem/comput			0.93	0.93	0.00%	0.28	0.27	3.70%	0.28	0.27	3.70%	0.01	0.01	0.00%
88361	Tumor immunohistochem/comput			0.00	0.00		2.25	2.22	1.35%	NA	NA		0.01	0.01	0.00%
90791	Psych diagnostic evaluation			3.84	3.84	0.00%	1.4	1.33	5.26%	0.26	0.25	4.00%	0.02	0.02	0.00%
90833	Psytx w pt w e/m 30 min			1.79	1.71	4.68%	0.81	0.66	22.73%	0.28	0.19	47.37%	0.09	0.07	28.57%
90837	Psytx w pt 60 minutes			3.94	3.78	4.23%	1.66	1.2	38.33%	0.54	0.25	116.00%	0.02	0.02	0.00%
92083	Extended visual field xm			0.49	0.49	0.00%	1.33	1.4	-5.00%	NA	NA		0.02	0.02	0.00%
92083	Extended visual field xm			0.49	0.49	0.00%	0.27	0.29	-6.90%	0.27	0.29	-6.90%	0.01	0.01	0.00%
92083	Extended visual field xm			0.00	0.00		1.06	1.11	-4.50%	NA	NA		0.01	0.01	0.00%
92240	Icg angiography i&r uni/bi			0.78	0.78	0.00%	6.17	6.49	-4.93%	NA	NA		0.1	0.08	25.00%
92240	Icg angiography i&r uni/bi			0.78	0.78	0.00%	0.53	0.54	-1.85%	0.53	0.54	-1.85%	0.09	0.07	28.57%
92240	Icg angiography i&r uni/bi			0.00	0.00		5.64	5.95	-5.21%	NA	NA		0.01	0.01	0.00%
92537	Caloric vstblr test w/rec			0.59	0.59	0.00%	0.54	0.57	-5.26%	NA	NA		0.02	0.02	0.00%
92537	Caloric vstblr test w/rec			0.59	0.59	0.00%	0.29	0.31	-6.45%	0.29	0.31	-6.45%	0.01	0.01	0.00%
92537	Caloric vstblr test w/rec			0.00	0.00		0.25	0.26	-3.85%	NA	NA		0.01	0.01	0.00%
92540	Basic vestibular evaluation			1.46	1.46	0.00%	1.54	1.62	-4.94%	NA	NA		0.02	0.02	0.00%
92540	Basic vestibular evaluation			1.46	1.46	0.00%	0.73	0.76	-3.95%	0.73	0.76	-3.95%	0.01	0.01	0.00%
92540	Basic vestibular evaluation			0.00	0.00		0.81	0.86	-5.81%	NA	NA		0.01	0.01	0.00%
92546					0.28			3.72			NA			0.03	
92546					0.28			0.15			0.15			0.01	
92546					0.00			3.57			NA			0.02	
92548	Cdp-sot 6 cond w/i&r			0.65	0.65	0.00%	0.72	0.75	-4.00%	NA	NA		0.02	0.02	0.00%
92548	Cdp-sot 6 cond w/i&r			0.65	0.65	0.00%	0.31	0.33	-6.06%	0.31	0.33	-6.06%	0.01	0.01	0.00%
92548	Cdp-sot 6 cond w/i&r			0.00	0.00		0.41	0.42	-2.38%	NA	NA		0.01	0.01	0.00%
92653	Aep neurodiagnostic i&r			1.02	1.02	0.00%	1.26	1.33	-5.26%	NA	NA		0.06	0.05	20.00%
93000	Electrocardiogram complete			0.17	0.17	0.00%	0.26	0.27	-3.70%	NA	NA		0.02	0.02	0.00%
93040	Rhythm ecg with report			0.15	0.15	0.00%	0.29	0.28	3.57%	NA	NA		0.02	0.02	0.00%
93306	Tte w/doppler complete			1.42	1.42	0.00%	4.33	4.39	-1.37%	NA	NA		0.08	0.08	0.00%
93306	Tte w/doppler complete			1.42	1.42	0.00%	0.56	0.55	1.82%	0.56	0.55	1.82%	0.05	0.05	0.00%
93306	Tte w/doppler complete			0.00	0.00		3.77	3.84	-1.82%	NA	NA		0.03	0.03	0.00%
93880	Extracranial bilat study			0.78	0.78	0.00%	4.85	4.79	1.25%	NA	NA		0.12	0.1	20.00%
93880	Extracranial bilat study			0.78	0.78	0.00%	0.28	0.27	3.70%	0.28	0.27	3.70%	0.09	0.07	28.57%
93880	Extracranial bilat study			0.00	0.00		4.57	4.52	1.11%	NA	NA		0.03	0.03	0.00%
93882	Extracranial uni/ltd study			0.49	0.49	0.00%	3.28	3.15	4.13%	NA	NA		0.09	0.08	12.50%
93882	Extracranial uni/ltd study			0.49	0.49	0.00%	0.16	0.15	6.67%	0.16	0.15	6.67%	0.07	0.06	16.67%
93882	Extracranial uni/ltd study			0.00	0.00		3.12	3	4.00%	NA	NA		0.02	0.02	0.00%
93886	Intracranial complete study			0.88	0.88	0.00%	6.77	7.12	-4.92%	NA	NA		0.09	0.09	0.00%
93886	Intracranial complete study			0.88	0.88	0.00%	0.41	0.42	-2.38%	0.41	0.42	-2.38%	0.06	0.06	0.00%
93886	Intracranial complete study			0.00	0.00		6.36	6.7	-5.07%	NA	NA		0.03	0.03	0.00%
93888	Intracranial limited study			0.71	0.71	0.00%	4.15	4.33	-4.16%	NA	NA		0.07	0.06	16.67%
93888	Intracranial limited study			0.71	0.71	0.00%	0.31	0.33	-6.06%	0.31	0.33	-6.06%	0.05	0.04	25.00%
93888	Intracranial limited study			0.00	0.00		3.84	4	-4.00%	NA	NA		0.02	0.02	0.00%
93892	Tcd emboli detect w/o inj			1.12	1.12	0.00%	7.94	7.94	0.00%	NA	NA		0.12	0.11	9.09%
93892	Tcd emboli detect w/o inj			1.12	1.12	0.00%	0.54	0.56	-3.57%	0.54	0.56	-3.57%	0.09	0.07	28.57%
93892	Tcd emboli detect w/o inj			0.00	0.00		7.4	7.38	0.27%	NA	NA		0.03	0.04	-25.00%
93893	Tcd std icr art ven-art shnt			1.12	1.12	0.00%	9.26	9.74	-4.93%	NA	NA		0.12	0.1	20.00%
93893	Tcd std icr art ven-art shnt			1.12	1.12	0.00%	0.57	0.59	-3.39%	0.57	0.59	-3.39%	0.09	0.07	28.57%
93893	Tcd std icr art ven-art shnt			0.00	0.00		8.69	9.15	-5.03%	NA	NA		0.03	0.03	0.00%
93896	Vsrctv std tcd icr art compl			0.79	0.79	0.00%	4.51	4.75	-5.05%	NA	NA		0.08	0.08	0.00%
93896	Vsrctv std tcd icr art compl			0.79	0.79	0.00%	0.37	0.38	-2.63%	0.37	0.38	-2.63%	0.06	0.06	0.00%
93896	Vsrctv std tcd icr art compl			0.00	0.00		4.14	4.37	-5.26%	NA	NA		0.02	0.02	0.00%
93897	Emboli detcj wo iv mbubb njx			0.71	0.71	0.00%	6	6.32	-5.06%	NA	NA		0.05	0.08	-37.50%
93897	Emboli detcj wo iv mbubb njx			0.71	0.71	0.00%	0.34	0.36	-5.56%	0.34	0.36	-5.56%	0.03	0.05	-40.00%
93897	Emboli detcj wo iv mbubb njx			0.00	0.00		5.66	5.96	-5.03%	NA	NA		0.02	0.03	-33.33%
93898	Ven-artl shunt det mbubb njx			0.83	0.83	0.00%	6.62	6.95	-4.75%	NA	NA		0.07	0.08	-12.50%
93898	Ven-artl shunt det mbubb njx			0.83	0.83	0.00%	0.42	0.43	-2.33%	0.42	0.43	-2.33%	0.05	0.06	-16.67%
93898	Ven-artl shunt det mbubb njx			0.00	0.00		6.2	6.52	-4.91%	NA	NA		0.02	0.02	0.00%
93922	Upr/l xtremity art 2 levels			0.24	0.24	0.00%	2.31	2.21	4.52%	NA	NA		0.05	0.05	0.00%
93922	Upr/l xtremity art 2 levels			0.24	0.24	0.00%	0.08	0.08	0.00%	0.08	0.08	0.00%	0.03	0.03	0.00%
93922	Upr/l xtremity art 2 levels			0.00	0.00		2.23	2.13	4.69%	NA	NA		0.02	0.02	0.00%
93923	Upr/lxtr art stdy 3+ lvls			0.44	0.44	0.00%	3.66	3.47	5.48%	NA	NA		0.09	0.09	0.00%
93923	Upr/lxtr art stdy 3+ lvls			0.44	0.44	0.00%	0.15	0.14	7.14%	0.15	0.14	7.14%	0.06	0.06	0.00%
93923	Upr/lxtr art stdy 3+ lvls			0.00	0.00		3.51	3.33	5.41%	NA	NA		0.03	0.03	0.00%
93970	Extremity study			0.68	0.68	0.00%	4.94	4.74	4.22%	NA	NA		0.09	0.09	0.00%
93970	Extremity study			0.68	0.68	0.00%	0.23	0.22	4.55%	0.23	0.22	4.55%	0.06	0.06	0.00%
93970	Extremity study			0.00	0.00		4.71	4.52	4.20%	NA	NA		0.03	0.03	0.00%
93971	Extremity study			0.44	0.44	0.00%	3.11	2.99	4.01%	NA	NA		0.05	0.05	0.00%
93971	Extremity study			0.44	0.44	0.00%	0.15	0.14	7.14%	0.15	0.14	7.14%	0.03	0.03	0.00%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
93971	Extremity study			0.00	0.00		2.96	2.85	3.86%	NA	NA		0.02	0.02	0.00%
95717	Eeg phys/qhp 2-12 hr w/o vid			1.95	1.95	0.00%	1.12	1.18	-5.08%	0.54	0.56	-3.57%	0.15	0.16	-6.25%
95718	Eeg phys/qhp 2-12 hr w/veeg			2.44	2.44	0.00%	1.42	1.49	-4.70%	0.67	0.7	-4.29%	0.18	0.2	-10.00%
95720	Eeg phy/qhp ea incr w/veeg			3.76	3.76	0.00%	2.18	2.28	-4.39%	1.03	1.08	-4.63%	0.3	0.3	0.00%
95806					0.91			2.12			NA			0.06	
95806					0.91			0.39			0.39			0.04	
95806					0.00			1.73			NA			0.02	
95810	Polysom 6/> yrs 4/> param			2.44	2.44	0.00%	16.66	17.49	-4.75%	NA	NA		0.26	0.26	0.00%
95810	Polysom 6/> yrs 4/> param			2.44	2.44	0.00%	0.98	1.03	-4.85%	0.98	1.03	-4.85%	0.11	0.11	0.00%
95810	Polysom 6/> yrs 4/> param			0.00	0.00		15.68	16.46	-4.74%	NA	NA		0.15	0.15	0.00%
95811	Polysom 6/>yrs cpap 4/> parm			2.54	2.54	0.00%	17.58	18.39	-4.40%	NA	NA		0.26	0.28	-7.14%
95811	Polysom 6/>yrs cpap 4/> parm			2.54	2.54	0.00%	1.02	1.06	-3.77%	1.02	1.06	-3.77%	0.11	0.11	0.00%
95811	Polysom 6/>yrs cpap 4/> parm			0.00	0.00		16.56	17.33	-4.44%	NA	NA		0.15	0.17	-11.76%
95812	Eeg 41-60 minutes			1.08	1.08	0.00%	9.79	10.31	-5.04%	NA	NA		0.08	0.09	-11.11%
95812	Eeg 41-60 minutes			1.08	1.08	0.00%	0.59	0.62	-4.84%	0.59	0.62	-4.84%	0.05	0.05	0.00%
95812	Eeg 41-60 minutes			0.00	0.00		9.2	9.69	-5.06%	NA	NA		0.03	0.04	-25.00%
95813	Eeg extnd mntr 61-119 min			1.63	1.63	0.00%	11.99	12.62	-4.99%	NA	NA		0.14	0.12	16.67%
95813	Eeg extnd mntr 61-119 min			1.63	1.63	0.00%	0.89	0.94	-5.32%	0.89	0.94	-5.32%	0.09	0.07	28.57%
95813	Eeg extnd mntr 61-119 min			0.00	0.00		11.1	11.68	-4.97%	NA	NA		0.05	0.05	0.00%
95816	Eeg awake and drowsy			1.05	1.05	0.00%	10.69	11.24	-4.89%	NA	NA		0.1	0.1	0.00%
95816	Eeg awake and drowsy			1.05	1.05	0.00%	0.57	0.59	-3.39%	0.57	0.59	-3.39%	0.05	0.05	0.00%
95816	Eeg awake and drowsy			0.00	0.00		10.12	10.65	-4.98%	NA	NA		0.05	0.05	0.00%
95819	Eeg awake and asleep			1.05	1.05	0.00%	12.64	13.29	-4.89%	NA	NA		0.11	0.11	0.00%
95819	Eeg awake and asleep			1.05	1.05	0.00%	0.58	0.6	-3.33%	0.58	0.6	-3.33%	0.05	0.05	0.00%
95819	Eeg awake and asleep			0.00	0.00		12.06	12.69	-4.96%	NA	NA		0.06	0.06	0.00%
95822	Eeg coma or sleep only			1.05	1.05	0.00%	11.64	12.24	-4.90%	NA	NA		0.1	0.1	0.00%
95822	Eeg coma or sleep only			1.05	1.05	0.00%	0.58	0.6	-3.33%	0.58	0.6	-3.33%	0.05	0.05	0.00%
95822	Eeg coma or sleep only			0.00	0.00		11.06	11.64	-4.98%	NA	NA		0.05	0.05	0.00%
95829	Surgery electrocorticogram			6.05	6.05	0.00%	50.05	52.65	-4.94%	NA	NA		0.46	0.42	9.52%
95829	Surgery electrocorticogram			6.05	6.05	0.00%	3.54	3.72	-4.84%	3.54	3.72	-4.84%	0.36	0.33	9.09%
95829	Surgery electrocorticogram			0.00	0.00		46.51	48.93	-4.95%	NA	NA		0.1	0.09	11.11%
95861	Needle emg 2 extremities			1.50	1.50	0.00%	3.1	3.28	-5.49%	NA	NA		0.08	0.08	0.00%
95861	Needle emg 2 extremities			1.50	1.50	0.00%	0.81	0.86	-5.81%	0.81	0.86	-5.81%	0.07	0.07	0.00%
95861	Needle emg 2 extremities			0.00	0.00		2.29	2.42	-5.37%	NA	NA		0.01	0.01	0.00%
95864	Needle emg 4 extremities			1.94	1.94	0.00%	4.93	5.18	-4.83%	NA	NA		0.1	0.09	11.11%
95864	Needle emg 4 extremities			1.94	1.94	0.00%	1.07	1.12	-4.46%	1.07	1.12	-4.46%	0.09	0.08	12.50%
95864	Needle emg 4 extremities			0.00	0.00		3.86	4.06	-4.93%	NA	NA		0.01	0.01	0.00%
95870	Ndl emg lmtd std musc 1 xtr			0.36	0.36	0.00%	2.1	2.2	-4.55%	NA	NA		0.03	0.03	0.00%
95870	Ndl emg lmtd std musc 1 xtr			0.36	0.36	0.00%	0.2	0.21	-4.76%	0.2	0.21	-4.76%	0.02	0.02	0.00%
95870	Ndl emg lmtd std musc 1 xtr			0.00	0.00		1.9	1.99	-4.52%	NA	NA		0.01	0.01	0.00%
95874	Guide nerv destr needle emg			0.36	0.36	0.00%	1.95	2.04	-4.41%	NA	NA		0.01	0.01	0.00%
95874	Guide nerv destr needle emg			0.36	0.36	0.00%	0.21	0.22	-4.55%	0.21	0.22	-4.55%	0.01	0.01	0.00%
95874	Guide nerv destr needle emg			0.00	0.00		1.74	1.82	-4.40%	NA	NA		0	0	
95885	Musc tst done w/nerv tst lim			0.34	0.34	0.00%	1.5	1.58	-5.06%	NA	NA		0.01	0.01	0.00%
95885	Musc tst done w/nerv tst lim			0.34	0.34	0.00%	0.19	0.2	-5.00%	0.19	0.2	-5.00%	0.01	0.01	0.00%
95885	Musc tst done w/nerv tst lim			0.00	0.00		1.31	1.38	-5.07%	NA	NA		0	0	
95886	Musc test done w/n test comp			0.84	0.84	0.00%	2.02	2.13	-5.16%	NA	NA		0.03	0.03	0.00%
95886	Musc test done w/n test comp			0.84	0.84	0.00%	0.47	0.49	-4.08%	0.47	0.49	-4.08%	0.03	0.03	0.00%
95886	Musc test done w/n test comp			0.00	0.00		1.55	1.64	-5.49%	NA	NA		0	0	
95887	Musc tst done w/n tst nonext			0.69	0.69	0.00%	1.83	1.92	-4.69%	NA	NA		0.03	0.03	0.00%
95887	Musc tst done w/n tst nonext			0.69	0.69	0.00%	0.38	0.39	-2.56%	0.38	0.39	-2.56%	0.03	0.03	0.00%
95887	Musc tst done w/n tst nonext			0.00	0.00		1.45	1.53	-5.23%	NA	NA		0	0	
95908	Nrv cndj tst 3-4 studies			1.22	1.22	0.00%	2.15	2.27	-5.29%	NA	NA		0.04	0.06	-33.33%
95908	Nrv cndj tst 3-4 studies			1.22	1.22	0.00%	0.71	0.74	-4.05%	0.71	0.74	-4.05%	0.03	0.05	-40.00%
95908	Nrv cndj tst 3-4 studies			0.00	0.00		1.44	1.53	-5.88%	NA	NA		0.01	0.01	0.00%
95909	Nrv cndj tst 5-6 studies			1.46	1.46	0.00%	2.59	2.72	-4.78%	NA	NA		0.06	0.07	-14.29%
95909	Nrv cndj tst 5-6 studies			1.46	1.46	0.00%	0.83	0.88	-5.68%	0.83	0.88	-5.68%	0.05	0.06	-16.67%
95909	Nrv cndj tst 5-6 studies			0.00	0.00		1.76	1.84	-4.35%	NA	NA		0.01	0.01	0.00%
95910	Nrv cndj test 7-8 studies			1.95	1.95	0.00%	3.33	3.5	-4.86%	NA	NA		0.08	0.08	0.00%
95910	Nrv cndj test 7-8 studies			1.95	1.95	0.00%	1.1	1.16	-5.17%	1.1	1.16	-5.17%	0.07	0.07	0.00%
95910	Nrv cndj test 7-8 studies			0.00	0.00		2.23	2.34	-4.70%	NA	NA		0.01	0.01	0.00%
95911	Nrv cndj test 9-10 studies			2.44	2.44	0.00%	3.85	4.05	-4.94%	NA	NA		0.11	0.1	10.00%
95911	Nrv cndj test 9-10 studies			2.44	2.44	0.00%	1.37	1.44	-4.86%	1.37	1.44	-4.86%	0.1	0.09	11.11%
95911	Nrv cndj test 9-10 studies			0.00	0.00		2.48	2.61	-4.98%	NA	NA		0.01	0.01	0.00%
95912	Nrv cndj test 11-12 studies			2.93	2.93	0.00%	4.33	4.57	-5.25%	NA	NA		0.13	0.14	-7.14%
95912	Nrv cndj test 11-12 studies			2.93	2.93	0.00%	1.6	1.69	-5.33%	1.6	1.69	-5.33%	0.11	0.12	-8.33%
95912	Nrv cndj test 11-12 studies			0.00	0.00		2.73	2.88	-5.21%	NA	NA		0.02	0.02	0.00%
95913	Nrv cndj test 13/> studies			3.47	3.47	0.00%	5.1	5.36	-4.85%	NA	NA		0.17	0.16	6.25%
95913	Nrv cndj test 13/> studies			3.47	3.47	0.00%	1.92	2.01	-4.48%	1.92	2.01	-4.48%	0.15	0.14	7.14%
95913	Nrv cndj test 13/> studies			0.00	0.00		3.18	3.35	-5.07%	NA	NA		0.02	0.02	0.00%
95921	Tst ans cardiovagal innervaj			0.74	0.88	-15.91%	1.28	1.78	-28.09%	NA	NA		0.04	0.04	0.00%
95921	Tst ans cardiovagal innervaj			0.74	0.88	-15.91%	0.32	0.41	-21.95%	0.32	0.41	-21.95%	0.03	0.03	0.00%
95921	Tst ans cardiovagal innervaj			0.00	0.00		0.96	1.37	-29.93%	NA	NA		0.01	0.01	0.00%
95923	Tst ans sudomotor qsart			0.88	0.88	0.00%	4.35	2.75	58.18%	NA	NA		0.06	0.05	20.00%
95923	Tst ans sudomotor qsart			0.88	0.88	0.00%	0.37	0.39	-5.13%	0.37	0.39	-5.13%	0.05	0.04	25.00%
95923	Tst ans sudomotor qsart			0.00	0.00		3.98	2.36	68.64%	NA	NA		0.01	0.01	0.00%
95924	Tst ans parasymp&symp w/tilt			1.50	1.73	-13.29%	2.16	2.81	-23.13%	NA	NA		0.1	0.1	0.00%
95924	Tst ans parasymp&symp w/tilt			1.50	1.73	-13.29%	0.65	0.82	-20.73%	0.65	0.82	-20.73%	0.09	0.08	12.50%
95924	Tst ans parasymp&symp w/tilt			0.00	0.00		1.51	1.99	-24.12%	NA	NA		0.01	0.02	-50.00%
95925	Somatosensory testing			0.53	0.53	0.00%	3.76	3.95	-4.81%	NA	NA		0.06	0.06	0.00%
95925	Somatosensory testing			0.53	0.53	0.00%	0.25	0.26	-3.85%	0.25	0.26	-3.85%	0.03	0.03	0.00%
95925	Somatosensory testing			0.00	0.00		3.51	3.69	-4.88%	NA	NA		0.03	0.03	0.00%
95926	Somatosensory testing			0.53	0.53	0.00%	3.33	3.49	-4.58%	NA	NA		0.05	0.05	0.00%
95926	Somatosensory testing			0.53	0.53	0.00%	0.22	0.23	-4.35%	0.22	0.23	-4.35%	0.02	0.02	0.00%
95926	Somatosensory testing			0.00	0.00		3.11	3.26	-4.60%	NA	NA		0.03	0.03	0.00%
95928	C motor evoked uppr limbs			1.46	1.46	0.00%	5.81	6.13	-5.22%	NA	NA		0.11	0.09	22.22%
95928	C motor evoked uppr limbs			1.46	1.46	0.00%	0.79	0.84	-5.95%	0.79	0.84	-5.95%	0.09	0.07	28.57%
95928	C motor evoked uppr limbs			0.00	0.00		5.02	5.29	-5.10%	NA	NA		0.02	0.02	0.00%
95929	C motor evoked lwr limbs			1.46	1.46	0.00%	5.65	5.95	-5.04%	NA	NA		0.11	0.09	22.22%
95929	C motor evoked lwr limbs			1.46	1.46	0.00%	0.78	0.82	-4.88%	0.78	0.82	-4.88%	0.09	0.07	28.57%
95929	C motor evoked lwr limbs			0.00	0.00		4.87	5.13	-5.07%	NA	NA		0.02	0.02	0.00%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
95930	Visual ep test cns w/i&r			0.34	0.34	0.00%	1.59	1.67	-4.79%	NA	NA		0.02	0.02	0.00%
95930	Visual ep test cns w/i&r			0.34	0.34	0.00%	0.18	0.19	-5.26%	0.18	0.19	-5.26%	0.01	0.01	0.00%
95930	Visual ep test cns w/i&r			0.00	0.00		1.41	1.48	-4.73%	NA	NA		0.01	0.01	0.00%
95937	Neuromuscular junction test			0.63	0.63	0.00%	2.41	2.52	-4.37%	NA	NA		0.04	0.04	0.00%
95937	Neuromuscular junction test			0.63	0.63	0.00%	0.35	0.36	-2.78%	0.35	0.36	-2.78%	0.03	0.03	0.00%
95937	Neuromuscular junction test			0.00	0.00		2.06	2.16	-4.63%	NA	NA		0.01	0.01	0.00%
95938	Somatosensory testing			0.84	0.84	0.00%	10.52	11.06	-4.88%	NA	NA		0.08	0.09	-11.11%
95938	Somatosensory testing			0.84	0.84	0.00%	0.45	0.47	-4.26%	0.45	0.47	-4.26%	0.03	0.04	-25.00%
95938	Somatosensory testing			0.00	0.00		10.07	10.59	-4.91%	NA	NA		0.05	0.05	0.00%
95939	C motor evoked upr&lwr limbs			2.19	2.19	0.00%	14.56	15.31	-4.90%	NA	NA		0.16	0.15	6.67%
95939	C motor evoked upr&lwr limbs			2.19	2.19	0.00%	1.18	1.24	-4.84%	1.18	1.24	-4.84%	0.1	0.09	11.11%
95939	C motor evoked upr&lwr limbs			0.00	0.00		13.38	14.07	-4.90%	NA	NA		0.06	0.06	0.00%
95955	Eeg during surgery			0.98	0.98	0.00%	4.66	4.89	-4.70%	NA	NA		0.04	0.05	-20.00%
95955	Eeg during surgery			0.98	0.98	0.00%	0.55	0.57	-3.51%	0.55	0.57	-3.51%	0.03	0.04	-25.00%
95955	Eeg during surgery			0.00	0.00		4.11	4.32	-4.86%	NA	NA		0.01	0.01	0.00%
95957	Eeg digital analysis			1.93	1.93	0.00%	6.88	7.25	-5.10%	NA	NA		0.12	0.11	9.09%
95957	Eeg digital analysis			1.93	1.93	0.00%	0.98	1.04	-5.77%	0.98	1.04	-5.77%	0.09	0.07	28.57%
95957	Eeg digital analysis			0.00	0.00		5.9	6.21	-4.99%	NA	NA		0.03	0.04	-25.00%
95958	Eeg monitoring/function test			4.13	4.13	0.00%	17.57	18.49	-4.98%	NA	NA		0.79	0.28	182.14%
95958	Eeg monitoring/function test			4.13	4.13	0.00%	2.29	2.41	-4.98%	2.29	2.41	-4.98%	0.7	0.2	250.00%
95958	Eeg monitoring/function test			0.00	0.00		15.28	16.08	-4.98%	NA	NA		0.09	0.08	12.50%
95961	Funcjl cort&subcort mapg 1st			2.97	2.97	0.00%	7.21	7.59	-5.01%	NA	NA		0.36	0.37	-2.70%
95961	Funcjl cort&subcort mapg 1st			2.97	2.97	0.00%	1.67	1.76	-5.11%	1.67	1.76	-5.11%	0.34	0.35	-2.86%
95961	Funcjl cort&subcort mapg 1st			0.00	0.00		5.54	5.83	-4.97%	NA	NA		0.02	0.02	0.00%
95962	Funcjl cort&subcort mapg ea			3.21	3.21	0.00%	5.38	5.66	-4.95%	NA	NA		0.29	0.36	-19.44%
95962	Funcjl cort&subcort mapg ea			3.21	3.21	0.00%	1.8	1.89	-4.76%	1.8	1.89	-4.76%	0.27	0.34	-20.59%
95962	Funcjl cort&subcort mapg ea			0.00	0.00		3.58	3.77	-5.04%	NA	NA		0.02	0.02	0.00%
95967	Meg evoked each addl			0.00	0.00		0	0		NA	NA		0	0	
95967	Meg evoked each addl			3.40	3.40	0.00%	1.89	1.97	-4.06%	1.89	1.97	-4.06%	0.15	0.16	-6.25%
95967	Meg evoked each addl			0.00	0.00		0	0		NA	NA		0	0	
95970	Alys npgt w/o prgrmg			0.35	0.35	0.00%	0.2	0.21	-4.76%	0.09	0.1	-10.00%	0.03	0.03	0.00%
95971	Alys smpl sp/pn npgt w/prgrm			0.78	0.78	0.00%	0.68	0.66	3.03%	0.17	0.18	-5.56%	0.07	0.07	0.00%
95972	Alys cplx sp/pn npgt w/prgrm			0.80	0.80	0.00%	0.95	0.92	3.26%	0.17	0.18	-5.56%	0.09	0.07	28.57%
95976	Alys smpl cn npgt prgrmg			0.71	0.71	0.00%	0.36	0.37	-2.70%	0.17	0.18	-5.56%	0.06	0.06	0.00%
95977	Alys cplx cn npgt prgrmg			0.95	0.95	0.00%	0.47	0.49	-4.08%	0.23	0.24	-4.17%	0.09	0.08	12.50%
95983	Alys brn npgt prgrmg 15 min			0.91	0.91	0.00%	0.54	0.56	-3.57%	0.25	0.27	-7.41%	0.09	0.08	12.50%
95984	Alys brn npgt prgrmg addl 15			0.80	0.80	0.00%	0.46	0.48	-4.17%	0.23	0.24	-4.17%	0.07	0.07	0.00%
95990	Spin/brain pump refil & main			0.00	0.00		2.75	2.89	-4.84%	NA	NA		0.05	0.05	0.00%
95991	Spin/brain pump refil & main			0.75	0.75	0.00%	2.61	2.65	-1.51%	0.18	0.19	-5.26%	0.09	0.07	28.57%
96116	Nubhvl xm phys/qhp 1st hr			1.86	1.86	0.00%	0.85	0.9	-5.56%	0.25	0.24	4.17%	0.06	0.06	0.00%
96127	Brief emotional/behav assmt			0.00	0.00		0.13	0.14	-7.14%	NA	NA		0.01	0.01	0.00%
96132	Nrpsyc tst eval phys/qhp 1st			2.56	2.56	0.00%	1.08	1.03	4.85%	0.33	0.32	3.13%	0.09	0.07	28.57%
96133	Nrpsyc tst eval phys/qhp ea			1.96	1.96	0.00%	0.99	0.95	4.21%	0.14	0.13	7.69%	0.02	0.02	0.00%
96136	Psycl/nrpsyc tst phy/qhp 1st			0.55	0.55	0.00%	0.78	0.74	5.41%	0.07	0.07	0.00%	0.02	0.02	0.00%
96137	Psycl/nrpsyc tst phy/qhp ea			0.46	0.46	0.00%	0.69	0.65	6.15%	0.03	0.03	0.00%	0	0	
96138	Psycl/nrpsyc tech 1st			0.00	0.00		1.14	1.12	1.79%	NA	NA		0.01	0.01	0.00%
96361	Hydration iv infusion ea add			0.09	0.09	0.00%	0.29	0.29	0.00%	NA	NA		0.01	0.01	0.00%
96372	Ther/proph/diag inj sc/im			0.17	0.17	0.00%	0.27	0.28	-3.57%	NA	NA		0.01	0.01	0.00%
96374	Ther/proph/diag inj iv push			0.18	0.18	0.00%	0.88	0.93	-5.38%	NA	NA		0.02	0.02	0.00%
96375	Tx/pro/dx inj new drug addon			0.10	0.10	0.00%	0.36	0.36	0.00%	NA	NA		0.01	0.01	0.00%
96401	Chemo anti-neopl sq/im			0.21	0.21	0.00%	1.81	1.91	-5.24%	NA	NA		0.03	0.04	-25.00%
97012	Mechanical traction therapy			0.24	0.24	0.00%	0.19	0.18	5.56%	NA	NA		0.01	0.01	0.00%
97032	Appl modality 1+estim ea 15			0.25	0.25	0.00%	0.19	0.18	5.56%	NA	NA		0.01	0.01	0.00%
97035	App mdlty 1+ultrasound ea 15			0.21	0.21	0.00%	0.22	0.21	4.76%	NA	NA		0.01	0.01	0.00%
97110	Therapeutic exercises			0.45	0.45	0.00%	0.44	0.41	7.32%	NA	NA		0.01	0.01	0.00%
97112	Neuromuscular reeducation			0.50	0.50	0.00%	0.5	0.47	6.38%	NA	NA		0.01	0.01	0.00%
97113	Aquatic therapy/exercises			0.48	0.48	0.00%	0.66	0.62	6.45%	NA	NA		0.01	0.01	0.00%
97140	Manual therapy 1/> regions			0.43	0.43	0.00%	0.42	0.39	7.69%	NA	NA		0.01	0.01	0.00%
97161	Pt eval low complex 20 min			1.54	1.54	0.00%	1.45	1.39	4.32%	NA	NA		0.01	0.01	0.00%
97162	Pt eval mod complex 30 min			1.54	1.54	0.00%	1.45	1.39	4.32%	NA	NA		0.01	0.01	0.00%
97163	Pt eval high complex 45 min			1.54	1.54	0.00%	1.45	1.39	4.32%	NA	NA		0.01	0.01	0.00%
97164	Pt re-eval est plan care			0.96	0.96	0.00%	1.1	1.05	4.76%	NA	NA		0.01	0.01	0.00%
97165	Ot eval low complex 30 min			1.54	1.54	0.00%	1.53	1.46	4.79%	NA	NA		0.01	0.01	0.00%
97530	Therapeutic activities			0.44	0.44	0.00%	0.64	0.6	6.67%	NA	NA		0.01	0.01	0.00%
97535	Self care mngment training			0.45	0.45	0.00%	0.54	0.51	5.88%	NA	NA		0.01	0.01	0.00%
97597	Dbrdmt opn wnd 1st 20 cm/<			0.75	0.75	0.00%	2.35	2.24	4.91%	0.14	0.13	7.69%	0.06	0.05	20.00%
97598	Dbrdmt opn wnd addl 20cm/<			0.49	0.49	0.00%	0.9	0.88	2.27%	0.1	0.1	0.00%	0.06	0.06	0.00%
97605	Neg prs wnd ther dme<=50sqcm			0.54	0.54	0.00%	0.75	0.71	5.63%	0.08	0.08	0.00%	0.01	0.01	0.00%
97607	Neg prs wnd thr ndme<=50sqcm			0.40	0.40	0.00%	10.03	10.55	-4.93%	0.09	0.1	-10.00%	0.07	0.06	16.67%
97610	Low frequency non-thermal us			0.39	0.39	0.00%	9.24	11.51	-19.72%	0.07	0.06	16.67%	0.01	0.01	0.00%
97750	Physical performance test			0.45	0.45	0.00%	0.58	0.55	5.45%	NA	NA		0.01	0.01	0.00%
97760	Orthotic mgmt&traing 1st enc			0.50	0.50	0.00%	0.91	0.87	4.60%	NA	NA		0.01	0.01	0.00%
97810	Acup 1/> wo estim 1st 15 min			0.61	0.61	0.00%	0.76	0.79	-3.80%	0.16	0.17	-5.88%	0.03	0.04	-25.00%
97811	Acup 1/> w/o estim ea add 15			0.46	0.46	0.00%	0.34	0.36	-5.56%	0.12	0.13	-7.69%	0.03	0.03	0.00%
97813	Acup 1/> w/estim 1st 15 min			0.74	0.74	0.00%	0.85	0.9	-5.56%	0.2	0.21	-4.76%	0.05	0.05	0.00%
97814	Acup 1/> w/estim ea addl 15			0.47	0.47	0.00%	0.34	0.36	-5.56%	0.12	0.13	-7.69%	0.03	0.03	0.00%
98016	Brief comunicaj tech-bsd svc			0.30	0.30	0.00%	0.19	0.2	-5.00%	0.07	0.07	0.00%	0.02	0.02	0.00%
98977	Rtm dev sply mscskl 16-30 d			0.00	0.00		1.24	1.19	4.20%	NA	NA		0.01	0.01	0.00%
98985	Rtm dev sply mscsk sys 2-15d			0.00	0.00		1.24	1.19	4.20%	NA	NA		0.01	0.01	0.00%
99152	Mod sed same phys/qhp 5/>yrs			0.25	0.25	0.00%	1.26	1.26	0.00%	0.05	0.05	0.00%	0.03	0.03	0.00%
99153	Mod sed same phys/qhp ea			0.00	0.00		0.36	0.36	0.00%	NA	NA		0.02	0.02	0.00%
99183	Hyperbaric oxygen therapy			2.06	2.06	0.00%	0.91	0.96	-5.21%	0.91	0.96	-5.21%	0.25	0.26	-3.85%
99202	Office o/p new sf 15 min			0.93	0.93	0.00%	1.25	1.25	0.00%	0.22	0.23	-4.35%	0.09	0.07	28.57%
99203	Office o/p new low 30 min			1.60	1.60	0.00%	1.73	1.76	-1.70%	0.37	0.38	-2.63%	0.15	0.16	-6.25%
99204	Office o/p new mod 45 min			2.60	2.60	0.00%	2.37	2.47	-4.05%	0.63	0.66	-4.55%	0.24	0.24	0.00%
99205	Office o/p new hi 60 min			3.50	3.50	0.00%	3.07	3.23	-4.95%	0.89	0.94	-5.32%	0.34	0.36	-5.56%
99211	Off/op est may x req phy/qhp			0.18	0.18	0.00%	0.55	0.54	1.85%	0.04	0.04	0.00%	0.01	0.01	0.00%
99212	Office o/p est sf 10 min			0.70	0.70	0.00%	1.01	1.02	-0.98%	0.15	0.17	-11.76%	0.06	0.06	0.00%
99213	Office o/p est low 20 min			1.30	1.30	0.00%	1.42	1.46	-2.74%	0.29	0.33	-12.12%	0.1	0.09	11.11%
99214	Office o/p est mod 30 min			1.92	1.92	0.00%	1.95	2	-2.50%	0.45	0.47	-4.26%	0.15	0.14	7.14%
99215	Office o/p est hi 40 min			2.80	2.80	0.00%	2.61	2.75	-5.09%	0.72	0.75	-4.00%	0.21	0.21	0.00%

				Physician Work			NF PE RVUs			Facility PE RVUs			Malpractice		
CPT Code	2027 Descriptor	RUC Rec	CMS Rec Prop Rule	CY 2027 Final Physician Work	CY 2026 FINAL Physician Work	% Change Work RVUs	CY 2027 Final Non-facility PE	CY 2026 FINAL Non-Facility PE	% Change NF PE RVUs	CY 2027 Final Facility PE	CY 2026 FINAL Facility PE	% Change Fac PE RVUs	CY 2027 Final Malpractice	CY 2026 FINAL MalPractice	% Change in MP
99221	1st hosp ip/obs sf/low 40			1.63	1.63	0.00%	NA	NA		0.4	0.41	-2.44%	0.18	0.19	-5.26%
99222	1st hosp ip/obs moderate 55			2.60	2.60	0.00%	NA	NA		0.64	0.67	-4.48%	0.24	0.23	4.35%
99223	1st hosp ip/obs high 75			3.50	3.50	0.00%	NA	NA		0.85	0.9	-5.56%	0.27	0.28	-3.57%
99231	Sbsq hosp ip/obs sf/low 25			1.00	1.00	0.00%	NA	NA		0.23	0.24	-4.17%	0.09	0.08	12.50%
99232	Sbsq hosp ip/obs moderate 35			1.59	1.59	0.00%	NA	NA		0.39	0.4	-2.50%	0.11	0.12	-8.33%
99233	Sbsq hosp ip/obs high 50			2.40	2.40	0.00%	NA	NA		0.59	0.62	-4.84%	0.16	0.18	-11.11%
99234	Hosp ip/obs sm dt sf/low 45			2.00	2.00	0.00%	NA	NA		0.44	0.46	-4.35%	0.16	0.18	-11.11%
99235	Hosp ip/obs same date mod 70			3.24	3.24	0.00%	NA	NA		0.76	0.79	-3.80%	0.25	0.25	0.00%
99236	Hosp ip/obs same date hi 85			4.30	4.30	0.00%	NA	NA		0.96	1.02	-5.88%	0.35	0.36	-2.78%
99238	Hosp ip/obs dschrg mgmt 30/<			1.50	1.50	0.00%	NA	NA		0.59	0.62	-4.84%	0.11	0.12	-8.33%
99239	Hosp ip/obs dschrg mgmt >30			2.15	2.15	0.00%	NA	NA		0.83	0.88	-5.68%	0.15	0.16	-6.25%
99281	Emr dpt vst mayx req phy/qhp			0.25	0.25	0.00%	NA	NA		0.05	0.05	0.00%	0.03	0.03	0.00%
99282	Emergency dept visit sf mdm			0.93	0.93	0.00%	NA	NA		0.18	0.17	5.88%	0.11	0.11	0.00%
99283	Emergency dept visit low mdm			1.60	1.60	0.00%	NA	NA		0.29	0.28	3.57%	0.18	0.2	-10.00%
99284	Emergency dept visit mod mdm			2.74	2.74	0.00%	NA	NA		0.48	0.45	6.67%	0.33	0.35	-5.71%
99285	Emergency dept visit hi mdm			4.00	4.00	0.00%	NA	NA		0.69	0.65	6.15%	0.5	0.48	4.17%
99291	Critical care first hour			4.50	4.50	0.00%	4.25	4.29	-0.93%	0.94	1	-6.00%	0.47	0.46	2.17%
99292	Critical care addl 30 min			2.25	2.25	0.00%	1.46	1.53	-4.58%	0.5	0.52	-3.85%	0.24	0.23	4.35%
99304	1st nf care sf/low mdm 25			1.50	1.50	0.00%	0.83	0.84	-1.19%	0.83	0.54	53.70%	0.09	0.09	0.00%
99305	1st nf care moderate mdm 35			2.50	2.50	0.00%	1.46	1.54	-5.19%	1.46	0.91	60.44%	0.16	0.18	-11.11%
99306	1st nf care high mdm 50			3.50	3.50	0.00%	1.95	2.05	-4.88%	1.95	1.16	68.10%	0.24	0.23	4.35%
99307	Sbsq nf care sf mdm 10			0.70	0.70	0.00%	0.51	0.51	0.00%	0.51	0.36	41.67%	0.05	0.05	0.00%
99308	Sbsq nf care low mdm 20			1.30	1.30	0.00%	0.92	0.98	-6.12%	0.92	0.65	41.54%	0.09	0.08	12.50%
99309	Sbsq nf care moderate mdm 30			1.92	1.92	0.00%	1.3	1.37	-5.11%	1.3	0.89	46.07%	0.15	0.14	7.14%
99310	Sbsq nf care high mdm 45			2.80	2.80	0.00%	1.79	1.88	-4.79%	1.79	1.19	50.42%	0.2	0.21	-4.76%
99350	Home/res vst est high mdm 60			3.60	3.60	0.00%	1.85	1.94	-4.64%	NA	NA		0.24	0.24	0.00%
99406	Behav chng smoking 3-10 min			0.29	0.24	20.83%	0.2	0.2	0.00%	0.06	0.06	0.00%	0.02	0.02	0.00%
99407	Behav chng smoking > 10 min			0.60	0.50	20.00%	0.34	0.33	3.03%	0.13	0.12	8.33%	0.05	0.04	25.00%
99421	Ol dig e/m svc 5-10 min			0.25	0.25	0.00%	0.19	0.2	-5.00%	0.06	0.06	0.00%	0.02	0.02	0.00%
99422	Ol dig e/m svc 11-20 min			0.50	0.50	0.00%	0.37	0.38	-2.63%	0.12	0.13	-7.69%	0.03	0.04	-25.00%
99423	Ol dig e/m svc 21+ min			0.80	0.80	0.00%	0.59	0.61	-3.28%	0.19	0.2	-5.00%	0.05	0.05	0.00%
99426	Prin care mgmt staff 1st 30			1.00	1.00	0.00%	0.97	0.96	1.04%	0.24	0.25	-4.00%	0.07	0.07	0.00%
99427	Prin care mgmt staff ea addl			0.71	0.71	0.00%	0.89	0.86	3.49%	0.17	0.18	-5.56%	0.05	0.05	0.00%
99439	Chrnc care mgmt staf ea addl			0.70	0.70	0.00%	0.77	0.76	1.32%	0.16	0.17	-5.88%	0.05	0.05	0.00%
99446	Ntrprof ph1/ntrnet/ehr 5-10			0.35	0.35	0.00%	0.17	0.18	-5.56%	0.08	0.09	-11.11%	0.03	0.04	-25.00%
99447	Ntrprof ph1/ntrnet/ehr 11-20			0.70	0.70	0.00%	0.36	0.37	-2.70%	0.18	0.19	-5.26%	0.07	0.07	0.00%
99448	Ntrprof ph1/ntrnet/ehr 21-30			1.05	1.05	0.00%	0.54	0.56	-3.57%	0.27	0.29	-6.90%	0.09	0.09	0.00%
99449	Ntrprof ph1/ntrnet/ehr 31/>			1.40	1.40	0.00%	0.73	0.76	-3.95%	0.37	0.38	-2.63%	0.11	0.12	-8.33%
99451	Ntrprof ph1/ntrnet/ehr 5/>			0.70	0.70	0.00%	0.29	0.31	-6.45%	0.14	0.15	-6.67%	0.05	0.05	0.00%
99454	Rem mntr physiol param 16-30			0.00	0.00		1.25	1.41	-11.35%	NA	NA		0.01	0.01	0.00%
99457	Rpm tx mgmt 1st 20 min			0.61	0.61	0.00%	0.94	0.9	4.44%	0.13	0.14	-7.14%	0.03	0.04	-25.00%
99458	Rpm tx mgmt ea addl 20 min			0.61	0.61	0.00%	0.62	0.59	5.08%	0.13	0.14	-7.14%	0.03	0.04	-25.00%
99470	Rpm tx mgmt 1st 10 min			0.31	0.31	0.00%	0.48	0.45	6.67%	0.07	0.07	0.00%	0.02	0.02	0.00%
99483	Assmt & care pln pt cog imp			3.84	3.84	0.00%	4.52	4.66	-3.00%	0.92	0.97	-5.15%	0.27	0.27	0.00%
99487	Cplx chrnc care 1st 60 min			1.81	1.81	0.00%	2.38	2.38	0.00%	0.42	0.43	-2.33%	0.12	0.13	-7.69%
99489	Cplx chrnc care ea addl 30			1.00	1.00	0.00%	1.27	1.27	0.00%	0.23	0.24	-4.17%	0.07	0.07	0.00%
99490	Chrnc care mgmt staff 1st 20			1.00	1.00	0.00%	0.88	0.91	-3.30%	0.23	0.24	-4.17%	0.07	0.07	0.00%
99495	Transj care mgmt mod f2f 14d			2.78	2.78	0.00%	3.56	3.62	-1.66%	0.66	0.69	-4.35%	0.17	0.19	-10.53%
99496	Transj care mgmt high f2f 7d			3.79	3.79	0.00%	4.84	4.91	-1.43%	0.9	0.95	-5.26%	0.24	0.24	0.00%
99497	Advncd care plan 30 min			1.50	1.50	0.00%	0.89	1.01	-11.88%	0.34	0.38	-10.53%	0.1	0.09	11.11%
G0168	Wound closure by adhesive			0.30	0.30	0.00%	2.93	2.8	4.64%	0.05	0.05	0.00%	0.07	0.07	0.00%
G0179	Md recertification hha pt			0.44	0.44	0.00%	0.87	0.86	1.16%	NA	NA		0.03	0.03	0.00%
G0180	Md certification hha patient			0.65	0.65	0.00%	0.99	1	-1.00%	NA	NA		0.05	0.05	0.00%
G0181	Home health care supervision			1.73	1.73	0.00%	1.43	1.44	-0.69%	NA	NA		0.12	0.12	0.00%
G0277	Hbot, full body chamber, 30m			0.00	0.00		5.47	5.77	-5.20%	NA	NA		0.03	0.04	-25.00%
G0283	Elec stim other than wound			0.18	0.18	0.00%	0.2	0.19	5.26%	NA	NA		0.01	0.01	0.00%
G0316	Prolong inpt eval add15 m			0.61	0.61	0.00%	0.37	0.38	-2.63%	0.16	0.17	-5.88%	0.05	0.05	0.00%
G0396	Alcohol/subs interv 15-30mn			0.77	0.65	18.46%	0.43	0.4	7.50%	0.17	0.16	6.25%	0.07	0.06	16.67%
G0413	Pelvic ring fracture uni/bil			15.34	15.34	0.00%	NA	NA		10.16	10.68	-4.87%	3.25	3.26	-0.31%
G0415	Open tx post pelvic fxcture			20.41	20.41	0.00%	NA	NA		11.66	12.26	-4.89%	4.44	4.43	0.23%
G0425	Inpt/ed teleconsult30			1.92	1.92	0.00%	NA	NA		0.4	0.41	-2.44%	0.18	0.19	-5.26%
G0426	Inpt/ed teleconsult50			2.61	2.61	0.00%	NA	NA		0.64	0.67	-4.48%	0.24	0.23	4.35%
G0427	Inpt/ed teleconsult70			3.86	3.86	0.00%	NA	NA		0.85	0.9	-5.56%	0.27	0.28	-3.57%
G0438	Ppps, initial visit			2.60	2.60	0.00%	2.33	2.45	-4.90%	NA	NA		0.16	0.17	-5.88%
G0439	Ppps, subseq visit			1.92	1.92	0.00%	1.99	2.08	-4.33%	NA	NA		0.12	0.13	-7.69%
G0453	Cont intraop neuro monitor			0.60	0.60	0.00%	NA	NA		0.16	0.17	-5.88%	0.05	0.05	0.00%
G0544	Post d/c phone follow up			0.98	0.98	0.00%	0.93	0.95	-2.11%	0.23	0.24	-4.17%	0.06	0.07	-14.29%
G0545	Inherent visit to inpt			0.89	0.89	0.00%	0.52	0.49	6.12%	0.26	0.25	4.00%	0.07	0.07	0.00%
G0550	Phone/inter for dx/treat >5m			0.70	0.70	0.00%	0.28	0.3	-6.67%	0.14	0.15	-6.67%	0.03	0.05	-40.00%
G0557	Adv prim care mgmt lvl 2			0.77	0.77	0.00%	0.8	0.79	1.27%	0.18	0.19	-5.26%	0.05	0.05	0.00%
G0558	Adv prim care mgmt lvl 3			1.67	1.67	0.00%	1.74	1.72	1.16%	0.38	0.39	-2.56%	0.11	0.12	-8.33%
G0559	Unrelat prac follow up visit			0.16	0.16	0.00%	0.09	0.1	-10.00%	0.05	0.05	0.00%	0.02	0.03	-33.33%
G2212	Prolong outpt/office vis			0.61	0.61	0.00%	0.34	0.36	-5.56%	0.15	0.16	-6.25%	0.05	0.05	0.00%
G3002	Chronic pain mgmt 30 mins			1.45	1.45	0.00%	0.95	1.01	-5.94%	0.35	0.36	-2.78%	0.12	0.12	0.00%
G3003	Chronic pain mgmt addl 15m			0.50	0.50	0.00%	0.39	0.4	-2.50%	0.12	0.13	-7.69%	0.05	0.05	0.00%